ELSEVIER

Journal of Nuclear Materials 233–237 (1996) xliii–xcvi

journal of nuclear materials

Subject index

Absorber Materials

Activation characteristics of concrete shields containing colemanite, Y. Yarar 233–237 (1996) 1511

Adsorption

Hydrogen adsorption on and solubility in graphites, S.L. Kanashenko, A.E. Gorodetsky, V.N. Chernikov, A.V. Markin, A.P. Zakharov, B.L. Doyle and W.R. Wampler 233–237 (1996) 1207

Aluminum, Aluminum Alloys and Compounds

Radiation-induced creep of copper, aluminium and their alloys, E.S. Aitkhozhin and E.V. Chumakov 233–237 (1996) 537

Development of Al–Ge base rheocast brazing alloys, F. Saint-Antonin, M. Suéry, P. Meneses, G. Le Marois and F. Moret 233–237 (1996) 935

Amorphization and Amorphous Materials

Application of amorphous and microcrystalline filler metals for brazing of beryllium with metals, B.A. Kalin, V.T. Fedotov, O.N. Sevryukov, A.E. Grigoryev, A.N. Plyuschev, V.M. Ivanov and Yu.S. Strebkov 233–237 (1996) 945

Beryllium, Beryllium Alloys and Compounds

A review of the joining techniques for plasma facing components in fusion reactors, B.C. Odegard and B.A. Kalin 233–237 (1996) 44

Status of beryllium materials for fusion application, A.M. Khomutov, D.A. Davydov, V.A. Gorokhov, I.B. Kuprijanov, V.S. Mikhailov and Ya.D. Pakhomov 233–237 (1996) 111

Preliminary characterization of interlayer for Be–Cu functionally gradient materials, N. Sakamoto and H. Kawamura 233–237 (1996) 609

Analysis of a beryllium–copper diffusion joint after HHF test, R.N. Guiniatouline, I.V. Mazul, A.E. Gorodetsky, R.Kh. Zalavutdinov, S.Yu. Rybakov and V.I. Savenko 233–237 (1996) 616

Metallographic analysis and strength investigation of different Be–Cu joints in the temperature range RT–350°C, A.A. Gervash, R.N. Giniatouline, I.V. Mazul, A.A. Ganenko, L.S. Gitarskij, V.S. Sizenev and D.A. Davydov 233–237 (1996) 626

Manufacturing and testing of a Be/OFHC–Cu divertor module, M. Araki, D.L. Youchison, M. Akiba, R.D. Watson, K. Sato and S. Suzuki 233–237 (1996) 632

Investigation of the beryllium ion–surface interaction, M.I. Guseva, A.Yu. Birukov, V.M. Gureev, L.S. Daneljan, S.N. Korshunov, Y.V. Martynenko, P.S. Moskovkin, Yu.A. Sokolov, V.G. Stoljarova, V.S. Kulikauskas and V.V. Zatekin 233–237 (1996) 682

Sputtering of Be, V and Cu under irradiation by double-component polyenergetic beam of He^+ and Ar^+, B.A. Kalin, V.P. Gladkov, N.V. Volkov and S.E. Sabo 233–237 (1996) 692

Lifetime of Be-, CFC- and W-armoured ITER divertor plates, I. Šmid, H.D. Pacher, G. Vieider, U. Mszanowski, Y. Igitkhanov, G. Janeschitz, J. Schlosser and L. Plöchl 233–237 (1996) 701

Selection, development and characterisation of plasma facing materials for ITER, V. Barabash, M. Akiba, I. Mazul, M. Ulrickson and G. Vieider 233–237 (1996) 718

Erosion of newly developed CFCs and Be under disruption heat loads, K. Nakamura, M. Akiba, M. Araki, M. Dairaku, K. Sato, S. Suzuki, K. Yokoyama, J. Linke, R. Duwe, H. Bolt and M. Roedig 233–237 (1996) 730

Synergistic effects of surface erosion on tritium inventory and permeation in metallic plasma facing armours, G. Federici, D.F. Holland and R. Matera 233–237 (1996) 741

Neutron irradiated beryllium: tensile strength and swelling, F. Moons, L. Sannen, A. Rahn and J. Van De Velde 233–237 (1996) 823

New beryllium materials, G.F. Tikhinskij, P.I. Stoev, I.I. Papirov, A.V. Babun and A.A. Vasil'ev 233–237 (1996) 828
Theoretical assessment of irradiation swelling in beryllium, V.I. Dubinko and V.R. Barabash 233–237 (1996) 832
Hydrogen release from reactor-irradiated beryllium, A.Kh. Klepikov, I.L. Tazhibaeva, V.P. Shestakov, O.G. Romanenko, Y.V. Chikhray, E.A. Kenzhin, Yu.S. Cherepnin and L.N. Tikhomirov 233–237 (1996) 837
High-temperature beryllium embrittlement, A.S. Pokrovsky, S.A. Fabritsiev, R.M. Bagautdinov and Yu.D. Goncharenko 233–237 (1996) 841
Experimental evaluation of the interface heat conductance between roughened beryllium and stainless steel surfaces, R.D. Abelson and M.A. Abdou 233–237 (1996) 847
Stability of the Be–steam reaction and its impact on safety, F. Andritsos and D.A. Sarigiannis 233–237 (1996) 852
Dynamics of accumulation of implanted hydrogen in beryllium, I.P. Chernov, Y.P. Cherdantsev and V.G. Abdrashitov 233–237 (1996) 857
Gas-induced swelling of beryllium implanted with deuterium ions, V.N. Chernikov, V.Kh. Alimov, A.V. Markin, A.E. Gorodetsky, S.L. Kanashenko, A.P. Zakharov and I.B. Kupriyanov 233–237 (1996) 860
Thermal desorption of deuterium implanted into beryllium, A.V. Markin, V.N. Chernikov, S.Yu. Rybakov and A.P. Zakharov 233–237 (1996) 865
Deuterium accumulation in beryllium in contact with atomic deuterium at 740 K, V.M. Sharapov, L.E. Gavrilov, V.S. Kulikauskas and A.V. Markin 233–237 (1996) 870
Radiation damage and deuterium trapping in deuterium ion injected beryllium, N. Yoshida, S. Mizusawa, R. Sakamoto and T. Muroga 233–237 (1996) 874
Post-irradiation studies of beryllium reflector of fission reactor. Examination of gas release, swelling and structure of beryllium under annealing, D.V. Andreev, V.N. Bespalov, A.Ju. Birjukov, B.A. Gurovich and P.A. Platonov 233–237 (1996) 880
Research and development of radiation resistant beryllium grades for nuclear fusion applications, I.B. Kupriyanov, V.A. Gorokhov, G.N. Nikolaev and V.N. Burmistrov 233–237 (1996) 886
Swelling, strengthening and embrittlement of beryllium under neutron irradiation to a fluence of 1.72×10^{21} n/cm^2 ($E \geq 0.85$ MeV) at a temperature of 330–350°C. The role of main structure factors, G.A. Sernyaev, A.S. Pokrovskiy, R.M. Bagautdinov, S.A. Fabritsiev, I.V. Mazul and V.R. Barabash 233–237 (1996) 891
Retention and re-emission of hydrogen in beryllium studied by the ERD technique, B. Tsuchiya and K. Morita 233–237 (1996) 898
Application of amorphous and microcrystalline filler metals for brazing of beryllium with metals, B.A. Kalin, V.T. Fedotov, O.N. Sevryukov, A.E. Grigoryev, A.N. Plyuschev, V.M. Ivanov and Yu.S. Strebkov 233–237 (1996) 945
Plasma-driven accumulation of tritium in beryllium, A.A. Pisarev and M.L. Grachova 233–237 (1996) 1137
Compatibility of refractory metals and beryllium with molten Pb–17Li, H. Feuerstein, H. Gräbner, J. Oschinski and S. Horn 233–237 (1996) 1383
Experimental study of electroinsulating coatings in gallium coolant related to the divertor cooling loop, A.V. Beznosov, R.V. Sherbakov, I.V. Karatushina and P.V. Romanov 233–237 (1996) 1416

Breeding Materials

Materials for breeding blankets, R.F. Mattas and M.C. Billone 233–237 (1996) 72
Liquid metal embrittlement susceptibility of welded MANET II (DIN 1.4914) in liquid Pb–17Li., T. Sample, P. Fenici and H. Kolbe 233–237 (1996) 244
An interaction of austenitic Cr–Ni steel cladding with Li–Pb eutectic after In-reactor tests at temperatures 550 and 670 K, V.E. Kalachikov, A.V. Kozlov, L.P. Sinelnikov, A.P. Zyrianov, V.Ya. Abramov, G.M. Kalinin and A.V. Sidorenkov 233–237 (1996) 1364
LIBRETTO-3: Modelling tritium extraction/permeation and evaluation of permeation barriers under irradiation, L.A. Sedano, R. Conrad, M.A. Fütterer, R. May, R. Viola and X. Dies 233–237 (1996) 1411
Low-temperature tritium releasing ceramics as potential materials for the ITER breeding blanket, N. Roux, J. Avon, A. Floreancig, J. Mougin, B. Rasneur and S. Ravel 233–237 (1996) 1431
The removal of nickel dissolved in Pb–17Li by the formation of a less soluble nickel–manganese alloy, M.G. Barker, D.J. Siddons and F. Barbier 233–237 (1996) 1436
Effect of purge gas oxidizing potential on tritium release from Li-ceramics and on its permeation through 316L

SS clads under irradiation (TRINE experiment), C. Alvani, J. Avon, S. Casadio, M.A. Fütterer, M.R. Mancini, C.A. Nannetti, S. Ravel, N. Roux, L. Sedano, V. Violante, A. Terlain, M. Tourasse, S. Tosti and M. Zanotti 233–237 (1996) 1441

EXOTIC-7: irradiation of ceramic breeder materials to high lithium burnup, J.G. van der Laan, H. Kwast, M. Stijkel, R. Conrad, R. May, S. Casadio, N. Roux, H. Werle and R.A. Verrall 233–237 (1996) 1446

Sweep gas chemistry effect on vaporization of $LiAlO_2$, A. Suzuki, M. Yamawaki, M. Yasumoto and K. Yamaguchi 233–237 (1996) 1452

Microstructure and density changes of Li_2O during irradiation in BEATRIX-II, Phase I and II, T. Takahashi, K. Noda, O.D. Slagle and F.D. Hobbs 233–237 (1996) 1457

Thermal and tritium transport in Li_2O and Li_2ZrO_3, M.C. Billone 233–237 (1996) 1462

Carbon

Manufacturing and high heat flux loading of tungsten coatings on fine grain graphite for the ASDEX-Upgrade divertor, S. Deschka, C. García-Rosales, W. Hohenauer, R. Duwe, E. Gauthier, J. Linke, M. Lochter, W. Malléner, L. Plöchl, P. Röddhammer and A. Salito 233–237 (1996) 645

Plasma facing component design for steady state tokamak SST-1, S. Jacob, S.S. Khirwadkar, P. Sinha, H.A. Pathak, D. Chenna Reddy and SST Team 233–237 (1996) 655

High heat flux testing of CFC composites for the tokamak physics experiment, P.G. Valentine, R.E. Nygren, R.W. Burns, P.D. Rocket, A.P. Colleraine, R.J. Lederich and J.T. Bradley III 233–237 (1996) 660

On a possibility of explosive material erosion under conditions of ITER disruption event, A.V. Burdakov, M.N. Chagin, V.V. Filippov, V.S. Koidan, K.I. Mekler, P.I. Melnikov, V.V. Postupaev, A.F. Rovenskikh, M.A. Shcheglov, K.V. Tsigutkin and H. Wuerz 233–237 (1996) 697

Lifetime of Be-, CFC- and W-armoured ITER divertor plates, I. Šmid, H.D. Pacher, G. Vieider, U. Mszanowski, Y. Igitkhanov, G. Janeschitz, J. Schlosser and L. Plöchl 233–237 (1996) 701

Selection, development and characterisation of plasma facing materials for ITER, V. Barabash, M. Akiba, I. Mazul, M. Ulrickson and G. Vieider 233–237 (1996) 718

Characteristics of transient plasma layers produced by irradiation of graphite targets by high power quasi-stationary plasma streams under the disruption simulation conditions, V.V. Chebotarev, I.E. Garkusha, V.V. Garkusha, V.A. Makhlaj, N.I. Mitina, D.G. Solyakov, V.I. Tereshin, S.A. Trubchaninov, A.V. Tsarenko and H. Wuerz 233–237 (1996) 736

Erosion and gas impurity emission of B_4C converted CFC by high heat load, K. Tokunaga, M. Kugimiya, Y. Miyamoto, N. Yoshida, T. Ando, K. Masaki and M. Saidoh 233–237 (1996) 747

Feature of candidate PFC materials erosion, L.B. Begrambekov 233–237 (1996) 754

Macroblock manufacturing by 'hip assisted brazing' method, G. Chaumat, P. Le Gallo, G. Le Marois, F. Moret and P. Deschamp 233–237 (1996) 932

Neutron diffraction study of internal stresses in brazed divertor structures for ITER, G. Albertini, M. Ceretti, R. Coppola, E. Di Pietro and A. Lodini 233–237 (1996) 954

Computer simulation of the sputtering of polyatomic multilayered materials; consideration of the spatial overlapping of the collision cascades, Yu.V. Trushin, B.J. Ber, V.S. Kharlamov and E.E. Zhurkin 233–237 (1996) 991

Hydrogen isotopes retention in divertor tiles of DIII-D tokamak, B.G. Skorodumov, O.I. Buzhinskij, W.P. West and V.G. Ulanov 233–237 (1996) 1107

Hydrogen behavior in carbon-based materials and its neutron irradiation effect, H. Atsumi, M. Iseki and T. Shikama 233–237 (1996) 1128

Hydrogen release of reactor irradiated RGT-graphite, I.L. Tazhibaeva, A.Kh. Klepikov, V.P. Shestakov, O.G. Romanenko, E.V. Chikhray, E.A. Kenzhin, Yu.S. Cherepnin, L.N. Tikhomirov and V.A. Zverev 233–237 (1996) 1198

Bulk retention of deuterium in graphites exposed to deuterium plasma at high temperature, I.I. Arkhipov, A.E. Gorodetsky, A.P. Zakharov, B.I. Khripunov, V.V. Shapkin, V.B. Petrov, V.I. Pistunovich, M.A. Negodaev and A.V. Bagulya 233–237 (1996) 1202

Hydrogen adsorption on and solubility in graphites, S.L. Kanashenko, A.E. Gorodetsky, V.N. Chernikov, A.V. Markin, A.P. Zakharov, B.L. Doyle and W.R. Wampler 233–237 (1996) 1207

Isotope difference between hydrogen inventories in graphite under simultaneous H^+ and D^+ irradiation, B. Tsuchiya and K. Morita 233–237 (1996) 1213
Molecular hydrogen interaction with unirradiated graphite, E. Denisov, T. Kompaniets, A. Kurdyumov and S. Mazayev 233–237 (1996) 1218
Imitation of influence of plasma and neutron fluxes on graphite made plasma-facing components of plasma diagnostics in mm and sub-mm wavelength range, V.L. Berezhnyj, V.V. Chebotarev, I.P. Fomin, I.E. Garkusha, V.L. Ocheretenko, R.O. Pavlichenko, A.I. Skibenko, D.E. Solyakov, V.I. Tereshin, V.S. Voitsenya, A.N. Topkov, O.K. Chugunov, Yu.V. Skosyrev and D.V. Orlinskij 233–237 (1996) 1233
Ceramic $SiC/B_4C/TiC/C$ composites as plasma facing components for fusion reactors, A. Yehia, R. Vaßen, R. Duwe and D. Stöver 233–237 (1996) 1266
Effect of electron and ion beam irradiation on power reflectivity of C/C first wall materials, M. Nagatsu, N. Takada, M. Akiba, K. Nakamura and M. Shimada 233–237 (1996) 1284

Cavities *(includes Voids, Holes)*
Effect of additional minor elements on void nucleation in stainless steels during simultaneous irradiation with helium ions and electrons, S. Watanabe, H. Tsuchida, Y. Hidaka, N. Sakaguchi, S. Ohnuki and H. Takahashi 233–237 (1996) 177
Reweldability test of irradiated SS316 by the TIG welding method, K. Tsuchiya, H. Kawamura and R. Oyamada 233–237 (1996) 218
Post-irradiation studies of beryllium reflector of fission reactor. Examination of gas release, swelling and structure of beryllium under annealing, D.V. Andreev, V.N. Bespalov, A.Ju. Birjukov, B.A. Gurovich and P.A. Platonov 233–237 (1996) 880
Dynamical process of defects clustering in nickel under low energy hydrogen ion irradiation, K. Ono, R. Sakamoto, T. Muroga and N. Yoshida 233–237 (1996) 1040
The dependence of void swelling bias factor on iron concentration in V–Fe alloys, Yu.V. Konobeev, V.A. Pechenkin and S.I. Rudnev 233–237 (1996) 1070
Model for the final stage of creep failure due to high temperature helium embrittlement, A. Ryazanov, R.E. Voskoboinikov and H. Trinkaus 233–237 (1996) 1085
Microstructural evolution adjacent to grain boundaries under cascade damage conditions and helium production, H. Trinkaus, B.N. Singh and M. Victoria 233–237 (1996) 1089
Helium effect on the structure of Fe–0.6C–16Cr–15Ni–3Mo–0.5Nb steel, S.P. Vagin, B.D. Utkelbayev and P.V. Chakrov 233–237 (1996) 1168
Gas release processes for high concentrations of helium bubbles in metals, J.H. Evans and A. van Veen 233–237 (1996) 1179
Microstructural evolution of single crystalline Al_2O_3 irradiated with single and triple ion beams, Y. Katano, T. Nakazawa, D. Yamaki, T. Aruga and K. Noda 233–237 (1996) 1325

Ceramics *(not listed elsewhere)*
Potential and limitations of ceramics in terms of structural and electrical integrity in fusion environments, C. Kinoshita and S.J. Zinkle 233–237 (1996) 100
Potential of nanocrystalline low-Z materials for plasma facing, structural applications in fusion reactors, R. Vaßen, A. Kaiser and D. Stöver 233–237 (1996) 708
Metal–ceramic functionally gradient material for insulation pipe joint in fusion environment, S. Nishio, M. Nakahira, T. Abe, H. Kawamura, S. Sagawa, M. Kawamura and S. Yamazaki 233–237 (1996) 922
Joining of CMCs for thermonuclear fusion applications, M. Salvo, M. Ferraris, P. Lemoine, M. Appendino Montorsi and M. Merola 233–237 (1996) 949
Radiation tests of ITER diagnostic system materials in the BOR-60 reactor, Yu.L. Revyakin, V.M. Kosenkov, S.E. Bender and V.A. Belyakov 233–237 (1996) 1229
Influence of reactor irradiation on the physico-mechanical properties of electro-ceramics of some commercial grades, V.S. Sandakov, Yu.A. Stukert, V.A. Kazakov, V.A. Belyakov and P.A. Fefelov 233–237 (1996) 1253
Formation of permeation barriers on ceramic SiC/SiC composites, C. Racault, E. Serra and P. Fenici 233–237 (1996) 1262
Ceramic $SiC/B_4C/TiC/C$ composites as plasma facing components for fusion reactors, A. Yehia, R. Vaßen, R. Duwe and D. Stöver 233–237 (1996) 1266
Application of micro-indentation to irradiated alumina and vanadium/alumina joints, A. Hasegawa, Y. Kawamura, M. Satou and K. Abe 233–237 (1996) 1279
Electrical resistivity of ceramic insulators under irradiation using 14 MeV

neutrons, K. Noda, T. Nakazawa, Y. Oyama, D. Yamaki and Y. Ikeda 233–237 (1996) 1289
Electrical conductivity of the ceramic AlN under irradiation, R. Lindau and A. Möslang 233–237 (1996) 1294
Surface and volume electrical degradation in Wesgo AL995, A. Moroño and E.R. Hodgson 233–237 (1996) 1299
Investigations on radiation-induced processes in dielectric materials, V.M. Chernov, V.A. Belyakov, A.M. Bryuzgin, Y.Gr. Cherednichenko, J.I. Ievleva, G.L. Khorasanov, O.A. Plaksin, V.A. Stepanov, A.V. Vizgalov, V.A. Zherebtsov and A.V. Zrodnikov 233–237 (1996) 1304
Luminescence characterization of radiation damage of α-Al_2O_3 under 1 MeV/amu ion irradiation, V.A. Skuratov, V.A. Altynov and S.M. Abu AlAzm 233–237 (1996) 1321
Measurements of electrical conductivity of ceramics under electron irradiation in a high voltage electron microscope, K. Shiiyama, T. Izu, C. Kinoshita and M. Kutsuwada 233–237 (1996) 1332
Optical and dielectric properties of neutron irradiated $MgAl_2O_4$ spinels, A. Ibarra, R. Vila and F.A. Garner 233–237 (1996) 1336
Energetic particle induced luminescence of Al_2O_3, T. Tanabe, M. Fujiwara and K. Miyazaki 233–237 (1996) 1344
Fracturing of borides under neutron irradiation, E.U. Grinik, V.V. Ogorodnikov and A.G. Krainy 233–237 (1996) 1349
Luminescence studies on electron and structural states in dielectrics under irradiation, O.A. Plaksin, V.A. Stepanov, P.A. Stepanov, V.M. Chernov and V.A. Skuratov 233–237 (1996) 1355
Compatibility of yttria (Y_2O_3) with liquid lithium, T. Terai, T. Yoneoka, H. Tanaka, A. Suzuki, S. Tanaka, M. Nakamichi, H. Kawamura, K. Miyajima and Y. Harada 233–237 (1996) 1421
EXOTIC-7: irradiation of ceramic breeder materials to high lithium burnup, J.G. van der Laan, H. Kwast, M. Stijkel, R. Conrad, R. May, S. Casadio, N. Roux, H. Werle and R.A. Verrall 233–237 (1996) 1446
Sweep gas chemistry effect on vaporization of $LiAlO_2$, A. Suzuki, M. Yamawaki, M. Yasumoto and K. Yamaguchi 233–237 (1996) 1452

Chemical Reactions *(includes Electrochemical and Thermochemical Reactions)*

Stability of the Be–steam reaction and its impact on safety, F. Andritsos and D.A. Sarigiannis 233–237 (1996) 852
Stability of SiC/SiC composites in environments containing O_2 and H_2, G.D. Springer, C.F. Windisch, Jr. and R.H. Jones 233–237 (1996) 1271
Alloying of aluminum and its influence on the properties of aluminide coatings: oxidation behavior and the chemical stability in Pb–17Li, H. Glasbrenner, Z. Peric and H.U. Borgstedt 233–237 (1996) 1378

Cladding Materials

Use of tungsten coating on iter plasma facing components, J.W. Davis, K.T. Slattery, D.E. Driemeyer and M.A. Ulrickson 233–237 (1996) 604
An interaction of austenitic Cr–Ni steel cladding with Li–Pb eutectic after In-reactor tests at temperatures 550 and 670 K, V.E. Kalachikov, A.V. Kozlov, L.P. Sinelnikov, A.P. Zyrianov, V.Ya. Abramov, G.M. Kalinin and A.V. Sidorenkov 233–237 (1996) 1364

Coatings and Coated Particles

CaO insulator coatings and self-healing of defects on V–Cr–Ti alloys in liquid lithium system, J.-H. Park and T.F. Kassner 233–237 (1996) 476
Manufacturing and high heat flux loading of tungsten coatings on fine grain graphite for the ASDEX-Upgrade divertor, S. Deschka, C. García-Rosales, W. Hohenauer, R. Duwe, E. Gauthier, J. Linke, M. Lochter, W. Malléner, L. Plöchl, P. Rödhammer and A. Salito 233–237 (1996) 645
The performance of thick B_4C coatings on graphite divertor tiles in the DIII-D tokamak, O.I. Buzhinskij, V.A. Barsuk, I.V. Opimach, V.G. Otrozhenko, A.I. Trazhenkov, W.P. West and N. Brooks 233–237 (1996) 787
Re-emission and thermal desorption of deuterium from plasma sprayed tungsten coatings for application in ASDEX-upgrade, C. García-Rosales, P. Franzen, H. Plank, J. Roth and E. Gauthier 233–237 (1996) 803
Heat flux experiments on first wall mock-ups coated by plasma sprayed B_4C, H. Bolt, M. Araki, J. Linke, W. Malléner, K. Nakamura, R.W. Steinbrech and S. Suzuki 233–237 (1996) 809
Hydrogen permeation rate reduction by post-oxidation of aluminide coatings on DIN 1.4914 martensitic steel (MANET), A. Perujo, E. Serra, H. Kolbe and T. Sample 233–237 (1996) 1102
Formation of permeation barriers on ceramic SiC/SiC composites, C. Racault, E. Serra and P. Fenici 233–237 (1996) 1262

Alloying of aluminum and its influence on the properties of aluminide coatings: oxidation behavior and the chemical stability in Pb–17Li, H. Glasbrenner, Z. Peric and H.U. Borgstedt 233–237 (1996) 1378
Fabrication and performance of AlN insulator coatings for application in fusion reactor blankets, K. Natesan 233–237 (1996) 1403
LIBRETTO-3: Modelling tritium extraction/permeation and evaluation of permeation barriers under irradiation, L.A. Sedano, R. Conrad, M.A. Fütterer, R. May, R. Viola and X. Dies 233–237 (1996) 1411
Experimental study of electroinsulating coatings in gallium coolant related to the divertor cooling loop, A.V. Beznosov, R.V. Sherbakov, I.V. Karatushina and P.V. Romanov 233–237 (1996) 1416
Compatibility of yttria (Y_2O_3) with liquid lithium, T. Terai, T. Yoneoka, H. Tanaka, A. Suzuki, S. Tanaka, M. Nakamichi, H. Kawamura, K. Miyajima and Y. Harada 233–237 (1996) 1421
Trial fabrication and preliminary characterization of $MgO \cdot Al_2O_3$ coating, M. Nakamichi, H. Kawamura, K. Miyajima, Y. Harada and R. Oyamada 233–237 (1996) 1427

Cold-Worked Materials

Mechanical properties of austenitic stainless steels irradiated at 323 K in the Japan Materials Testing Reactor, Y. Matsui, M. Niimi, T. Hoshiya, F. Sakurai, S. Jitsukawa, T. Tsukada, M. Ohmi, H. Sakai, R. Oyamada and T. Onchi 233–237 (1996) 188
The effect of neutron spectrum on the mechanical and physical properties of pure copper and copper alloys, S.A. Fabritsiev, A.S. Pokrovsky, S.J. Zinkle, A.F. Rowcliffe, D.J. Edwards, F.A. Garner, V.A. Sandakov, B.N. Singh and V.R. Barabash 233–237 (1996) 526
Radiation defect formation and evolution in C0.03Cr20Ni16Mn6 steel under low-temperature neutron irradiation and their effect on physical and mechanical properties of the steel, A.V. Kozlov and V.V. Kirsanov 233–237 (1996) 1062

Compatibility and Corrosion *(includes Stress Corrosion Cracking)*

CaO insulator coatings and self-healing of defects on V–Cr–Ti alloys in liquid lithium system, J.-H. Park and T.F. Kassner 233–237 (1996) 476
Effect of oxygen and oxidation on tensile properties of V–5Cr–5Ti alloy, K. Natesan and W.K. Soppet 233–237 (1996) 482
Mass transfer in refractory alloy–stainless steel–liquid lithium heterogeneous system, V.A. Ivanov, Y.N. Afonina and V.A. Soloviev 233–237 (1996) 581
XHM-1 alloy as a promising structural material for water-cooled fusion reactor components, M.I. Solonin, A.B. Alekseev, Yu.I. Kazennov, V.F. Khramtsov, V.P. Kondrat'ev, T.A. Krasina, V.N. Rechitsky, V.N. Stepankov and S.N. Votinov 233–237 (1996) 586
Evaluation of stainless steels for their resistance to intergranular corrosion, A.B. Korostelev, V.Ya. Abramov and V.N. Belous 233–237 (1996) 1361
An interaction of austenitic Cr–Ni steel cladding with Li–Pb eutectic after In-reactor tests at temperatures 550 and 670 K, V.E. Kalachikov, A.V. Kozlov, L.P. Sinelnikov, A.P. Zyrianov, V.Ya. Abramov, G.M. Kalinin and A.V. Sidorenkov 233–237 (1996) 1364
Corrosion resistance of austenitic steels and alloys in high temperature water, A.B. Alekseev, S.A. Averin, M.N. Geferova, V.P. Kondrat'ev and V.S. Shikhalev 233–237 (1996) 1367
The effect of water radiolysis on the stress corrosion behavior of UNS S31600 stainless steel at 50 and 90°C, W.E. Wyllie II, D. Steiner and D.J. Duquette 233–237 (1996) 1372
Alloying of aluminum and its influence on the properties of aluminide coatings: oxidation behavior and the chemical stability in Pb–17Li, H. Glasbrenner, Z. Peric and H.U. Borgstedt 233–237 (1996) 1378
Compatibility of refractory metals and beryllium with molten Pb–17Li, H. Feuerstein, H. Gräbner, J. Oschinski and S. Horn 233–237 (1996) 1383
Stress corrosion cracking of AISI 316LN stainless steel in ITER primary water conditions, P. Lorenzetto, M. Hélie and A. Molander 233–237 (1996) 1387
Effect of minor elements on irradiation assisted stress corrosion cracking of model austenitic stainless steels, Y. Miwa, T. Tsukada, S. Jitsukawa, S. Kita, S. Hamada, Y. Matsui and M. Shindo 233–237 (1996) 1393
Low cycle fatigue behaviour of TZM molybdenum alloy in divertor water coolant, M.-F. Maday 233–237 (1996) 1397
Fabrication and performance of AlN insulator coatings for application in fusion reactor blankets, K. Natesan 233–237 (1996) 1403
Compatibility of yttria (Y_2O_3) with liquid lithium, T. Terai, T. Yoneoka, H. Tanaka, A. Suzuki, S. Tanaka,

M. Nakamichi, H. Kawamura, K. Miyajima and Y. Harada 233–237 (1996) 1421

Composite Materials

Status of silicon carbide composites for fusion, L.L. Snead, R.H. Jones, A. Kohyama and P. Fenici 233–237 (1996) 26
High heat flux testing of CFC composites for the tokamak physics experiment, P.G. Valentine, R.E. Nygren, R.W. Burns, P.D. Rocket, A.P. Colleraine, R.J. Lederich and J.T. Bradley III 233–237 (1996) 660
Erosion of newly developed CFCs and Be under disruption heat loads, K. Nakamura, M. Akiba, M. Araki, M. Dairaku, K. Sato, S. Suzuki, K. Yokoyama, J. Linke, R. Duwe, H. Bolt and M. Roedig 233–237 (1996) 730
Research on plasma-facing component materials, J. Yu, Y. Chen, Y. Wang, W. Zhang, S. Xu and T. Noda 233–237 (1996) 771
New composite composed of boron carbide and carbon fiber with high thermal conductivity for first wall, R. Jimbou, M. Saidoh, K. Nakamura, M. Akiba, S. Suzuki, Y. Gotoh, Y. Suzuki, A. Chiba, T. Yamaki, M. Nakagawa, K. Morita and B. Tsuchiya 233–237 (1996) 781
Tensile fracture characterization of braze joined copper-to-CFC coupon assemblies, P.W. Trester, P.G. Valentine, W.R. Johnson, E. Chin, E.E. Reis and A.P. Colleraine 233–237 (1996) 906
Joining of CMCs for thermonuclear fusion applications, M. Salvo, M. Ferraris, P. Lemoine, M. Appendino Montorsi and M. Merola 233–237 (1996) 949
Neutron diffraction study of internal stresses in brazed divertor structures for ITER, G. Albertini, M. Ceretti, R. Coppola, E. Di Pietro and A. Lodini 233–237 (1996) 954
Computer simulation of the sputtering of polyatomic multilayered materials; consideration of the spatial overlapping of the collision cascades, Yu.V. Trushin, B.J. Ber, V.S. Kharlamov and E.E. Zhurkin 233–237 (1996) 991
Tauro: a ceramic composite structural material self-cooled Pb–17Li breeder blanket concept, A.S. Pérez Ramírez, A. Caso, L. Giancarli, N. Le Bars, G. Chaumat, J.F. Salavy and J. Szczepanski 233–237 (1996) 1257
Formation of permeation barriers on ceramic SiC/SiC composites, C. Racault, E. Serra and P. Fenici 233–237 (1996) 1262

Copper, Copper Alloys and Compounds

Structural materials for ITER in-vessel component design, G. Kalinin, W. Gauster, R. Matera, A.-A.F. Tavassoli, A. Rowcliffe, S. Fabritsiev and H. Kawamura 233–237 (1996) 9
Evaluation of copper alloys for fusion reactor divertor and first wall components, S.A. Fabritsiev, S.J. Zinkle and B.N. Singh 233–237 (1996) 127
Low-temperature radiation embrittlement of copper alloys, S.A. Fabritsiev, A.S. Pokrovsky, S.J. Zinkle and D.J. Edwards 233–237 (1996) 513
High temperature stability of dispersion strengthened copper alloys irradiated with fast neutrons, D.J. Edwards, F.A. Garner, M.L. Hamilton and J.D. Troxell 233–237 (1996) 519
The effect of neutron spectrum on the mechanical and physical properties of pure copper and copper alloys, S.A. Fabritsiev, A.S. Pokrovsky, S.J. Zinkle, A.F. Rowcliffe, D.J. Edwards, F.A. Garner, V.A. Sandakov, B.N. Singh and V.R. Barabash 233–237 (1996) 526
Structural aspects of materials hardening, A.V. Naberenkov and S.A. Fabritsiev 233–237 (1996) 534
Radiation-induced creep of copper, aluminium and their alloys, E.S. Aitkhozhin and E.V. Chumakov 233–237 (1996) 537
GlidCop® DSC properties in the temperature range of 20–350°C, R.R. Solomon, J.D. Troxell and A.V. Nadkarni 233–237 (1996) 542
Fatigue behavior of copper and selected copper alloys for high heat flux applications, K.D. Leedy, J.F. Stubbins, B.N. Singh and F.A. Garner 233–237 (1996) 547
Promising Cu–Ni–Cr–Si alloy for first wall ITER applications, A. Ivanov, V. Abramov and M. Rodin 233–237 (1996) 553
Analysis of a beryllium–copper diffusion joint after HHF test, R.N. Guiniatouline, I.V. Mazul, A.E. Gorodetsky, R.Kh. Zalavutdinov, S.Yu. Rybakov and V.I. Savenko 233–237 (1996) 616
Metallographic analysis and strength investigation of different Be–Cu joints in the temperature range RT–350°C, A.A. Gervash, R.N. Giniatouline, I.V. Mazul, A.A. Ganenko, L.S. Gitarskij, V.S. Sizenev and D.A. Davydov 233–237 (1996) 626
Manufacturing and testing of a Be/OFHC–Cu divertor module, M. Araki, D.L. Youchison, M. Akiba, R.D. Watson, K. Sato and S. Suzuki 233–237 (1996) 632
Sputtering of Be, V and Cu under irradiation by double-component polyen-

ergetic beam of He^+ and Ar^+, B.A. Kalin, V.P. Gladkov, N.V. Volkov and S.E. Sabo 233–237 (1996) 692
Braze joints of dispersion strengthened copper, S. Chen, T. Bao and B.A. Chin 233–237 (1996) 902
Tensile fracture characterization of braze joined copper-to-CFC coupon assemblies, P.W. Trester, P.G. Valentine, W.R. Johnson, E. Chin, E.E. Reis and A.P. Colleraine 233–237 (1996) 906
Mechanical properties of Cu–Cr–Zr alloy and SS316 joints fabricated by friction welding method, K. Tsuchiya and H. Kawamura 233–237 (1996) 913
HIP'ing of copper alloys to stainless steel, G. Le Marois, Ch. Dellis, J.M. Gentzbittel and F. Moret 233–237 (1996) 927
Mechanical properties of HIP bonded joints of austenitic stainless steel and Cu-alloy for fusion experimental reactor blanket, S. Sato, T. Kuroda, T. Kurasawa, K. Furuya, I. Togami and H. Takatsu 233–237 (1996) 940
Radiation-enhanced diffusion due to interstitials and dynamic crowdions, W. Schüle 233–237 (1996) 964
On the recovery stages in fcc materials, W. Schüle 233–237 (1996) 969
Nucleation and growth process of defect clusters in copper during helium ion irradiation, K. Yasuda, C. Kinoshita, M. Kutsuwada and T. Hirai 233–237 (1996) 1051
Effect of neutron spectrum on transmutant accumulation in ITER structural materials, A.V. Karasiov and S.A. Fabritsiev 233–237 (1996) 1481

Creep and Stress Relaxation

Irradiation creep in austenitic and ferritic steels irradiated in a tailored neutron spectrum to induce fusion reactor levels of helium, M.L. Grossbeck, L.T. Gibson and S. Jitsukawa 233–237 (1996) 148
Irradiation creep-fatigue interaction of type 316L stainless steel, R. Scholz and R. Mueller 233–237 (1996) 169
Irradiation creep and void swelling of two LMR heats of HT9 at ~ 400°C and 165 dpa, M.B. Toloczko and F.A. Garner 233–237 (1996) 289
Prospects and problems using vanadium alloys as a structural material of the first wall and blanket of fusion reactors, S.N. Votinov, M.I. Solonin, Yu.I. Kazennov, V.P. Kondratjev, A.D. Nikulin, V.N. Tebus, E.O. Adamov, S.E. Bougaenko, Yu.S. Strebkov, A.V. Sidorenkov, V.B. Ivanov, V.A. Kazakov, V.A. Evtikhin, I.E. Lyublinski, V.M. Trojanov, A.E. Rusanov, V.M. Chernov and G.A. Birgevoj 233–237 (1996) 370
Irradiation creep of V–Ti–Cr alloy in BR-10 reactor core instrumented experiments, V.M. Troyanov, M.G. Bulkanov, A.S. Kruglov, E.A. Krjuchkov, M.P. Nikulin, J.M. Pevchykh, A.E. Rusanov, A.A. Smirnoff and S.N. Votinov 233–237 (1996) 381
Radiation-induced creep of copper, aluminium and their alloys, E.S. Aitkhozhin and E.V. Chumakov 233–237 (1996) 537
GlidCop® DSC properties in the temperature range of 20–350°C, R.R. Solomon, J.D. Troxell and A.V. Nadkarni 233–237 (1996) 542
Research and development of radiation resistant beryllium grades for nuclear fusion applications, I.B. Kupriyanov, V.A. Gorokhov, G.N. Nikolaev and V.N. Burmistrov 233–237 (1996) 886
Displacement rate dependence of irradiation creep as predicted by the production bias model, C.H. Woo and F.A. Garner 233–237 (1996) 974
Model for the final stage of creep failure due to high temperature helium embrittlement, A. Ryazanov, R.E. Voskoboinikov and H. Trinkaus 233–237 (1996) 1085

Defects and Defect Structures *(excludes by Irradiation)*

Nucleation and growth of helium-vacancy clusters in vanadium and vanadium alloys: V–5Ti, V–3Ti–1Si, V–5Ti–5Cr, A.V. Fedorov, A. van Veen and A.I. Ryazanov 233–237 (1996) 385
The trapping of hydrogen ions in vanadium and titanium, V.L. Arbuzov, V.B. Vykhodets and G.A. Raspopova 233–237 (1996) 442
Dynamics of accumulation of implanted hydrogen in beryllium, I.P. Chernov, Y.P. Cherdantsev and V.G. Abdrashitov 233–237 (1996) 857
Post-irradiation studies of beryllium reflector of fission reactor. Examination of gas release, swelling and structure of beryllium under annealing, D.V. Andreev, V.N. Bespalov, A.Ju. Birjukov, B.A. Gurovich and P.A. Platonov 233–237 (1996) 880
The methods of detection and the analysis of welded and brazed joint defects emerging during ITER components manufacturing, T.M. Gurieva and V.T. Pronyakin 233–237 (1996) 918
Displacement rate dependence of irradiation creep as predicted by the production bias model, C.H. Woo and F.A. Garner 233–237 (1996) 974

Molecular dynamics calculations of point defect diffusion coefficients . in vanadium, A.M. Minashin and V.A. Ryabov 233–237 (1996) 996
Point defect survival and clustering fractions obtained from molecular dynamics simulations of high energy cascades, R.E. Stoller 233–237 (1996) 999
Fluctuations of point-defect fluxes to sinks under cascade damage irradiation, A.A. Semenov and C.H. Woo 233–237 (1996) 1045
Nucleation and growth process of defect clusters in copper during helium ion irradiation, K. Yasuda, C. Kinoshita, M. Kutsuwada and T. Hirai 233–237 (1996) 1051
Radiation annealing of defects under the effect of γ-radiation, V.A. Nikolaenko and V.I. Karpukhin 233–237 (1996) 1067
Modeling the effect of creep on the growth of helium bubbles in metals during annealing, A. Ryazanov, D. Braski, H. Schroeder, H. Trinkaus and H. Ullmaier 233–237 (1996) 1076
Model for the final stage of creep failure due to high temperature helium embrittlement, A. Ryazanov, R.E. Voskoboinikov and H. Trinkaus 233–237 (1996) 1085
Radiation effects in silicon carbide: High energy cascades and damage accumulation at high temperature, T. Díaz de la Rubia, J.M. Perlado and M. Tobin 233–237 (1996) 1096
Influence of alloying elements in Ni and Fe on ion-implanted helium behavior, B.A. Kalin, I.I. Chernov, A.N. Kalashnikov and V.V. Timofeyev 233–237 (1996) 1142
Effect of tritium and helium-3 on the lifetime properties of Pd–Ag alloys in ITER tritium purification technology, V. Tebus, L. Rivkis, G. Arutunova, Y. Golykov, E. Dmytrevskay, V. Fylin and L. Panteleev 233–237 (1996) 1163
Microstructural evolution of single crystalline Al_2O_3 irradiated with single and triple ion beams, Y. Katano, T. Nakazawa, D. Yamaki, T. Aruga and K. Noda 233–237 (1996) 1325

Deformation

Implications of radiation-induced reductions in ductility to the design of austenitic stainless steel structures, G.E. Lucas, M. Billone, J.E. Pawel and M.L. Hamilton 233–237 (1996) 207
Comparison of mechanical properties and structure of vanadium alloys relevant to DEMO conditions of the first wall and blanket, N.I. Budilkin, A.B. Alekseev, I.V. Golikov, Yu.I. Kazennov, V.F. Khramtsov, E.G. Mironova and A.V. Tselischev 233–237 (1996) 431
New composite composed of boron carbide and carbon fiber with high thermal conductivity for first wall, R. Jimbou, M. Saidoh, K. Nakamura, M. Akiba, S. Suzuki, Y. Gotoh, Y. Suzuki, A. Chiba, T. Yamaki, M. Nakagawa, K. Morita and B. Tsuchiya 233–237 (1996) 781
Experimental evaluation of the interface heat conductance between roughened beryllium and stainless steel surfaces, R.D. Abelson and M.A. Abdou 233–237 (1996) 847
Thermal desorption of deuterium implanted into beryllium, A.V. Markin, V.N. Chernikov, S.Yu. Rybakov and A.P. Zakharov 233–237 (1996) 865
Neutron diffraction study of internal stresses in brazed divertor structures for ITER, G. Albertini, M. Ceretti, R. Coppola, E. Di Pietro and A. Lodini 233–237 (1996) 954
Comparison of mechanical properties of metals irradiated with fission and fusion neutrons, A. Okada, K. Hamada, I. Ishida, E. Hirota, M. Kiritani and T. Yoshile 233–237 (1996) 1016
Radiation annealing of defects under the effect of γ-radiation, V.A. Nikolaenko and V.I. Karpukhin 233–237 (1996) 1067
Dielectric properties during electron irradiation of alternative materials for gyrotron windows, R. Vila, A. Ibarra and E.R. Hodgson 233–237 (1996) 1340
Corrosion resistance of austenitic steels and alloys in high temperature water, A.B. Alekseev, S.A. Averin, M.N. Geferova, V.P. Kondrat'ev and V.S. Shikhalev 233–237 (1996) 1367

Diffusion

Effect of additional minor elements on void nucleation in stainless steels during simultaneous irradiation with helium ions and electrons, S. Watanabe, H. Tsuchida, Y. Hidaka, N. Sakaguchi, S. Ohnuki and H. Takahashi 233–237 (1996) 177
Hydrogen gas driven permeation through vanadium alloy VCr6Ti5, O.G. Romanenko, I.L. Tazhibaeva, V.P. Shestakov, A.Kh. Klepikov, Y.V. Chikhray, A.V. Golossanov and B.N. Kolbasov 233–237 (1996) 376
Nucleation and growth of helium-vacancy clusters in vanadium and vanadium alloys: V–5Ti, V–3Ti–1Si, V–5Ti–5Cr, A.V. Fedorov, A. van Veen and A.I. Ryazanov 233–237 (1996) 385

Use of titanium in the tokamak physics experiment (TPX), J.W. Davis, G.W. Wille and P. Heitzenroeder 233–237 (1996) 592
Analysis of a beryllium–copper diffusion joint after HHF test, R.N. Guiniatouline, I.V. Mazul, A.E. Gorodetsky, R.Kh. Zalavutdinov, S.Yu. Rybakov and V.I. Savenko 233–237 (1996) 616
Hydrogen release from reactor-irradiated beryllium, A.Kh. Klepikov, I.L. Tazhibaeva, V.P. Shestakov, O.G. Romanenko, Y.V. Chikhray, E.A. Kenzhin, Yu.S. Cherepnin and L.N. Tikhomirov 233–237 (1996) 837
Dynamics of accumulation of implanted hydrogen in beryllium, I.P. Chernov, Y.P. Cherdantsev and V.G. Abdrashitov 233–237 (1996) 857
Retention and re-emission of hydrogen in beryllium studied by the ERD technique, B. Tsuchiya and K. Morita 233–237 (1996) 898
HIP'ing of copper alloys to stainless steel, G. Le Marois, Ch. Dellis, J.M. Gentzbittel and F. Moret 233–237 (1996) 927
Radiation-enhanced diffusion due to interstitials and dynamic crowdions, W. Schüle 233–237 (1996) 964
Monte Carlo simulation of cascade-induced mixing in two-phase systems, A.A. Turkin, C. Abromeit and V. Naundorf 233–237 (1996) 979
Molecular dynamics calculations of point defect diffusion coefficients . in vanadium, A.M. Minashin and V.A. Ryabov 233–237 (1996) 996
On determination of irradiation-induced permeation of hydrogen through metals by the mass-spectrometry method, N.G. Primakov, V.A. Rudenko and V.V. Kazarnikov 233–237 (1996) 1133
Hydrogen penetration through structural materials under ion bombardment, A.G. Zaluzhnyi, V.P. Kopytin, O.M. Storozhuk and M.V. Tcherednichenko-Alchevskyi 233–237 (1996) 1148
Hydrogen isotopes mobility and trapping in V–Cr–Ti alloys, N. Budylkin, L. Voloschin, E. Mironova, N. Riazantseva and V. Tebus 233–237 (1996) 1160
Study of hydrogen isotope permeation through some construction materials, A.A. Yukhimchuk and V.K. Gaevoy 233–237 (1996) 1193
Hydrogen release of reactor irradiated RGT-graphite, I.L. Tazhibaeva, A.Kh. Klepikov, V.P. Shestakov, O.G. Romanenko, E.V. Chikhray, E.A. Kenzhin, Yu.S. Cherepnin, L.N. Tikhomirov and V.A. Zverev 233–237 (1996) 1198
Isotope difference between hydrogen inventories in graphite under simultaneous H^+ and D^+ irradiation, B. Tsuchiya and K. Morita 233–237 (1996) 1213
Molecular hydrogen interaction with unirradiated graphite, E. Denisov, T. Kompaniets, A. Kurdyumov and S. Mazayev 233–237 (1996) 1218
Complex research facility to study radiation effect on the interaction of hydrogen-bearing media with candidate materials under irradiation, B.G. Polosukhin, E.M. Sulimov, A.P. Zyrianov, L.I. Menkin, V.F. Lisovoy and S.Yu. Mitrofanov 233–237 (1996) 1573

Dislocations

Microstructures of deformed V–Ti–Cr–Si type alloys after neutron irradiation, M. Satou, K. Abe and H. Kayano 233–237 (1996) 426
Acoustic tests of elastic and microplastic properties of V–Ti–Cr alloys, V.M. Chernov, A.V. Rezvoushkin and B.K. Kardashev 233–237 (1996) 456
Mechanical properties of oxygen-injected vanadium alloy for application as structural component material for international thermonuclear experimental reactor, O.A. Medvedev, A.I. Ryazanov, A.N. Lyubimov, Y.V. Tichonov and W. van Witzenburg 233–237 (1996) 460
Composition of the plasma facing material Tokamakium, R. Behrisch, M. Mayer and C. García-Rosales 233–237 (1996) 673
Modeling the effect of creep on the growth of helium bubbles in metals during annealing, A. Ryazanov, D. Braski, H. Schroeder, H. Trinkaus and H. Ullmaier 233–237 (1996) 1076
Helium effect on the structure of Fe–0.6C–16Cr–15Ni–3Mo–0.5Nb steel, S.P. Vagin, B.D. Utkelbayev and P.V. Chakrov 233–237 (1996) 1168
Microstructural evolution of single crystalline Al_2O_3 irradiated with single and triple ion beams, Y. Katano, T. Nakazawa, D. Yamaki, T. Aruga and K. Noda 233–237 (1996) 1325

Divertor Materials

Structural materials for ITER in-vessel component design, G. Kalinin, W. Gauster, R. Matera, A.-A.F. Tavassoli, A. Rowcliffe, S. Fabritsiev and H. Kawamura 233–237 (1996) 9
Design requirements for plasma facing materials in ITER, R. Matera, G. Federici and The ITER Joint Central Team 233–237 (1996) 17
Utilization of vanadium alloys in the DIII-D radiative divertor program,

J.P. Smith, W.R. Johnson, R.D. Stambaugh, P.W. Trester, D. Smith and E. Bloom 233–237 (1996) 421
High temperature stability of dispersion strengthened copper alloys irradiated with fast neutrons, D.J. Edwards, F.A. Garner, M.L. Hamilton and J.D. Troxell 233–237 (1996) 519
Development of Mo alloys with improved resistance to embrittlement by recrystallization and irradiation, H. Kurishita, Y. Kitsunai, T. Shibayama, H. Kayano and Y. Hiraoka 233–237 (1996) 557
Influence of heat-treatment on tensile behavior of neutron irradiated molybdenum, A. Hasegawa, K. Abe, M. Satou, K. Ueda and C. Namba 233–237 (1996) 565
Metallographic analysis and strength investigation of different Be–Cu joints in the temperature range RT–350°C, A.A. Gervash, R.N. Giniatouline, I.V. Mazul, A.A. Ganenko, L.S. Gitarskij, V.S. Sizenev and D.A. Davydov 233–237 (1996) 626
Manufacturing and high heat flux loading of tungsten coatings on fine grain graphite for the ASDEX-Upgrade divertor, S. Deschka, C. García-Rosales, W. Hohenauer, R. Duwe, E. Gauthier, J. Linke, M. Lochter, W. Malléner, L. Plöchl, P. Röddhammer and A. Salito 233–237 (1996) 645
Research of the capillary structure heat removal efficiency under divertor conditions, V.I. Pistunovich, A.V. Vertkov, V.A. Evtikhin, V.M. Korjavin, I.E. Lyublinski, V.B. Petrov, B.I. Khripunov and V.V. Shapkin 233–237 (1996) 650
Plasma facing component design for steady state tokamak SST-1, S. Jacob, S.S. Khirwadkar, P. Sinha, H.A. Pathak, D. Chenna Reddy and SST Team 233–237 (1996) 655
High heat flux testing of CFC composites for the tokamak physics experiment, P.G. Valentine, R.E. Nygren, R.W. Burns, P.D. Rocket, A.P. Colleraine, R.J. Lederich and J.T. Bradley III 233–237 (1996) 660
Development of a liquid-metal fusion reactor divertor with a capillary-pore system, L.G. Golubchikov, V.A. Evtikhin, I.E. Lyublinski, V.I. Pistunovich, I.N. Potapov and A.N. Chumanov 233–237 (1996) 667
On sputtering of W–Cu composition by polyenergetic flux of hydrogen particles, G.G. Bondarenko and Ya.Ya. Udris 233–237 (1996) 688
Lifetime of Be-, CFC- and W-armoured ITER divertor plates, I. Šmid, H.D. Pacher, G. Vieider, U. Mszanowski, Y. Igitkhanov, G. Janeschitz, J. Schlosser and L. Plöchl 233–237 (1996) 701
Lifetime evaluation of plasma-facing materials during a tokamak disruption, A. Hassanein and I. Konkashbaev 233–237 (1996) 713
Selection, development and characterisation of plasma facing materials for ITER, V. Barabash, M. Akiba, I. Mazul, M. Ulrickson and G. Vieider 233–237 (1996) 718
Erosion of newly developed CFCs and Be under disruption heat loads, K. Nakamura, M. Akiba, M. Araki, M. Dairaku, K. Sato, S. Suzuki, K. Yokoyama, J. Linke, R. Duwe, H. Bolt and M. Roedig 233–237 (1996) 730
Erosion and gas impurity emission of B_4C converted CFC by high heat load, K. Tokunaga, M. Kugimiya, Y. Miyamoto, N. Yoshida, T. Ando, K. Masaki and M. Saidoh 233–237 (1996) 747
Features of dynamics and structure of the shielding layer at the interaction of plasma flow with target, V.G. Belan, V.F. Levashov, V.S. Maynashev, A.D. Muzichenko and V.L. Podkovirov 233–237 (1996) 763
Research on plasma-facing component materials, J. Yu, Y. Chen, Y. Wang, W. Zhang, S. Xu and T. Noda 233–237 (1996) 771
New composite composed of boron carbide and carbon fiber with high thermal conductivity for first wall, R. Jimbou, M. Saidoh, K. Nakamura, M. Akiba, S. Suzuki, Y. Gotoh, Y. Suzuki, A. Chiba, T. Yamaki, M. Nakagawa, K. Morita and B. Tsuchiya 233–237 (1996) 781
The performance of thick B_4C coatings on graphite divertor tiles in the DIII-D tokamak, O.I. Buzhinskij, V.A. Barsuk, I.V. Opimach, V.G. Otrozhenko, A.I. Trazhenkov, W.P. West and N. Brooks 233–237 (1996) 787
Erosion and deposition of metals and carbon in the DIII–D divertor, W.R. Wampler, R. Bastasz, D. Buchenauer, D. Whyte, C.P.C. Wong, N.H. Brooks and W.P. West 233–237 (1996) 791
Plasma shield formation and divertor plate erosion for ITER tokamak plasma disruptions, H. Würz, I. Landman, B. Bazylev, F. Kappler, G. Piazza and S. Pestchanyi 233–237 (1996) 798
Investigation of the candidate divertor materials erosion at the powerful electron beam, V. Engelko, A. An-

dreev, T. Burtseva, O. Komarov, V. Kovalev, B. Ljublin and H. Wuerz 233–237 (1996) 818
Radiation damage and deuterium trapping in deuterium ion injected beryllium, N. Yoshida, S. Mizusawa, R. Sakamoto and T. Muroga 233–237 (1996) 874
Tensile fracture characterization of braze joined copper-to-CFC coupon assemblies, P.W. Trester, P.G. Valentine, W.R. Johnson, E. Chin, E.E. Reis and A.P. Colleraine 233–237 (1996) 906
Development of Al–Ge base rheocast brazing alloys, F. Saint-Antonin, M. Suéry, P. Meneses, G. Le Marois and F. Moret 233–237 (1996) 935
Application of amorphous and microcrystalline filler metals for brazing of beryllium with metals, B.A. Kalin, V.T. Fedotov, O.N. Sevryukov, A.E. Grigoryev, A.N. Plyuschev, V.M. Ivanov and Yu.S. Strebkov 233–237 (1996) 945
Neutron diffraction study of internal stresses in brazed divertor structures for ITER, G. Albertini, M. Ceretti, R. Coppola, E. Di Pietro and A. Lodini 233–237 (1996) 954
Hydrogen isotopes retention in divertor tiles of DIII-D tokamak, B.G. Skorodumov, O.I. Buzhinskij, W.P. West and V.G. Ulanov 233–237 (1996) 1107
Plasma-driven accumulation of tritium in beryllium, A.A. Pisarev and M.L. Grachova 233–237 (1996) 1137
Low cycle fatigue behaviour of TZM molybdenum alloy in divertor water coolant, M.-F. Maday 233–237 (1996) 1397
New electron beam facility for irradiated plasma facing materials testing in hot cell, S. Shimakawa, N. Sakamoto, K. Satoh, M. Akiba and H. Kawamura 233–237 (1996) 1582
ITER material properties handbook, J.W. Davis and P.D. Smith 233–237 (1996) 1593
Summary of oxidation driven mobilization data and their use in fusion safety assessments, K.A. McCarthy, G.R. Smolik, D.L. Hagrman and D.A. Petti 233–237 (1996) 1607

Dosimetry

Waste management aspect of lithium–vanadium alloy based fusion blankets, E.T. Cheng 233–237 (1996) 1467
FENDL: International reference nuclear data library for fusion applications, A.B. Pashchenko, H. Wienke and S. Ganesan 233–237 (1996) 1601

Electrical Properties

Elastic modules and thermal conductivity of neutron irradiated type 13Cr–2Mo–Nb–V–B ferritic–martensitic steel, M.I. Zakharova, N.A. Artemov and D.V. Petrov 233–237 (1996) 280
The effect of neutron spectrum on the mechanical and physical properties of pure copper and copper alloys, S.A. Fabritsiev, A.S. Pokrovsky, S.J. Zinkle, A.F. Rowcliffe, D.J. Edwards, F.A. Garner, V.A. Sandakov, B.N. Singh and V.R. Barabash 233–237 (1996) 526
Metal–ceramic functionally gradient material for insulation pipe joint in fusion environment, S. Nishio, M. Nakahira, T. Abe, H. Kawamura, S. Sagawa, M. Kawamura and S. Yamazaki 233–237 (1996) 922
Radiation tests of ITER diagnostic system materials in the BOR-60 reactor, Yu.L. Revyakin, V.M. Kosenkov, S.E. Bender and V.A. Belyakov 233–237 (1996) 1229
Radiation-resistant photoconductivity of doped silicon under 17 MeV proton bombardment, N. Kishimoto, H. Amekura, K. Kono and T. Saito 233–237 (1996) 1244
Metal–insulator transition in $Si_{0.7}Ge_{0.3}$ disordered by fast neutron radiation, A.V. Zhidkov 233–237 (1996) 1249
Electrical resistivity of ceramic insulators under irradiation using 14 MeV neutrons, K. Noda, T. Nakazawa, Y. Oyama, D. Yamaki and Y. Ikeda 233–237 (1996) 1289
Electrical conductivity of the ceramic AlN under irradiation, R. Lindau and A. Möslang 233–237 (1996) 1294
Surface and volume electrical degradation in Wesgo AL995, A. Moroño and E.R. Hodgson 233–237 (1996) 1299
Investigations on radiation-induced processes in dielectric materials, V.M. Chernov, V.A. Belyakov, A.M. Bryuzgin, Y.Gr. Cherednichenko, J.I. Ievleva, G.L. Khorasanov, O.A. Plaksin, V.A. Stepanov, A.V. Vizgalov, V.A. Zherebtsov and A.V. Zrodnikov 233–237 (1996) 1304
Measurements of electrical conductivity of ceramics under electron irradiation in a high voltage electron microscope, K. Shiiyama, T. Izu, C. Kinoshita and M. Kutsuwada 233–237 (1996) 1332
Optical and dielectric properties of neutron irradiated $MgAl_2O_4$ spinels, A. Ibarra, R. Vila and F.A. Garner 233–237 (1996) 1336
Dielectric properties during electron irradiation of alternative materials for gyrotron windows, R. Vila, A. Ibarra and E.R. Hodgson 233–237 (1996) 1340
Fabrication and performance of AlN insulator coatings for application in fusion reactor blankets, K. Natesan 233–237 (1996) 1403

Electron Irradiation

Effect of additional minor elements on void nucleation in stainless steels during simultaneous irradiation with helium ions and electrons, S. Watanabe, H. Tsuchida, Y. Hidaka, N. Sakaguchi, S. Ohnuki and H. Takahashi 233–237 (1996) 177

Recoil energy spectrum effect in vanadium by electron and light- and heavy-ion irradiation, M. Iseki, Y. Kizuka, S. Mori, K. Kohmura and M. Kiritani 233–237 (1996) 492

Research of the capillary structure heat removal efficiency under divertor conditions, V.I. Pistunovich, A.V. Vertkov, V.A. Evtikhin, V.M. Korjavin, I.E. Lyublinski, V.B. Petrov, B.I. Khripunov and V.V. Shapkin 233–237 (1996) 650

Research on plasma-facing component materials, J. Yu, Y. Chen, Y. Wang, W. Zhang, S. Xu and T. Noda 233–237 (1996) 771

Investigation of the candidate divertor materials erosion at the powerful electron beam, V. Engelko, A. Andreev, T. Burtseva, O. Komarov, V. Kovalev, B. Ljublin and H. Wuerz 233–237 (1996) 818

On the recovery stages in fcc materials, W. Schüle 233–237 (1996) 969

Dislocation evolution in a model and a candidate ferritic alloy during steady and varying temperature electron irradiations, T. Muroga, Y. Nonaka and N. Yoshida 233–237 (1996) 1035

Effect of electron and ion beam irradiation on power reflectivity of C/C first wall materials, M. Nagatsu, N. Takada, M. Akiba, K. Nakamura and M. Shimada 233–237 (1996) 1284

Surface and volume electrical degradation in Wesgo AL995, A. Moroño and E.R. Hodgson 233–237 (1996) 1299

Accumulation of stable optical centres in silica glasses under pulse beam irradiation, V.T. Gritsyna, T.A. Bazilevskaya, V.S. Voitsenya, D.V. Orlinski and Yu.A. Tarabrin 233–237 (1996) 1310

Destruction and discharge phenomena in irradiated glasses, A.I. Akishin and L.I. Tseplyayev 233–237 (1996) 1318

Measurements of electrical conductivity of ceramics under electron irradiation in a high voltage electron microscope, K. Shiiyama, T. Izu, C. Kinoshita and M. Kutsuwada 233–237 (1996) 1332

Dielectric properties during electron irradiation of alternative materials for gyrotron windows, R. Vila, A. Ibarra and E.R. Hodgson 233–237 (1996) 1340

Electron Microscopy

Microstructure, irradiation hardening and embrittlement of 13Cr2MoNbVB ferritic–martensitic steel after neutron irradiation at low temperatures, V.S. Khabarov, A.M. Dvoriashin and S.I. Porollo 233–237 (1996) 236

Microstructural examination of commercial ferritic alloys at 200 dpa, D.S. Gelles 233–237 (1996) 293

Comparison of mechanical properties and structure of vanadium alloys relevant to DEMO conditions of the first wall and blanket, N.I. Budilkin, A.B. Alekseev, I.V. Golikov, Yu.I. Kazennov, V.F. Khramtsov, E.G. Mironova and A.V. Tselischev 233–237 (1996) 431

Mechanical properties of oxygen-injected vanadium alloy for application as structural component material for international thermonuclear experimental reactor, O.A. Medvedev, A.I. Ryazanov, A.N. Lyubimov, Y.V. Tichonov and W. van Witzenburg 233–237 (1996) 460

Recoil energy spectrum effect in vanadium by electron and light- and heavy-ion irradiation, M. Iseki, Y. Kizuka, S. Mori, K. Kohmura and M. Kiritani 233–237 (1996) 492

The influence of heat treatments on neutron irradiated Nb–1Zr alloy, H. Watanabe, K. Yasunaga, T. Muroga, N. Yoshida and F.A. Garner 233–237 (1996) 577

Radiation damage and deuterium trapping in deuterium ion injected beryllium, N. Yoshida, S. Mizusawa, R. Sakamoto and T. Muroga 233–237 (1996) 874

Dynamical process of defects clustering in nickel under low energy hydrogen ion irradiation, K. Ono, R. Sakamoto, T. Muroga and N. Yoshida 233–237 (1996) 1040

Primary knock-on atom energy dependence of cascade damage formation and interaction, N. Sekimura 233–237 (1996) 1080

Imitation of effects of a fusion reactor environment on optical properties of metallic mirrors, V.S. Voitsenya, A.F. Bardamid, Yu.N. Borisenko, B.V. Grigorenko, V.I. Gritsyna, V.T. Gritsyna, V.G. Konovalov, D.V. Orlinskij, L.V. Poperenko, V.V. Ruzhitskij, V.F. Rybalko, A.N. Shapoval, N.V. Vinnichenko and K.I. Yakimov 233–237 (1996) 1239

Microstructural evolution of single crystalline Al_2O_3 irradiated with single and triple ion beams, Y. Katano, T.

Nakazawa, D. Yamaki, T. Aruga and K. Noda 233–237 (1996) 1325
Measurements of electrical conductivity of ceramics under electron irradiation in a high voltage electron microscope, K. Shiiyama, T. Izu, C. Kinoshita and M. Kutsuwada 233–237 (1996) 1332

Embrittlement

Change in the properties of Fe–Cr–Ni and Fe–Cr–Mn austenitic steels under mixed and fast neutron irradiation, V.K. Shamardin, T.M. Bulanova, V.N. Golovanov, V.S. Neustroyev, A.V. Povstyanko and Z.E. Ostrovsky 233–237 (1996) 162
Low temperature embrittlement behaviour of different ferritic-martensitic alloys for fusion applications, M. Rieth and B. Dafferner 233–237 (1996) 229
Microstructure, irradiation hardening and embrittlement of 13Cr2MoNbVB ferritic–martensitic steel after neutron irradiation at low temperatures, V.S. Khabarov, A.M. Dvoriashin and S.I. Porollo 233–237 (1996) 236
Liquid metal embrittlement susceptibility of welded MANET II (DIN 1.4914) in liquid Pb–17Li., T. Sample, P. Fenici and H. Kolbe 233–237 (1996) 244
Fracture toughness of the F-82H steel-effect of loading modes, hydrogen, and temperature, H.-X. Li, R.H. Jones, J.P. Hirth and D.S. Gelles 233–237 (1996) 258
In-pile irradiation effected changes in high chromium steel weld joints, Yu.I. Kazennov, E.A. Krylov, A.V. Minaev, R.Hh. Gibadullin and V.V. Brovko 233–237 (1996) 305
Impact behavior of reduced-activation steels irradiated to 24 dpa, R.L. Klueh and D.J. Alexander 233–237 (1996) 336
Influence of flux-spectra differences on transmutation, dimensional changes and fracture of vanadium alloys, F.A. Garner, L.R. Greenwood, B.A. Loomis, S. Ohnuki and N. Sekimura 233–237 (1996) 406
Transmutation-induced embrittlement of vanadium and several vanadium alloys in HFIR, S. Ohnuki, H. Takahashi, F.A. Garner, J.E. Pawel, K. Shiba and A. Hishinuma 233–237 (1996) 411
Comparison of mechanical properties and structure of vanadium alloys relevant to DEMO conditions of the first wall and blanket, N.I. Budilkin, A.B. Alekseev, I.V. Golikov, Yu.I. Kazennov, V.F. Khramtsov, E.G. Mironova and A.V. Tselischev 233–237 (1996) 431
Mechanical properties of oxygen-injected vanadium alloy for application as structural component material for international thermonuclear experimental reactor, O.A. Medvedev, A.I. Ryazanov, A.N. Lyubimov, Y.V. Tichonov and W. van Witzenburg 233–237 (1996) 460
Effect of oxygen and oxidation on tensile properties of V–5Cr–5Ti alloy, K. Natesan and W.K. Soppet 233–237 (1996) 482
Hydrogen transport and embrittlement for palladium coated vanadium–chromium–titanium alloys, R.E. Buxbaum, R. Subramanian, J.H. Park and D.L. Smith 233–237 (1996) 510
Low-temperature radiation embrittlement of copper alloys, S.A. Fabritsiev, A.S. Pokrovsky, S.J. Zinkle and D.J. Edwards 233–237 (1996) 513
Promising Cu–Ni–Cr–Si alloy for first wall ITER applications, A. Ivanov, V. Abramov and M. Rodin 233–237 (1996) 553
Development of Mo alloys with improved resistance to embrittlement by recrystallization and irradiation, H. Kurishita, Y. Kitsunai, T. Shibayama, H. Kayano and Y. Hiraoka 233–237 (1996) 557
Influence of heat-treatment on tensile behavior of neutron irradiated molybdenum, A. Hasegawa, K. Abe, M. Satou, K. Ueda and C. Namba 233–237 (1996) 565
Radiation embrittlement of low-alloyed Mo alloys, V. Chakin and V. Kazakov 233–237 (1996) 570
High-temperature beryllium embrittlement, A.S. Pokrovsky, S.A. Fabritsiev, R.M. Bagautdinov and Yu.D. Goncharenko 233–237 (1996) 841
Swelling, strengthening and embrittlement of beryllium under neutron irradiation to a fluence of 1.72×10^{21} n/cm^2 ($E \geq 0.85$ MeV) at a temperature of 330–350°C. The role of main structure factors, G.A. Sernyaev, A.S. Pokrovskiy, R.M. Bagautdinov, S.A. Fabritsiev, I.V. Mazul and V.R. Barabash 233–237 (1996) 891
Evaluation of helium embrittlement by two dimensional elastic–plastic finite element method, H. Shiraishi 233–237 (1996) 985
Modeling the effect of creep on the growth of helium bubbles in metals during annealing, A. Ryazanov, D. Braski, H. Schroeder, H. Trinkaus and H. Ullmaier 233–237 (1996) 1076
Changes of mechanical properties of structural materials under radiation hydrogen saturation, A.P. Komis-

sarov, G.G. Bondarenko and K.A. Kostin 233–237 (1996) 1154
Corrosion resistance of austenitic steels and alloys in high temperature water, A.B. Alekseev, S.A. Averin, M.N. Geferova, V.P. Kondrat'ev and V.S. Shikhalev 233–237 (1996) 1367

Environmental Effects

World power energetics. Fusion reactors. ITER project, E.P. Velikhov 233–237 (1996) 1
Research of the capillary structure heat removal efficiency under divertor conditions, V.I. Pistunovich, A.V. Vertkov, V.A. Evtikhin, V.M. Korjavin, I.E. Lyublinski, V.B. Petrov, B.I. Khripunov and V.V. Shapkin 233–237 (1996) 650
Erosion of newly developed CFCs and Be under disruption heat loads, K. Nakamura, M. Akiba, M. Araki, M. Dairaku, K. Sato, S. Suzuki, K. Yokoyama, J. Linke, R. Duwe, H. Bolt and M. Roedig 233–237 (1996) 730
Experimental evaluation of the interface heat conductance between roughened beryllium and stainless steel surfaces, R.D. Abelson and M.A. Abdou 233–237 (1996) 847
Surface and volume electrical degradation in Wesgo AL995, A. Moroño and E.R. Hodgson 233–237 (1996) 1299
Low-activation properties of novel Cr-based materials for fusion reactors, M. Zucchetti and M. Merola 233–237 (1996) 1486
Activation analysis and materials choice in the laser fusion reactor KOYO, J.M. Perlado, K. Mima, S. Nakai, E. Alonso, E. Muñoz and J. Sanz 233–237 (1996) 1523

Experimental Techniques

Thermal fatigue behaviour for a 316 L type steel, A. Fissolo, B. Marini, G. Nais and P. Wident 233–237 (1996) 156
The vanadium alloys technological and corrosion studies in construction and operation of liquid metal facilities for fusion reactor, A.V. Vertkov, V.A. Evtikhin and I.E. Lyublinski 233–237 (1996) 452
Dislocation evolution in a model and a candidate ferritic alloy during steady and varying temperature electron irradiations, T. Muroga, Y. Nonaka and N. Yoshida 233–237 (1996) 1035
EXOTIC-7: irradiation of ceramic breeder materials to high lithium burnup, J.G. van der Laan, H. Kwast, M. Stijkel, R. Conrad, R. May, S. Casadio, N. Roux, H. Werle and R.A. Verrall 233–237 (1996) 1446
Deuteron beam interaction with lithium jet in a neutron source test facility, A. Hassanein 233–237 (1996) 1547
Prospect for study of radiation damage at RADEX-15, radiation experiment facility, based on the beam stop of Moscow Meson Factory, E.A. Koptelov, S.G. Lebedev, O.N. Smirnova, N.M. Sobolevsky, Y.Y. Stavissky, I.V. Al'tovsky, V.V. Orlov and S.N. Votinov 233–237 (1996) 1552
Vanadium–lithium in-pile loop for comprehensive tests of vanadium alloys and multipurpose coatings, I.E. Lyublinski, V.A. Evtikhin, V.B. Ivanov, V.A. Kazakov, V.M. Korjavin, V.K. Markovchev, R.R. Melder, Y.L. Revyakin and V.N. Shpolyanskiy 233–237 (1996) 1568
Development of miniaturized specimens for the study of neutron irradiation/plasma exposure synergistic effects on candidate fusion reactor materials, E.A. Krasikov, O.O. Zabusov, Ja.I. Shtrombakh, M.E. Korshunov, R.N. Kuz'min and V.M. Kapitanov 233–237 (1996) 1590

Fabrication

Design requirements for plasma facing materials in ITER, R. Matera, G. Federici and The ITER Joint Central Team 233–237 (1996) 17
Welding of irradiated stainless steel, C.A. Wang, M.L. Grossbeck, N.B. Potluri and B.A. Chin 233–237 (1996) 213
Prospects and problems using vanadium alloys as a structural material of the first wall and blanket of fusion reactors, S.N. Votinov, M.I. Solonin, Yu.I. Kazennov, V.P. Kondratjev, A.D. Nikulin, V.N. Tebus, E.O. Adamov, S.E. Bougaenko, Yu.S. Strebkov, A.V. Sidorenkov, V.B. Ivanov, V.A. Kazakov, V.A. Evtikhin, I.E. Lyublinski, V.M. Trojanov, A.E. Rusanov, V.M. Chernov and G.A. Birgevoj 233–237 (1996) 370
Utilization of vanadium alloys in the DIII-D radiative divertor program, J.P. Smith, W.R. Johnson, R.D. Stambaugh, P.W. Trester, D. Smith and E. Bloom 233–237 (1996) 421
Manufacture of semifinished items of alloys V–4Ti–4Cr and V–10Ti–5Cr for use as a structural material in fusion applications, M.M. Potapenko, V.A. Drobishev, V.Y. Filkin, I.N. Gubkin, V.V. Myasnikov, A.D. Nikulin, E.N. Shingarev, G.P. Vedernikov, S.N. Votinov, V.S. Zurabov and A.B. Zolotarev 233–237 (1996) 438
Use of titanium in the tokamak physics experiment (TPX), J.W. Davis, G.W. Wille and P. Heitzenroeder 233–237 (1996) 592

HIP'ing of copper alloys to stainless steel, G. Le Marois, Ch. Dellis, J.M. Gentzbittel and F. Moret 233–237 (1996) 927
Low-temperature tritium releasing ceramics as potential materials for the ITER breeding blanket, N. Roux, J. Avon, A. Floreancig, J. Mougin, B. Rasneur and S. Ravel 233–237 (1996) 1431

Fast Reactors

Change in the properties of Fe–Cr–Ni and Fe–Cr–Mn austenitic steels under mixed and fast neutron irradiation, V.K. Shamardin, T.M. Bulanova, V.N. Golovanov, V.S. Neustroyev, A.V. Povstyanko and Z.E. Ostrovsky 233–237 (1996) 162
Elastic modules and thermal conductivity of neutron irradiated type 13Cr–2Mo–Nb–V–B ferritic–martensitic steel, M.I. Zakharova, N.A. Artemov and D.V. Petrov 233–237 (1996) 280
Irradiation creep and void swelling of two LMR heats of HT9 at ~ 400°C and 165 dpa, M.B. Toloczko and F.A. Garner 233–237 (1996) 289
Prospects and problems using vanadium alloys as a structural material of the first wall and blanket of fusion reactors, S.N. Votinov, M.I. Solonin, Yu.I. Kazennov, V.P. Kondratjev, A.D. Nikulin, V.N. Tebus, E.O. Adamov, S.E. Bougaenko, Yu.S. Strebkov, A.V. Sidorenkov, V.B. Ivanov, V.A. Kazakov, V.A. Evtikhin, I.E. Lyublinski, V.M. Trojanov, A.E. Rusanov, V.M. Chernov and G.A. Birgevoj 233–237 (1996) 370
Irradiation creep of V–Ti–Cr alloy in BR-10 reactor core instrumented experiments, V.M. Troyanov, M.G. Bulkanov, A.S. Kruglov, E.A. Krjuchkov, M.P. Nikulin, J.M. Pevchykh, A.E. Rusanov, A.A. Smirnoff and S.N. Votinov 233–237 (1996) 381
Influence of flux-spectra differences on transmutation, dimensional changes and fracture of vanadium alloys, F.A. Garner, L.R. Greenwood, B.A. Loomis, S. Ohnuki and N. Sekimura 233–237 (1996) 406
High-temperature beryllium embrittlement, A.S. Pokrovsky, S.A. Fabritsiev, R.M. Bagautdinov and Yu.D. Goncharenko 233–237 (1996) 841
Radiation tests of ITER diagnostic system materials in the BOR-60 reactor, Yu.L. Revyakin, V.M. Kosenkov, S.E. Bender and V.A. Belyakov 233–237 (1996) 1229
Investigations on radiation-induced processes in dielectric materials, V.M. Chernov, V.A. Belyakov, A.M. Bryuzgin, Y.Gr. Cherednichenko, J.I. Ievleva, G.L. Khorasanov, O.A. Plaksin, V.A. Stepanov, A.V. Vizgalov, V.A. Zherebtsov and A.V. Zrodnikov 233–237 (1996) 1304
Fracturing of borides under neutron irradiation, E.U. Grinik, V.V. Ogorodnikov and A.G. Krainy 233–237 (1996) 1349

Fatigue

Results of the IAEA benchmark on lifetime predictions of first wall components, E. Diegele, M. Beghini, L. Bertini, T. Horie, R. Jakeman, A. Klischenko, R. Matera, M. Merola, D. Munz, M. Seki, S. Suzuki and G. Vieider 233–237 (1996) 62
Thermal fatigue behaviour for a 316 L type steel, A. Fissolo, B. Marini, G. Nais and P. Wident 233–237 (1996) 156
Irradiation creep-fatigue interaction of type 316L stainless steel, R. Scholz and R. Mueller 233–237 (1996) 169
Thermocyclic recovery and damage accumulation of irradiated austenitic structural materials, L.A. Belyaeva and V.V. Rybin 233–237 (1996) 224
In-situ and post-irradiation fatigue properties of the ferritic–martensitic steel Manet at $T = 250$°C, J. Bertsch, R. Lindau and A. Möslang 233–237 (1996) 276
Thermal and isothermal low cycle fatigue of MANET I and II, C. Petersen, R. Schmitt and D. Garnier 233–237 (1996) 285
Fatigue performance and cyclic softening of F82H, a ferritic-martensitic steel, J.F. Stubbins and D.S. Gelles 233–237 (1996) 331
Fatigue and crack growth behavior of V–Cr–Ti alloys, B.G. Gieseke, C.O. Stevens and M.L. Grossbeck 233–237 (1996) 488
Fatigue behavior of copper and selected copper alloys for high heat flux applications, K.D. Leedy, J.F. Stubbins, B.N. Singh and F.A. Garner 233–237 (1996) 547
Progressive bending deformations of first wall structures under cyclic thermomechanical loading, J. Wolters, G. Breitbach, M. Rödig and H. Nickel 233–237 (1996) 612
Experimental results of the thermal fatigue tests for I.A.E.A. benchmark components, M. Merola, R. Matera and F. Sevini 233–237 (1996) 620
HIP'ing of copper alloys to stainless steel, G. Le Marois, Ch. Dellis, J.M. Gentzbittel and F. Moret 233–237 (1996) 927
Low cycle fatigue behaviour of TZM molybdenum alloy in divertor water coolant, M.-F. Maday 233–237 (1996) 1397

First Wall Materials

Structural materials for ITER in-vessel component design, G. Kalinin, W. Gauster, R. Matera, A.-A.F. Tavassoli, A. Rowcliffe, S. Fabritsiev and H. Kawamura 233–237 (1996) 9

Design requirements for plasma facing materials in ITER, R. Matera, G. Federici and The ITER Joint Central Team 233–237 (1996) 17

Austenitic stainless steels, status of the properties database and design rule development, A.-A. Tavassoli and F. Touboul 233–237 (1996) 51

Results of the IAEA benchmark on lifetime predictions of first wall components, E. Diegele, M. Beghini, L. Bertini, T. Horie, R. Jakeman, A. Klischenko, R. Matera, M. Merola, D. Munz, M. Seki, S. Suzuki and G. Vieider 233–237 (1996) 62

Status of vanadium alloys for fusion reactors, H. Matsui, K. Fukumoto, D.L. Smith, H.M. Chung, W. van Witzenburg and S.N. Votinov 233–237 (1996) 92

Status of beryllium materials for fusion application, A.M. Khomutov, D.A. Davydov, V.A. Gorokhov, I.B. Kuprijanov, V.S. Mikhailov and Ya.D. Pakhomov 233–237 (1996) 111

Low-activation ferritic and martensitic steels for fusion application, A. Kohyama, A. Hishinuma, D.S. Gelles, R.L. Klueh, W. Dietz and K. Ehrlich 233–237 (1996) 138

Thermal fatigue behaviour for a 316 L type steel, A. Fissolo, B. Marini, G. Nais and P. Wident 233–237 (1996) 156

Effects of low temperature neutron irradiation on deformation behavior of austenitic stainless steels, J.E. Pawel, A.F. Rowcliffe, D.J. Alexander, M.L. Grossbeck and K. Shiba 233–237 (1996) 202

Implications of radiation-induced reductions in ductility to the design of austenitic stainless steel structures, G.E. Lucas, M. Billone, J.E. Pawel and M.L. Hamilton 233–237 (1996) 207

Thermocyclic recovery and damage accumulation of irradiated austenitic structural materials, L.A. Belyaeva and V.V. Rybin 233–237 (1996) 224

Effects of thermal treatments on the ductile to brittle transition of MANET steel, P. Gondi, R. Montanari, A. Sili and M.E. Tata 233–237 (1996) 248

Mechanical properties of low activating martensitic 8–10% CrWVTa steels of type OPTIFER, L. Schäfer, M. Schirra and K. Ehrlich 233–237 (1996) 264

Irradiation creep and void swelling of two LMR heats of HT9 at ~ 400°C and 165 dpa, M.B. Toloczko and F.A. Garner 233–237 (1996) 289

Metallurgical aspects of possibility of 9–12% chromium steel application as a structural material for first wall and blanket of fusion reactors, A.G. Ioltukhovsky, V.P. Kondrat'ev, M.V. Leont'eva-Smirnova, S.N. Votinov, V.K. Shamardin, A.V. Povstyanko and T.M. Bulanova 233–237 (1996) 299

Irradiation response on mechanical properties of neutron irradiated F82H, K. Shiba, M. Suzuki and A. Hishinuma 233–237 (1996) 309

Diffusion bonding of reduced activation ferritic steel F82H for demo blanket application, T. Kurasawa, H. Takatsu, S. Sato, T. Kuroda, S. Sugimoto and M. Tamura 233–237 (1996) 313

The effect of size, crack depth and strain rate on fracture toughness–temperature curves of a low activation martensitic stainless steel, K. Edsinger, G.R. Odette, G.E. Lucas and J.W. Sheckherd 233–237 (1996) 342

Reference vanadium alloy V–4Cr–4Ti for fusion application, D.L. Smith, H.M. Chung, B.A. Loomis and H.-C. Tsai 233–237 (1996) 356

Prospects and problems using vanadium alloys as a structural material of the first wall and blanket of fusion reactors, S.N. Votinov, M.I. Solonin, Yu.I. Kazennov, V.P. Kondratjev, A.D. Nikulin, V.N. Tebus, E.O. Adamov, S.E. Bougaenko, Yu.S. Strebkov, A.V. Sidorenkov, V.B. Ivanov, V.A. Kazakov, V.A. Evtikhin, I.E. Lyublinski, V.M. Trojanov, A.E. Rusanov, V.M. Chernov and G.A. Birgevoj 233–237 (1996) 370

Investigation of vanadium alloys in CTR plasma disruption-simulation experiments, V.L. Yakushin, B.A. Kalin, N.V. Kraskovskaya, S.N. Votinov and V.I. Vasiliev 233–237 (1996) 390

V–Ga-based alloys as candidate materials for fusion reactor application, L.I. Ivanov, Yu.M. Platov, A.I. Dediurin, I.V. Borovitskaia, V.M. Lazorenko, N.N. Savvateev, V.V. Sidorova, M.I. Zakharova and N.A. Artemov 233–237 (1996) 395

Influence of flux-spectra differences on transmutation, dimensional changes and fracture of vanadium alloys, F.A. Garner, L.R. Greenwood, B.A. Loomis, S. Ohnuki and N. Sekimura 233–237 (1996) 406

Comparison of mechanical properties and structure of vanadium alloys relevant to DEMO conditions of the first wall and blanket, N.I. Budilkin,

A.B. Alekseev, I.V. Golikov, Yu.I. Kazennov, V.F. Khramtsov, E.G. Mironova and A.V. Tselischev 233–237 (1996) 431
Mechanical properties of oxygen-injected vanadium alloy for application as structural component material for international thermonuclear experimental reactor, O.A. Medvedev, A.I. Ryazanov, A.N. Lyubimov, Y.V. Tichonov and W. van Witzenburg 233–237 (1996) 460
Fracture toughness and micromechanics in a V–4Cr–4Ti alloy, G.R. Odette, G.E. Lucas, E. Donahue and J.W. Sheckherd 233–237 (1996) 502
High temperature stability of dispersion strengthened copper alloys irradiated with fast neutrons, D.J. Edwards, F.A. Garner, M.L. Hamilton and J.D. Troxell 233–237 (1996) 519
Promising Cu–Ni–Cr–Si alloy for first wall ITER applications, A. Ivanov, V. Abramov and M. Rodin 233–237 (1996) 553
The influence of heat treatments on neutron irradiated Nb–1Zr alloy, H. Watanabe, K. Yasunaga, T. Muroga, N. Yoshida and F.A. Garner 233–237 (1996) 577
Progressive bending deformations of first wall structures under cyclic thermomechanical loading, J. Wolters, G. Breitbach, M. Rödig and H. Nickel 233–237 (1996) 612
Experimental results of the thermal fatigue tests for I.A.E.A. benchmark components, M. Merola, R. Matera and F. Sevini 233–237 (1996) 620
High heat load test on tungsten and tungsten containing alloys, M. Fujitsuka, I. Mutoh, T. Tanabe and T. Shikama 233–237 (1996) 638
Plasma facing component design for steady state tokamak SST-1, S. Jacob, S.S. Khirwadkar, P. Sinha, H.A. Pathak, D. Chenna Reddy and SST Team 233–237 (1996) 655
Composition of the plasma facing material Tokamakium, R. Behrisch, M. Mayer and C. García-Rosales 233–237 (1996) 673
Selection, development and characterisation of plasma facing materials for ITER, V. Barabash, M. Akiba, I. Mazul, M. Ulrickson and G. Vieider 233–237 (1996) 718
A basic study on erosion–redeposition processes in the boundary plasma region, S. Matsuyama, K. Yamaguchi, S. Tanaka and M. Yamawaki 233–237 (1996) 724
Erosion and gas impurity emission of B_4C converted CFC by high heat load, K. Tokunaga, M. Kugimiya, Y. Miyamoto, N. Yoshida, T. Ando, K. Masaki and M. Saidoh 233–237 (1996) 747
Feature of candidate PFC materials erosion, L.B. Begrambekov 233–237 (1996) 754
New composite composed of boron carbide and carbon fiber with high thermal conductivity for first wall, R. Jimbou, M. Saidoh, K. Nakamura, M. Akiba, S. Suzuki, Y. Gotoh, Y. Suzuki, A. Chiba, T. Yamaki, M. Nakagawa, K. Morita and B. Tsuchiya 233–237 (1996) 781
The performance of thick B_4C coatings on graphite divertor tiles in the DIII-D tokamak, O.I. Buzhinskij, V.A. Barsuk, I.V. Opimach, V.G. Otrozhenko, A.I. Trazhenkov, W.P. West and N. Brooks 233–237 (1996) 787
Re-emission and thermal desorption of deuterium from plasma sprayed tungsten coatings for application in ASDEX-upgrade, C. García-Rosales, P. Franzen, H. Plank, J. Roth and E. Gauthier 233–237 (1996) 803
Heat flux experiments on first wall mock-ups coated by plasma sprayed B_4C, H. Bolt, M. Araki, J. Linke, W. Malléner, K. Nakamura, R.W. Steinbrech and S. Suzuki 233–237 (1996) 809
Thermal shock tests of β-sic pellets prepared from laser synthesized nanoscale sic powders, A. Donato, E. Borsella, S. Botti, S. Martelli, C.A. Nannetti, M.R. Mancini and I. Morjan 233–237 (1996) 814
Stability of the Be–steam reaction and its impact on safety, F. Andritsos and D.A. Sarigiannis 233–237 (1996) 852
Dynamics of accumulation of implanted hydrogen in beryllium, I.P. Chernov, Y.P. Cherdantsev and V.G. Abdrashitov 233–237 (1996) 857
Mechanical properties of Cu–Cr–Zr alloy and SS316 joints fabricated by friction welding method, K. Tsuchiya and H. Kawamura 233–237 (1996) 913
Development of Al–Ge base rheocast brazing alloys, F. Saint-Antonin, M. Suéry, P. Meneses, G. Le Marois and F. Moret 233–237 (1996) 935
Mechanical properties of HIP bonded joints of austenitic stainless steel and Cu-alloy for fusion experimental reactor blanket, S. Sato, T. Kuroda, T. Kurasawa, K. Furuya, I. Togami and H. Takatsu 233–237 (1996) 940
Comparison of elastic and non-elastic displacement damage under light ion simulation irradiation, E. Daum, J. Bertsch, A. Möslang and K. Ehrlich 233–237 (1996) 959
Hydrogen isotopes retention in divertor tiles of DIII-D tokamak, B.G. Skoro-

dumov, O.I. Buzhinskij, W.P. West and V.G. Ulanov 233–237 (1996) 1107
Evaluation of stainless steels for their resistance to intergranular corrosion, A.B. Korostelev, V.Ya. Abramov and V.N. Belous 233–237 (1996) 1361
Low-activation properties of novel Cr-based materials for fusion reactors, M. Zucchetti and M. Merola 233–237 (1996) 1486
Effect of neutron spectra on the transmutation of first wall materials, T. Noda and M. Fujita 233–237 (1996) 1491
The impact of materials composition and irradiation modelling on the activation of ITER in-vessel components, G. Cambi, D.G. Cepraga, P. Rocco and M. Zucchetti 233–237 (1996) 1505
Hydrogen generation arising from the ^{59}Ni(n, p) reaction and its impact on fission–fusion correlations, L.R. Greenwood and F.A. Garner 233–237 (1996) 1530
A miniaturized test method for the mechanical characterization of structural materials for fusion reactors, P. Gondi, A. Donato, R. Montanari and A. Sili 233–237 (1996) 1557
Development of triple fission technique for simulating fusion neutron irradiation, H. Matsui, K. Nakai, A. Kimura, T. Shikama, M. Narui and H. Kayano 233–237 (1996) 1561
New electron beam facility for irradiated plasma facing materials testing in hot cell, S. Shimakawa, N. Sakamoto, K. Satoh, M. Akiba and H. Kawamura 233–237 (1996) 1582
ITER material properties handbook, J.W. Davis and P.D. Smith 233–237 (1996) 1593
Material properties database for plasma facing components for fusion reactors, R.A. Langley and J. Botero 233–237 (1996) 1597
Summary of oxidation driven mobilization data and their use in fusion safety assessments, K.A. McCarthy, G.R. Smolik, D.L. Hagrman and D.A. Petti 233–237 (1996) 1607

Fracture and Fracture Toughness

Results of the IAEA benchmark on lifetime predictions of first wall components, E. Diegele, M. Beghini, L. Bertini, T. Horie, R. Jakeman, A. Klischenko, R. Matera, M. Merola, D. Munz, M. Seki, S. Suzuki and G. Vieider 233–237 (1996) 62
Comparison of elastic–plastic fracture toughness of irradiated and cold-worked JPCA using miniaturized DCT specimens, S. Jitsukawa, K. Shiba, A. Hishinuma, D.J. Alexander and J.E. Pawel 233–237 (1996) 152
Mechanical properties of austenitic stainless steels irradiated at 323 K in the Japan Materials Testing Reactor, Y. Matsui, M. Niimi, T. Hoshiya, F. Sakurai, S. Jitsukawa, T. Tsukada, M. Ohmi, H. Sakai, R. Oyamada and T. Onchi 233–237 (1996) 188
Effects of low temperature neutron irradiation on deformation behavior of austenitic stainless steels, J.E. Pawel, A.F. Rowcliffe, D.J. Alexander, M.L. Grossbeck and K. Shiba 233–237 (1996) 202
Welding of irradiated stainless steel, C.A. Wang, M.L. Grossbeck, N.B. Potluri and B.A. Chin 233–237 (1996) 213
Auger spectroscopy study of the stress enhanced impurity segregation in a Cr–Mo–V steel, A.M. Ilyin and V.N. Golovanov 233–237 (1996) 233
Effects of thermal treatments on the ductile to brittle transition of MANET steel, P. Gondi, R. Montanari, A. Sili and M.E. Tata 233–237 (1996) 248
Fracture toughness of the F-82H steel-effect of loading modes, hydrogen, and temperature, H.-X. Li, R.H. Jones, J.P. Hirth and D.S. Gelles 233–237 (1996) 258
The effect of size, crack depth and strain rate on fracture toughness–temperature curves of a low activation martensitic stainless steel, K. Edsinger, G.R. Odette, G.E. Lucas and J.W. Sheckherd 233–237 (1996) 342
Fracture behavior of surface cracked panels of HT-9 at low temperatures, M. Enmark, K. Edsinger, G. Lucas and G.R. Odette 233–237 (1996) 347
Charpy impact properties of low activation alloys for fusion applications after neutron irradiation, M. Rieth, B. Dafferner and H.D. Röhrig 233–237 (1996) 351
Mechanical properties of oxygen-injected vanadium alloy for application as structural component material for international thermonuclear experimental reactor, O.A. Medvedev, A.I. Ryazanov, A.N. Lyubimov, Y.V. Tichonov and W. van Witzenburg 233–237 (1996) 460
Fracture toughness and micromechanics in a V–4Cr–4Ti alloy, G.R. Odette, G.E. Lucas, E. Donahue and J.W. Sheckherd 233–237 (1996) 502
GlidCop® DSC properties in the temperature range of 20–350°C, R.R. Solomon, J.D. Troxell and A.V. Nadkarni 233–237 (1996) 542
Fracturing of borides under neutron irradiation, E.U. Grinik, V.V. Ogorodnikov and A.G. Krainy 233–237 (1996) 1349
A miniaturized test method for the mechanical characterization of struc-

tural materials for fusion reactors, P. Gondi, A. Donato, R. Montanari and A. Sili 233–237 (1996) 1557

Fusion Reactors

World power energetics. Fusion reactors. ITER project, E.P. Velikhov 233–237 (1996) 1
ITER EDA project status, V.A. Chuyanov 233–237 (1996) 4
Design requirements for plasma facing materials in ITER, R. Matera, G. Federici and The ITER Joint Central Team 233–237 (1996) 17
Status of silicon carbide composites for fusion, L.L. Snead, R.H. Jones, A. Kohyama and P. Fenici 233–237 (1996) 26
A review of the joining techniques for plasma facing components in fusion reactors, B.C. Odegard and B.A. Kalin 233–237 (1996) 44
Austenitic stainless steels, status of the properties database and design rule development, A.-A. Tavassoli and F. Touboul 233–237 (1996) 51
Materials for breeding blankets, R.F. Mattas and M.C. Billone 233–237 (1996) 72
Potential and limitations of ceramics in terms of structural and electrical integrity in fusion environments, C. Kinoshita and S.J. Zinkle 233–237 (1996) 100
Status of beryllium materials for fusion application, A.M. Khomutov, D.A. Davydov, V.A. Gorokhov, I.B. Kuprijanov, V.S. Mikhailov and Ya.D. Pakhomov 233–237 (1996) 111
Superconductors for the ITER model coils, A. Shikov 233–237 (1996) 120
Evaluation of copper alloys for fusion reactor divertor and first wall components, S.A. Fabritsiev, S.J. Zinkle and B.N. Singh 233–237 (1996) 127
Thermal fatigue behaviour for a 316 L type steel, A. Fissolo, B. Marini, G. Nais and P. Wident 233–237 (1996) 156
Irradiation creep-fatigue interaction of type 316L stainless steel, R. Scholz and R. Mueller 233–237 (1996) 169
Thermal and isothermal low cycle fatigue of MANET I and II, C. Petersen, R. Schmitt and D. Garnier 233–237 (1996) 285
Metallurgical aspects of possibility of 9–12% chromium steel application as a structural material for first wall and blanket of fusion reactors, A.G. Ioltukhovsky, V.P. Kondrat'ev, M.V. Leont'eva-Smirnova, S.N. Votinov, V.K. Shamardin, A.V. Povstyanko and T.M. Bulanova 233–237 (1996) 299
Diffusion bonding of reduced activation ferritic steel F82H for demo blanket application, T. Kurasawa, H. Takatsu, S. Sato, T. Kuroda, S. Sugimoto and M. Tamura 233–237 (1996) 313
Irradiation hardening of reduced activation martensitic steels, A. Kimura, T. Morimura, M. Narui and H. Matsui 233–237 (1996) 319
Influence of boron-generated helium on the swelling of neutron irradiated V, V–5Cr and V–5Fe, N. Sekimura, T. Iwai and F.A. Garner 233–237 (1996) 400
Influence of flux-spectra differences on transmutation, dimensional changes and fracture of vanadium alloys, F.A. Garner, L.R. Greenwood, B.A. Loomis, S. Ohnuki and N. Sekimura 233–237 (1996) 406
Comparison of mechanical properties and structure of vanadium alloys relevant to DEMO conditions of the first wall and blanket, N.I. Budilkin, A.B. Alekseev, I.V. Golikov, Yu.I. Kazennov, V.F. Khramtsov, E.G. Mironova and A.V. Tselischev 233–237 (1996) 431
Preliminary characterization of interlayer for Be–Cu functionally gradient materials, N. Sakamoto and H. Kawamura 233–237 (1996) 609
Experimental results of the thermal fatigue tests for I.A.E.A. benchmark components, M. Merola, R. Matera and F. Sevini 233–237 (1996) 620
Development of a liquid-metal fusion reactor divertor with a capillary-pore system, L.G. Golubchikov, V.A. Evtikhin, I.E. Lyublinski, V.I. Pistunovich, I.N. Potapov and A.N. Chumanov 233–237 (1996) 667
Heat flux experiments on first wall mock-ups coated by plasma sprayed B_4C, H. Bolt, M. Araki, J. Linke, W. Malléner, K. Nakamura, R.W. Steinbrech and S. Suzuki 233–237 (1996) 809
Thermal shock tests of β-sic pellets prepared from laser synthesized nanoscale sic powders, A. Donato, E. Borsella, S. Botti, S. Martelli, C.A. Nannetti, M.R. Mancini and I. Morjan 233–237 (1996) 814
Neutron irradiated beryllium: tensile strength and swelling, F. Moons, L. Sannen, A. Rahn and J. Van De Velde 233–237 (1996) 823
Metal–ceramic functionally gradient material for insulation pipe joint in fusion environment, S. Nishio, M. Nakahira, T. Abe, H. Kawamura, S. Sagawa, M. Kawamura and S. Yamazaki 233–237 (1996) 922
HIP'ing of copper alloys to stainless steel, G. Le Marois, Ch. Dellis, J.M. Gentzbittel and F. Moret 233–237 (1996) 927

Macroblock manufacturing by 'hip assisted brazing' method, G. Chaumat, P. Le Gallo, G. Le Marois, F. Moret and P. Deschamp 233–237 (1996) 932
Mechanical properties of HIP bonded joints of austenitic stainless steel and Cu-alloy for fusion experimental reactor blanket, S. Sato, T. Kuroda, T. Kurasawa, K. Furuya, I. Togami and H. Takatsu 233–237 (1996) 940
Radiation defect formation and evolution in C0.03Cr20Ni16Mn6 steel under low-temperature neutron irradiation and their effect on physical and mechanical properties of the steel, A.V. Kozlov and V.V. Kirsanov 233–237 (1996) 1062
Reversible and irreversible hydrogen trapping in metals: New computer-based code THYDA, R. Valentini, A. Solina, L. Tonelli, S. Lanza, G. Benamati and A. Donato 233–237 (1996) 1123
Effect of tritium and helium-3 on the lifetime properties of Pd–Ag alloys in ITER tritium purification technology, V. Tebus, L. Rivkis, G. Arutunova, Y. Golykov, E. Dmytrevskay, V. Fylin and L. Panteleev 233–237 (1996) 1163
Influence of reactor irradiation on the physico-mechanical properties of electro-ceramics of some commercial grades, V.S. Sandakov, Yu.A. Stukert, V.A. Kazakov, V.A. Belyakov and P.A. Fefelov 233–237 (1996) 1253
Tauro: a ceramic composite structural material self-cooled Pb–17Li breeder blanket concept, A.S. Pérez Ramírez, A. Caso, L. Giancarli, N. Le Bars, G. Chaumat, J.F. Salavy and J. Szczepanski 233–237 (1996) 1257
Ceramic SiC/B_4C/TiC/C composites as plasma facing components for fusion reactors, A. Yehia, R. Vaßen, R. Duwe and D. Stöver 233–237 (1996) 1266
LIBRETTO-3: Modelling tritium extraction/permeation and evaluation of permeation barriers under irradiation, L.A. Sedano, R. Conrad, M.A. Fütterer, R. May, R. Viola and X. Dies 233–237 (1996) 1411
The removal of nickel dissolved in Pb–17Li by the formation of a less soluble nickel–manganese alloy, M.G. Barker, D.J. Siddons and F. Barbier 233–237 (1996) 1436
Thermal and tritium transport in Li_2O and Li_2ZrO_3, M.C. Billone 233–237 (1996) 1462
Evaluation of transmutation and low induced radioactivity and requirements for candidate structural materials, T. Noda 233–237 (1996) 1475
Si isotope separation for low activation, T. Noda, H. Suzuki, H. Araki and M. Okada 233–237 (1996) 1496
Recycling and clearance of fusion activated waste, P. Rocco and M. Zucchetti 233–237 (1996) 1500
The impact of materials composition and irradiation modelling on the activation of ITER in-vessel components, G. Cambi, D.G. Cepraga, P. Rocco and M. Zucchetti 233–237 (1996) 1505
Activation analysis and materials choice in the laser fusion reactor KOYO, J.M. Perlado, K. Mima, S. Nakai, E. Alonso, E. Muñoz and J. Sanz 233–237 (1996) 1523
Hydrogen generation arising from the $^{59}Ni(n, p)$ reaction and its impact on fission–fusion correlations, L.R. Greenwood and F.A. Garner 233–237 (1996) 1530
Deuteron beam interaction with lithium jet in a neutron source test facility, A. Hassanein 233–237 (1996) 1547
New electron beam facility for irradiated plasma facing materials testing in hot cell, S. Shimakawa, N. Sakamoto, K. Satoh, M. Akiba and H. Kawamura 233–237 (1996) 1582
Development of miniaturized specimens for the study of neutron irradiation/plasma exposure synergistic effects on candidate fusion reactor materials, E.A. Krasikov, O.O. Zabusov, Ja.I. Shtrombakh, M.E. Korshunov, R.N. Kuz'min and V.M. Kapitanov 233–237 (1996) 1590
Material properties database for plasma facing components for fusion reactors, R.A. Langley and J. Botero 233–237 (1996) 1597
FENDL: International reference nuclear data library for fusion applications, A.B. Pashchenko, H. Wienke and S. Ganesan 233–237 (1996) 1601
NIFS information network for fusion engineering research in Japanese Universities, C. Namba, A. Kohyama and Y. Katoh 233–237 (1996) 1612
Summary of oxidation driven mobilization data and their use in fusion safety assessments, K.A. McCarthy, G.R. Smolik, D.L. Hagrman and D.A. Petti 233–237 (1996) 1607

Gamma Irradiation

Neutron activation of lithium coolant in the V–5Ti–5Cr alloy circuit, Yu.G. Bobrov and V.V. Iroshnikov 233–237 (1996) 507
Radiation annealing of defects under the effect of γ-radiation, V.A. Nikolaenko and V.I. Karpukhin 233–237 (1996) 1067
Hydrogen migration in stainless steel and alloys stimulated by ionizing radiation, I.P. Chernov, A.P. Mamontov, Y.I. Tjurin and Y.P. Cherdantsev 233–237 (1996) 1118

Electrical conductivity of the ceramic AlN under irradiation, R. Lindau and A. Möslang 233–237 (1996) 1294
Destruction and discharge phenomena in irradiated glasses, A.I. Akishin and L.I. Tseplyayev 233–237 (1996) 1318

Gases *(excludes Hydrogen, Helium and Tritium)* **in Materials**
Feature of candidate PFC materials erosion, L.B. Begrambekov 233–237 (1996) 754
Deuterium accumulation in beryllium in contact with atomic deuterium at 740 K, V.M. Sharapov, L.E. Gavrilov, V.S. Kulikauskas and A.V. Markin 233–237 (1996) 870
Post-irradiation studies of beryllium reflector of fission reactor. Examination of gas release, swelling and structure of beryllium under annealing, D.V. Andreev, V.N. Bespalov, A.Ju. Birjukov, B.A. Gurovich and P.A. Platonov 233–237 (1996) 880
Effect of tritium and helium-3 on the lifetime properties of Pd–Ag alloys in ITER tritium purification technology, V. Tebus, L. Rivkis, G. Arutunova, Y. Golykov, E. Dmytrevskay, V. Fylin and L. Panteleev 233–237 (1996) 1163
Hydrogen isotope permeability through austenitic Cr–Ni steels under neutron irradiation, B.G. Polosukhin, E.M. Sulimov, A.P. Zyrianov and A.V. Kozlov 233–237 (1996) 1174
Destruction and discharge phenomena in irradiated glasses, A.I. Akishin and L.I. Tseplyayev 233–237 (1996) 1318
Complex research facility to study radiation effect on the interaction of hydrogen-bearing media with candidate materials under irradiation, B.G. Polosukhin, E.M. Sulimov, A.P. Zyrianov, L.I. Menkin, V.F. Lisovoy and S.Yu. Mitrofanov 233–237 (1996) 1573

Grain Boundaries
Welding of irradiated stainless steel, C.A. Wang, M.L. Grossbeck, N.B. Potluri and B.A. Chin 233–237 (1996) 213
Auger spectroscopy study of the stress enhanced impurity segregation in a Cr–Mo–V steel, A.M. Ilyin and V.N. Golovanov 233–237 (1996) 233
Nucleation and growth of helium-vacancy clusters in vanadium and vanadium alloys: V–5Ti, V–3Ti–1Si, V–5Ti–5Cr, A.V. Fedorov, A. van Veen and A.I. Ryazanov 233–237 (1996) 385
Characteristics of transient plasma layers produced by irradiation of graphite targets by high power quasi-stationary plasma streams under the disruption simulation conditions, V.V. Chebotarev, I.E. Garkusha, V.V. Garkusha, V.A. Makhlaj, N.I. Mitina, D.G. Solyakov, V.I. Tereshin, S.A. Trubchaninov, A.V. Tsarenko and H. Wuerz 233–237 (1996) 736
Swelling, strengthening and embrittlement of beryllium under neutron irradiation to a fluence of 1.72×10^{21} n/cm^2 ($E \geq 0.85$ MeV) at a temperature of 330–350°C. The role of main structure factors, G.A. Sernyaev, A.S. Pokrovskiy, R.M. Bagautdinov, S.A. Fabritsiev, I.V. Mazul and V.R. Barabash 233–237 (1996) 891
Evaluation of helium embrittlement by two dimensional elastic–plastic finite element method, H. Shiraishi 233–237 (1996) 985
Modeling the effect of creep on the growth of helium bubbles in metals during annealing, A. Ryazanov, D. Braski, H. Schroeder, H. Trinkaus and H. Ullmaier 233–237 (1996) 1076
Microstructural evolution adjacent to grain boundaries under cascade damage conditions and helium production, H. Trinkaus, B.N. Singh and M. Victoria 233–237 (1996) 1089
Corrosion resistance of austenitic steels and alloys in high temperature water, A.B. Alekseev, S.A. Averin, M.N. Geferova, V.P. Kondrat'ev and V.S. Shikhalev 233–237 (1996) 1367
Microstructure and density changes of Li_2O during irradiation in BEATRIX-II, Phase I and II, T. Takahashi, K. Noda, O.D. Slagle and F.D. Hobbs 233–237 (1996) 1457

Growth
Modeling the effect of creep on the growth of helium bubbles in metals during annealing, A. Ryazanov, D. Braski, H. Schroeder, H. Trinkaus and H. Ullmaier 233–237 (1996) 1076

Heat Treatment
Superconductors for the ITER model coils, A. Shikov 233–237 (1996) 120
Small-angle neutron scattering microstructural investigation of MANET steel, G. Albertini, F. Carsughi, R. Coppola, F. Fiori, F. Rustichelli and M. Stefanon 233–237 (1996) 253
Promising Cu–Ni–Cr–Si alloy for first wall ITER applications, A. Ivanov, V. Abramov and M. Rodin 233–237 (1996) 553
Evaluation of stainless steels for their resistance to intergranular corrosion, A.B. Korostelev, V.Ya. Abramov and V.N. Belous 233–237 (1996) 1361

Helium
The impact of transmutant helium on weldability of austenitic steel, S.A. Fabritsiev, A.S. Pokrovsky and V.A. Brovko 233–237 (1996) 173
Effect of additional minor elements on void nucleation in stainless steels during simultaneous irradiation with helium ions and electrons, S. Watanabe, H. Tsuchida, Y. Hidaka, N. Sakaguchi, S. Ohnuki and H. Takahashi 233–237 (1996) 177
Welding of irradiated stainless steel, C.A. Wang, M.L. Grossbeck, N.B. Potluri and B.A. Chin 233–237 (1996) 213
In-situ and post-irradiation fatigue properties of the ferritic–martensitic steel Manet at $T = 250$°C, J. Bertsch, R. Lindau and A. Möslang 233–237 (1996) 276
Nucleation and growth of helium-vacancy clusters in vanadium and vanadium alloys: V–5Ti, V–3Ti–1Si, V–5Ti–5Cr, A.V. Fedorov, A. van Veen and A.I. Ryazanov 233–237 (1996) 385
Influence of boron-generated helium on the swelling of neutron irradiated V, V–5Cr and V–5Fe, N. Sekimura, T. Iwai and F.A. Garner 233–237 (1996) 400
Tensile behavior of helium charged V–Ti–Cr–Si type alloys, M. Satou, H. Koide, A. Hasegawa, K. Abe, H. Kayano and H. Matsui 233–237 (1996) 447
High-temperature beryllium embrittlement, A.S. Pokrovsky, S.A. Fabritsiev, R.M. Bagautdinov and Yu.D. Goncharenko 233–237 (1996) 841
Evaluation of helium embrittlement by two dimensional elastic–plastic finite element method, H. Shiraishi 233–237 (1996) 985
Nucleation and growth process of defect clusters in copper during helium ion irradiation, K. Yasuda, C. Kinoshita, M. Kutsuwada and T. Hirai 233–237 (1996) 1051
Modeling the effect of creep on the growth of helium bubbles in metals during annealing, A. Ryazanov, D. Braski, H. Schroeder, H. Trinkaus and H. Ullmaier 233–237 (1996) 1076
Model for the final stage of creep failure due to high temperature helium embrittlement, A. Ryazanov, R.E. Voskoboinikov and H. Trinkaus 233–237 (1996) 1085
Microstructural evolution adjacent to grain boundaries under cascade damage conditions and helium production, H. Trinkaus, B.N. Singh and M. Victoria 233–237 (1996) 1089
Influence of alloying elements in Ni and Fe on ion-implanted helium behavior, B.A. Kalin, I.I. Chernov, A.N. Kalashnikov and V.V. Timofeyev 233–237 (1996) 1142
Helium effect on the structure of Fe–0.6C–16Cr–15Ni–3Mo–0.5Nb steel, S.P. Vagin, B.D. Utkelbayev and P.V. Chakrov 233–237 (1996) 1168
Gas release processes for high concentrations of helium bubbles in metals, J.H. Evans and A. van Veen 233–237 (1996) 1179
Radiogenic helium thermodesorption from titanium tritide, A.I. Vedeneev, V.N. Lobanov and S.V. Starovoitova 233–237 (1996) 1189
Effect of neutron spectrum on transmutant accumulation in ITER structural materials, A.V. Karasiov and S.A. Fabritsiev 233–237 (1996) 1481
Hydrogen generation arising from the ^{59}Ni(n, p) reaction and its impact on fission–fusion correlations, L.R. Greenwood and F.A. Garner 233–237 (1996) 1530
Development of triple fission technique for simulating fusion neutron irradiation, H. Matsui, K. Nakai, A. Kimura, T. Shikama, M. Narui and H. Kayano 233–237 (1996) 1561

History *(of Nuclear Materials, Nuclear Technology)*
World power energetics. Fusion reactors. ITER project, E.P. Velikhov 233–237 (1996) 1
Low-activation ferritic and martensitic steels for fusion application, A. Kohyama, A. Hishinuma, D.S. Gelles, R.L. Klueh, W. Dietz and K. Ehrlich 233–237 (1996) 138
History, progress, achievement and future prospect of research activities on fusion materials by Japanese university researchers, S. Ishino 233–237 (1996) 1535

Hydrogen and Hydrides *(includes Deuterium and Deuterides)*
Fracture toughness of the F-82H steel-effect of loading modes, hydrogen, and temperature, H.-X. Li, R.H. Jones, J.P. Hirth and D.S. Gelles 233–237 (1996) 258
Hydrogen transport and embrittlement for palladium coated vanadium–chromium–titanium alloys, R.E. Buxbaum, R. Subramanian, J.H. Park and D.L. Smith 233–237 (1996) 510
Use of titanium in the tokamak physics experiment (TPX), J.W. Davis, G.W. Wille and P. Heitzenroeder 233–237 (1996) 592
Composition of the plasma facing material Tokamakium, R. Behrisch, M. Mayer and C. García-Rosales 233–237 (1996) 673
On sputtering of W–Cu composition by polyenergetic flux of hydrogen particles, G.G. Bondarenko and Ya.Ya. Udris 233–237 (1996) 688
Retention and desorption of implanted deuterium of high-Z plasma facing materials, R. Sakamoto, T. Muroga and N. Yoshida 233–237 (1996) 776

Re-emission and thermal desorption of deuterium from plasma sprayed tungsten coatings for application in ASDEX-upgrade, C. García-Rosales, P. Franzen, H. Plank, J. Roth and E. Gauthier 233–237 (1996) 803
Hydrogen release from reactor-irradiated beryllium, A.Kh. Klepikov, I.L. Tazhibaeva, V.P. Shestakov, O.G. Romanenko, Y.V. Chikhray, E.A. Kenzhin, Yu.S. Cherepnin and L.N. Tikhomirov 233–237 (1996) 837
Dynamics of accumulation of implanted hydrogen in beryllium, I.P. Chernov, Y.P. Cherdantsev and V.G. Abdrashitov 233–237 (1996) 857
Gas-induced swelling of beryllium implanted with deuterium ions, V.N. Chernikov, V.Kh. Alimov, A.V. Markin, A.E. Gorodetsky, S.L. Kanashenko, A.P. Zakharov and I.B. Kupriyanov 233–237 (1996) 860
Deuterium accumulation in beryllium in contact with atomic deuterium at 740 K, V.M. Sharapov, L.E. Gavrilov, V.S. Kulikauskas and A.V. Markin 233–237 (1996) 870
Radiation damage and deuterium trapping in deuterium ion injected beryllium, N. Yoshida, S. Mizusawa, R. Sakamoto and T. Muroga 233–237 (1996) 874
Retention and re-emission of hydrogen in beryllium studied by the ERD technique, B. Tsuchiya and K. Morita 233–237 (1996) 898
Dynamical process of defects clustering in nickel under low energy hydrogen ion irradiation, K. Ono, R. Sakamoto, T. Muroga and N. Yoshida 233–237 (1996) 1040
Hydrogen permeation rate reduction by post-oxidation of aluminide coatings on DIN 1.4914 martensitic steel (MANET), A. Perujo, E. Serra, H. Kolbe and T. Sample 233–237 (1996) 1102
Hydrogen isotopes retention in divertor tiles of DIII-D tokamak, B.G. Skorodumov, O.I. Buzhinskij, W.P. West and V.G. Ulanov 233–237 (1996) 1107
Interactions of low energy hydrogen ions with niobium: effects of non-metallic overlayers on reemission, retention and permeation, A.I. Livshits, M.E. Notkin, A.A. Samartsev and M.N. Solovyov 233–237 (1996) 1113
Hydrogen migration in stainless steel and alloys stimulated by ionizing radiation, I.P. Chernov, A.P. Mamontov, Y.I. Tjurin and Y.P. Cherdantsev 233–237 (1996) 1118
Reversible and irreversible hydrogen trapping in metals: New computer-based code THYDA, R. Valentini, A. Solina, L. Tonelli, S. Lanza, G. Benamati and A. Donato 233–237 (1996) 1123
Hydrogen behavior in carbon-based materials and its neutron irradiation effect, H. Atsumi, M. Iseki and T. Shikama 233–237 (1996) 1128
On determination of irradiation-induced permeation of hydrogen through metals by the mass-spectrometry method, N.G. Primakov, V.A. Rudenko and V.V. Kazarnikov 233–237 (1996) 1133
Hydrogen penetration through structural materials under ion bombardment, A.G. Zaluzhnyi, V.P. Kopytin, O.M. Storozhuk and M.V. Tcherednichenko-Alchevskyi 233–237 (1996) 1148
Changes of mechanical properties of structural materials under radiation hydrogen saturation, A.P. Komissarov, G.G. Bondarenko and K.A. Kostin 233–237 (1996) 1154
Hydrogen isotopes mobility and trapping in V–Cr–Ti alloys, N. Budylkin, L. Voloschin, E. Mironova, N. Riazantseva and V. Tebus 233–237 (1996) 1160
Deuterium permeation through Nb during low energy ion irradiation at controlled surface conditions, V. Bandourko, M. Yamawaki, K. Yamaguchi, V. Kurnaev, D. Levchuk and A. Pisarev 233–237 (1996) 1184
Study of hydrogen isotope permeation through some construction materials, A.A. Yukhimchuk and V.K. Gaevoy 233–237 (1996) 1193
Hydrogen release of reactor irradiated RGT-graphite, I.L. Tazhibaeva, A.Kh. Klepikov, V.P. Shestakov, O.G. Romanenko, E.V. Chikhray, E.A. Kenzhin, Yu.S. Cherepnin, L.N. Tikhomirov and V.A. Zverev 233–237 (1996) 1198
Bulk retention of deuterium in graphites exposed to deuterium plasma at high temperature, I.I. Arkhipov, A.E. Gorodetsky, A.P. Zakharov, B.I. Khripunov, V.V. Shapkin, V.B. Petrov, V.I. Pistunovich, M.A. Negodaev and A.V. Bagulya 233–237 (1996) 1202
Hydrogen adsorption on and solubility in graphites, S.L. Kanashenko, A.E. Gorodetsky, V.N. Chernikov, A.V. Markin, A.P. Zakharov, B.L. Doyle and W.R. Wampler 233–237 (1996) 1207
Isotope difference between hydrogen inventories in graphite under simultaneous H^+ and D^+ irradiation, B. Tsuchiya and K. Morita 233–237 (1996) 1213
Molecular hydrogen interaction with unirradiated graphite, E. Denisov, T. Kompaniets, A. Kurdyumov and S. Mazayev 233–237 (1996) 1218

An interaction of austenitic Cr–Ni steel cladding with Li–Pb eutectic after In-reactor tests at temperatures 550 and 670 K, V.E. Kalachikov, A.V. Kozlov, L.P. Sinelnikov, A.P. Zyrianov, V.Ya. Abramov, G.M. Kalinin and A.V. Sidorenkov 233–237 (1996) 1364
Hydrogen generation arising from the ^{59}Ni(n, p) reaction and its impact on fission–fusion correlations, L.R. Greenwood and F.A. Garner 233–237 (1996) 1530

Impact
The impact of transmutant helium on weldability of austenitic steel, S.A. Fabritsiev, A.S. Pokrovsky and V.A. Brovko 233–237 (1996) 173
Low temperature embrittlement behaviour of different ferritic-martensitic alloys for fusion applications, M. Rieth and B. Dafferner 233–237 (1996) 229
Microstructure, irradiation hardening and embrittlement of 13Cr2MoNbVB ferritic–martensitic steel after neutron irradiation at low temperatures, V.S. Khabarov, A.M. Dvoriashin and S.I. Porollo 233–237 (1996) 236
Impact behavior of reduced-activation steels irradiated to 24 dpa, R.L. Klueh and D.J. Alexander 233–237 (1996) 336
Charpy impact properties of low activation alloys for fusion applications after neutron irradiation, M. Rieth, B. Dafferner and H.D. Röhrig 233–237 (1996) 351

Impurities
Mechanical properties of oxygen-injected vanadium alloy for application as structural component material for international thermonuclear experimental reactor, O.A. Medvedev, A.I. Ryazanov, A.N. Lyubimov, Y.V. Tichonov and W. van Witzenburg 233–237 (1996) 460
Structural aspects of materials hardening, A.V. Naberenkov and S.A. Fabritsiev 233–237 (1996) 534
Radiation-resistant photoconductivity of doped silicon under 17 MeV proton bombardment, N. Kishimoto, H. Amekura, K. Kono and T. Saito 233–237 (1996) 1244
Waste management aspect of lithium–vanadium alloy based fusion blankets, E.T. Cheng 233–237 (1996) 1467

Interfaces
Effects of residual strain on deformation processes of neutron-irradiated Ti–Ni and Ti–Pd shape memory alloys, T. Hoshiya, H. Sekino, Y. Matsui, F. Sakurai and K. Enami 233–237 (1996) 599
Experimental evaluation of the interface heat conductance between roughened beryllium and stainless steel surfaces, R.D. Abelson and M.A. Abdou 233–237 (1996) 847
Mechanical properties of HIP bonded joints of austenitic stainless steel and Cu-alloy for fusion experimental reactor blanket, S. Sato, T. Kuroda, T. Kurasawa, K. Furuya, I. Togami and H. Takatsu 233–237 (1996) 940
Compatibility of yttria (Y_2O_3) with liquid lithium, T. Terai, T. Yoneoka, H. Tanaka, A. Suzuki, S. Tanaka, M. Nakamichi, H. Kawamura, K. Miyajima and Y. Harada 233–237 (1996) 1421

Internal Friction
Effects of thermal treatments on the ductile to brittle transition of MANET steel, P. Gondi, R. Montanari, A. Sili and M.E. Tata 233–237 (1996) 248
Elastic modules and thermal conductivity of neutron irradiated type 13Cr–2Mo–Nb–V–B ferritic–martensitic steel, M.I. Zakharova, N.A. Artemov and D.V. Petrov 233–237 (1996) 280
Acoustic tests of elastic and microplastic properties of V–Ti–Cr alloys, V.M. Chernov, A.V. Rezvoushkin and B.K. Kardashev 233–237 (1996) 456

Ion Irradiation
Effect of additional minor elements on void nucleation in stainless steels during simultaneous irradiation with helium ions and electrons, S. Watanabe, H. Tsuchida, Y. Hidaka, N. Sakaguchi, S. Ohnuki and H. Takahashi 233–237 (1996) 177
Microstructural development due to long-term aging and ion irradiation behavior in weld metals of austenitic stainless steel, K. Nakata, S. Ikeda, S. Hamada and A. Hishinuma 233–237 (1996) 192
Structural transition in Fe–Cr alloys under high dose ion irradiation, V.S. Khmelevskaya, V.G. Malynkin and S.P. Solov'ev 233–237 (1996) 240
In-situ and post-irradiation fatigue properties of the ferritic–martensitic steel Manet at $T = 250$°C, J. Bertsch, R. Lindau and A. Möslang 233–237 (1996) 276
Nucleation and growth of helium-vacancy clusters in vanadium and vanadium alloys: V–5Ti, V–3Ti–1Si, V–5Ti–5Cr, A.V. Fedorov, A. van Veen and A.I. Ryazanov 233–237 (1996) 385
The trapping of hydrogen ions in vanadium and titanium, V.L. Arbuzov,

V.B. Vykhodets and G.A. Raspopova 233–237 (1996) 442
Recoil energy spectrum effect in vanadium by electron and light- and heavy-ion irradiation, M. Iseki, Y. Kizuka, S. Mori, K. Kohmura and M. Kiritani 233–237 (1996) 492
Investigation of the beryllium ion–surface interaction, M.I. Guseva, A.Yu. Birukov, V.M. Gureev, L.S. Daneljan, S.N. Korshunov, Y.V. Martynenko, P.S. Moskovkin, Yu.A. Sokolov, V.G. Stoljarova, V.S. Kulikauskas and V.V. Zatekin 233–237 (1996) 682
On sputtering of W–Cu composition by polyenergetic flux of hydrogen particles, G.G. Bondarenko and Ya.Ya. Udris 233–237 (1996) 688
Sputtering of Be, V and Cu under irradiation by double-component polyenergetic beam of He^+ and Ar^+, B.A. Kalin, V.P. Gladkov, N.V. Volkov and S.E. Sabo 233–237 (1996) 692
Feature of candidate PFC materials erosion, L.B. Begrambekov 233–237 (1996) 754
Gas-induced swelling of beryllium implanted with deuterium ions, V.N. Chernikov, V.Kh. Alimov, A.V. Markin, A.E. Gorodetsky, S.L. Kanashenko, A.P. Zakharov and I.B. Kupriyanov 233–237 (1996) 860
Thermal desorption of deuterium implanted into beryllium, A.V. Markin, V.N. Chernikov, S.Yu. Rybakov and A.P. Zakharov 233–237 (1996) 865
Retention and re-emission of hydrogen in beryllium studied by the ERD technique, B. Tsuchiya and K. Morita 233–237 (1996) 898
Comparison of elastic and non-elastic displacement damage under light ion simulation irradiation, E. Daum, J. Bertsch, A. Möslang and K. Ehrlich 233–237 (1996) 959
Monte Carlo simulation of cascade-induced mixing in two-phase systems, A.A. Turkin, C. Abromeit and V. Naundorf 233–237 (1996) 979
Computer simulation of the sputtering of polyatomic multilayered materials; consideration of the spatial overlapping of the collision cascades, Yu.V. Trushin, B.J. Ber, V.S. Kharlamov and E.E. Zhurkin 233–237 (1996) 991
Dynamical process of defects clustering in nickel under low energy hydrogen ion irradiation, K. Ono, R. Sakamoto, T. Muroga and N. Yoshida 233–237 (1996) 1040
Nucleation and growth process of defect clusters in copper during helium ion irradiation, K. Yasuda, C. Kinoshita, M. Kutsuwada and T. Hirai 233–237 (1996) 1051
Microstructural evolution in Fe–Cr–Ni alloy irradiated with Ni ion under varying temperature, Q. Xu, H. Watanabe and N. Yoshida 233–237 (1996) 1057
Modeling the effect of creep on the growth of helium bubbles in metals during annealing, A. Ryazanov, D. Braski, H. Schroeder, H. Trinkaus and H. Ullmaier 233–237 (1996) 1076
Primary knock-on atom energy dependence of cascade damage formation and interaction, N. Sekimura 233–237 (1996) 1080
Interactions of low energy hydrogen ions with niobium: effects of non-metallic overlayers on reemission, retention and permeation, A.I. Livshits, M.E. Notkin, A.A. Samartsev and M.N. Solovyov 233–237 (1996) 1113
Hydrogen migration in stainless steel and alloys stimulated by ionizing radiation, I.P. Chernov, A.P. Mamontov, Y.I. Tjurin and Y.P. Cherdantsev 233–237 (1996) 1118
Influence of alloying elements in Ni and Fe on ion-implanted helium behavior, B.A. Kalin, I.I. Chernov, A.N. Kalashnikov and V.V. Timofeyev 233–237 (1996) 1142
Hydrogen penetration through structural materials under ion bombardment, A.G. Zaluzhnyi, V.P. Kopytin, O.M. Storozhuk and M.V. Tcherednichenko-Alchevskyi 233–237 (1996) 1148
Helium effect on the structure of Fe–0.6C–16Cr–15Ni–3Mo–0.5Nb steel, S.P. Vagin, B.D. Utkelbayev and P.V. Chakrov 233–237 (1996) 1168
Bulk retention of deuterium in graphites exposed to deuterium plasma at high temperature, I.I. Arkhipov, A.E. Gorodetsky, A.P. Zakharov, B.I. Khripunov, V.V. Shapkin, V.B. Petrov, V.I. Pistunovich, M.A. Negodaev and A.V. Bagulya 233–237 (1996) 1202
Hydrogen adsorption on and solubility in graphites, S.L. Kanashenko, A.E. Gorodetsky, V.N. Chernikov, A.V. Markin, A.P. Zakharov, B.L. Doyle and W.R. Wampler 233–237 (1996) 1207
Isotope difference between hydrogen inventories in graphite under simultaneous H^+ and D^+ irradiation, B. Tsuchiya and K. Morita 233–237 (1996) 1213
Imitation of effects of a fusion reactor environment on optical properties of metallic mirrors, V.S. Voitsenya, A.F. Bardamid, Yu.N. Borisenko, B.V. Grigorenko, V.I. Gritsyna, V.T.

Gritsyna, V.G. Konovalov, D.V. Orlinskij, L.V. Poperenko, V.V. Ruzhitskij, V.F. Rybalko, A.N. Shapoval, N.V. Vinnichenko and K.I. Yakimov 233–237 (1996) 1239
Effect of electron and ion beam irradiation on power reflectivity of C/C first wall materials, M. Nagatsu, N. Takada, M. Akiba, K. Nakamura and M. Shimada 233–237 (1996) 1284
Electrical conductivity of the ceramic AlN under irradiation, R. Lindau and A. Möslang 233–237 (1996) 1294
Investigations on radiation-induced processes in dielectric materials, V.M. Chernov, V.A. Belyakov, A.M. Bryuzgin, Y.Gr. Cherednichenko, J.I. Ievleva, G.L. Khorasanov, O.A. Plaksin, V.A. Stepanov, A.V. Vizgalov, V.A. Zherebtsov and A.V. Zrodnikov 233–237 (1996) 1304
Destruction and discharge phenomena in irradiated glasses, A.I. Akishin and L.I. Tseplyayev 233–237 (1996) 1318
Luminescence characterization of radiation damage of γ-Al_2O_3 under 1 MeV/amu ion irradiation, V.A. Skuratov, V.A. Altynov and S.M. Abu AlAzm 233–237 (1996) 1321
Microstructural evolution of single crystalline Al_2O_3 irradiated with single and triple ion beams, Y. Katano, T. Nakazawa, D. Yamaki, T. Aruga and K. Noda 233–237 (1996) 1325
Energetic particle induced luminescence of Al_2O_3, T. Tanabe, M. Fujiwara and K. Miyazaki 233–237 (1996) 1344
Prospect for study of radiation damage at RADEX-15, radiation experiment facility, based on the beam stop of Moscow Meson Factory, E.A. Koptelov, S.G. Lebedev, O.N. Smirnova, N.M. Sobolevsky, Y.Y. Stavissky, I.V. Al'tovsky, V.V. Orlov and S.N. Votinov 233–237 (1996) 1552

Iron, Iron Alloys *(excludes Steels)* **and Compounds**

Formation of the σ-phase in Cr–Fe alloys under irradiation, V. Chakin, V. Kazakov, Yu. Goncharenko and Z. Ostrovsky 233–237 (1996) 573
Point defect survival and clustering fractions obtained from molecular dynamics simulations of high energy cascades, R.E. Stoller 233–237 (1996) 999
Modeling the effect of creep on the growth of helium bubbles in metals during annealing, A. Ryazanov, D. Braski, H. Schroeder, H. Trinkaus and H. Ullmaier 233–237 (1996) 1076
Influence of alloying elements in Ni and Fe on ion-implanted helium behavior, B.A. Kalin, I.I. Chernov, A.N. Kalashnikov and V.V. Timofeyev 233–237 (1996) 1142

Irradiation *(not listed elsewhere, includes Irradiation History or Schedule)*

Change in the properties of Fe–Cr–Ni and Fe–Cr–Mn austenitic steels under mixed and fast neutron irradiation, V.K. Shamardin, T.M. Bulanova, V.N. Golovanov, V.S. Neustroyev, A.V. Povstyanko and Z.E. Ostrovsky 233–237 (1996) 162
The impact of transmutant helium on weldability of austenitic steel, S.A. Fabritsiev, A.S. Pokrovsky and V.A. Brovko 233–237 (1996) 173
Tensile behavior of irradiated manganese-stabilized stainless steels, R.L. Klueh 233–237 (1996) 197
Properties of vanadium-base alloys irradiated in the Dynamic Helium Charging Experiment, H.M. Chung, B.A. Loomis and D.L. Smith 233–237 (1996) 466
XHM-1 alloy as a promising structural material for water-cooled fusion reactor components, M.I. Solonin, A.B. Alekseev, Yu.I. Kazennov, V.F. Khramtsov, V.P. Kondrat'ev, T.A. Krasina, V.N. Rechitsky, V.N. Stepankov and S.N. Votinov 233–237 (1996) 586
Hydrogen isotopes retention in divertor tiles of DIII-D tokamak, B.G. Skorodumov, O.I. Buzhinskij, W.P. West and V.G. Ulanov 233–237 (1996) 1107
Evaluation of stainless steels for their resistance to intergranular corrosion, A.B. Korostelev, V.Ya. Abramov and V.N. Belous 233–237 (1996) 1361
The impact of materials composition and irradiation modelling on the activation of ITER in-vessel components, G. Cambi, D.G. Cepraga, P. Rocco and M. Zucchetti 233–237 (1996) 1505
Activation characteristics of concrete shields containing colemanite, Y. Yarar 233–237 (1996) 1511
History, progress, achievement and future prospect of research activities on fusion materials by Japanese university researchers, S. Ishino 233–237 (1996) 1535
Vanadium–lithium in-pile loop for comprehensive tests of vanadium alloys and multipurpose coatings, I.E. Lyublinski, V.A. Evtikhin, V.B. Ivanov, V.A. Kazakov, V.M. Korjavin, V.K. Markovchev, R.R. Melder, Y.L. Revyakin and V.N. Shpolyanskiy 233–237 (1996) 1568

Joining

A review of the joining techniques for plasma facing components in fusion reactors, B.C. Odegard and B.A. Kalin 233–237 (1996) 44

The impact of transmutant helium on weldability of austenitic steel, S.A. Fabritsiev, A.S. Pokrovsky and V.A. Brovko 233–237 (1996) 173

Welding of irradiated stainless steel, C.A. Wang, M.L. Grossbeck, N.B. Potluri and B.A. Chin 233–237 (1996) 213

Reweldability test of irradiated SS316 by the TIG welding method, K. Tsuchiya, H. Kawamura and R. Oyamada 233–237 (1996) 218

In-pile irradiation effected changes in high chromium steel weld joints, Yu.I. Kazennov, E.A. Krylov, A.V. Minaev, R.Hh. Gibadullin and V.V. Brovko 233–237 (1996) 305

Diffusion bonding of reduced activation ferritic steel F82H for demo blanket application, T. Kurasawa, H. Takatsu, S. Sato, T. Kuroda, S. Sugimoto and M. Tamura 233–237 (1996) 313

Radiation damage features V–2.5Zr–0.35C alloy welds, V. Kazakov, V. Chakin and Z. Ostrovsky 233–237 (1996) 364

Utilization of vanadium alloys in the DIII-D radiative divertor program, J.P. Smith, W.R. Johnson, R.D. Stambaugh, P.W. Trester, D. Smith and E. Bloom 233–237 (1996) 421

Use of titanium in the tokamak physics experiment (TPX), J.W. Davis, G.W. Wille and P. Heitzenroeder 233–237 (1996) 592

Preliminary characterization of interlayer for Be–Cu functionally gradient materials, N. Sakamoto and H. Kawamura 233–237 (1996) 609

Analysis of a beryllium–copper diffusion joint after HHF test, R.N. Guiniatouline, I.V. Mazul, A.E. Gorodetsky, R.Kh. Zalavutdinov, S.Yu. Rybakov and V.I. Savenko 233–237 (1996) 616

Metallographic analysis and strength investigation of different Be–Cu joints in the temperature range RT–350°C, A.A. Gervash, R.N. Giniatouline, I.V. Mazul, A.A. Ganenko, L.S. Gitarskij, V.S. Sizenev and D.A. Davydov 233–237 (1996) 626

Manufacturing and testing of a Be/OFHC–Cu divertor module, M. Araki, D.L. Youchison, M. Akiba, R.D. Watson, K. Sato and S. Suzuki 233–237 (1996) 632

Braze joints of dispersion strengthened copper, S. Chen, T. Bao and B.A. Chin 233–237 (1996) 902

Tensile fracture characterization of braze joined copper-to-CFC coupon assemblies, P.W. Trester, P.G. Valentine, W.R. Johnson, E. Chin, E.E. Reis and A.P. Colleraine 233–237 (1996) 906

Mechanical properties of Cu–Cr–Zr alloy and SS316 joints fabricated by friction welding method, K. Tsuchiya and H. Kawamura 233–237 (1996) 913

The methods of detection and the analysis of welded and brazed joint defects emerging during ITER components manufacturing, T.M. Gurieva and V.T. Pronyakin 233–237 (1996) 918

HIP'ing of copper alloys to stainless steel, G. Le Marois, Ch. Dellis, J.M. Gentzbittel and F. Moret 233–237 (1996) 927

Macroblock manufacturing by 'hip assisted brazing' method, G. Chaumat, P. Le Gallo, G. Le Marois, F. Moret and P. Deschamp 233–237 (1996) 932

Development of Al–Ge base rheocast brazing alloys, F. Saint-Antonin, M. Suéry, P. Meneses, G. Le Marois and F. Moret 233–237 (1996) 935

Mechanical properties of HIP bonded joints of austenitic stainless steel and Cu-alloy for fusion experimental reactor blanket, S. Sato, T. Kuroda, T. Kurasawa, K. Furuya, I. Togami and H. Takatsu 233–237 (1996) 940

Application of amorphous and microcrystalline filler metals for brazing of beryllium with metals, B.A. Kalin, V.T. Fedotov, O.N. Sevryukov, A.E. Grigoryev, A.N. Plyuschev, V.M. Ivanov and Yu.S. Strebkov 233–237 (1996) 945

Joining of CMCs for thermonuclear fusion applications, M. Salvo, M. Ferraris, P. Lemoine, M. Appendino Montorsi and M. Merola 233–237 (1996) 949

Neutron diffraction study of internal stresses in brazed divertor structures for ITER, G. Albertini, M. Ceretti, R. Coppola, E. Di Pietro and A. Lodini 233–237 (1996) 954

Application of micro-indentation to irradiated alumina and vanadium/alumina joints, A. Hasegawa, Y. Kawamura, M. Satou and K. Abe 233–237 (1996) 1279

Kinetics

Effect of oxygen and oxidation on tensile properties of V–5Cr–5Ti alloy, K. Natesan and W.K. Soppet 233–237 (1996) 482

Recovery and recrystallization of vanadium alloys, A.N. Gubbi and A.F. Rowcliffe 233–237 (1996) 497

Hydrogen transport and embrittlement for palladium coated vanadium–

chromium–titanium alloys, R.E. Buxbaum, R. Subramanian, J.H. Park and D.L. Smith 233–237 (1996) 510
Thermal desorption of deuterium implanted into beryllium, A.V. Markin, V.N. Chernikov, S.Yu. Rybakov and A.P. Zakharov 233–237 (1996) 865
Radiation-enhanced diffusion due to interstitials and dynamic crowdions, W. Schüle 233–237 (1996) 964
On the recovery stages in fcc materials, W. Schüle 233–237 (1996) 969
Analysis of growth rates of voids in the matrix and at precipitates in irradiated alloys, V.A. Pechenkin and G.A. Epov 233–237 (1996) 1009
Dynamical process of defects clustering in nickel under low energy hydrogen ion irradiation, K. Ono, R. Sakamoto, T. Muroga and N. Yoshida 233–237 (1996) 1040
Modeling the effect of creep on the growth of helium bubbles in metals during annealing, A. Ryazanov, D. Braski, H. Schroeder, H. Trinkaus and H. Ullmaier 233–237 (1996) 1076
On determination of irradiation-induced permeation of hydrogen through metals by the mass-spectrometry method, N.G. Primakov, V.A. Rudenko and V.V. Kazarnikov 233–237 (1996) 1133
Bulk retention of deuterium in graphites exposed to deuterium plasma at high temperature, I.I. Arkhipov, A.E. Gorodetsky, A.P. Zakharov, B.I. Khripunov, V.V. Shapkin, V.B. Petrov, V.I. Pistunovich, M.A. Negodaev and A.V. Bagulya 233–237 (1996) 1202

Laser

Si isotope separation for low activation, T. Noda, H. Suzuki, H. Araki and M. Okada 233–237 (1996) 1496
Activation analysis and materials choice in the laser fusion reactor KOYO, J.M. Perlado, K. Mima, S. Nakai, E. Alonso, E. Muñoz and J. Sanz 233–237 (1996) 1523

Limiter Materials

Design requirements for plasma facing materials in ITER, R. Matera, G. Federici and The ITER Joint Central Team 233–237 (1996) 17
Use of tungsten coating on iter plasma facing components, J.W. Davis, K.T. Slattery, D.E. Driemeyer and M.A. Ulrickson 233–237 (1996) 604
Plasma facing component design for steady state tokamak SST-1, S. Jacob, S.S. Khirwadkar, P. Sinha, H.A. Pathak, D. Chenna Reddy and SST Team 233–237 (1996) 655
High heat flux testing of CFC composites for the tokamak physics experiment, P.G. Valentine, R.E. Nygren, R.W. Burns, P.D. Rocket, A.P. Colleraine, R.J. Lederich and J.T. Bradley III 233–237 (1996) 660
Composition of the plasma facing material Tokamakium, R. Behrisch, M. Mayer and C. García-Rosales 233–237 (1996) 673
Selection, development and characterisation of plasma facing materials for ITER, V. Barabash, M. Akiba, I. Mazul, M. Ulrickson and G. Vieider 233–237 (1996) 718
Research on plasma-facing component materials, J. Yu, Y. Chen, Y. Wang, W. Zhang, S. Xu and T. Noda 233–237 (1996) 771
Material properties database for plasma facing components for fusion reactors, R.A. Langley and J. Botero 233–237 (1996) 1597

Liquid Metals

Materials for breeding blankets, R.F. Mattas and M.C. Billone 233–237 (1996) 72
Liquid metal embrittlement susceptibility of welded MANET II (DIN 1.4914) in liquid Pb–17Li., T. Sample, P. Fenici and H. Kolbe 233–237 (1996) 244
The vanadium alloys technological and corrosion studies in construction and operation of liquid metal facilities for fusion reactor, A.V. Vertkov, V.A. Evtikhin and I.E. Lyublinski 233–237 (1996) 452
Neutron activation of lithium coolant in the V–5Ti–5Cr alloy circuit, Yu.G. Bobrov and V.V. Iroshnikov 233–237 (1996) 507
Research of the capillary structure heat removal efficiency under divertor conditions, V.I. Pistunovich, A.V. Vertkov, V.A. Evtikhin, V.M. Korjavin, I.E. Lyublinski, V.B. Petrov, B.I. Khripunov and V.V. Shapkin 233–237 (1996) 650
Development of a liquid-metal fusion reactor divertor with a capillary-pore system, L.G. Golubchikov, V.A. Evtikhin, I.E. Lyublinski, V.I. Pistunovich, I.N. Potapov and A.N. Chumanov 233–237 (1996) 667
Compatibility of refractory metals and beryllium with molten Pb–17Li, H. Feuerstein, H. Gräbner, J. Oschinski and S. Horn 233–237 (1996) 1383
Fabrication and performance of AlN insulator coatings for application in fusion reactor blankets, K. Natesan 233–237 (1996) 1403
Experimental study of electroinsulating coatings in gallium coolant related to the divertor cooling loop, A.V. Beznosov, R.V. Sherbakov, I.V. Karatushina and P.V. Romanov 233–237 (1996) 1416
Compatibility of yttria (Y_2O_3) with liquid lithium, T. Terai, T. Yoneoka,

H. Tanaka, A. Suzuki, S. Tanaka, M. Nakamichi, H. Kawamura, K. Miyajima and Y. Harada 233–237 (1996) 1421
The removal of nickel dissolved in Pb–17Li by the formation of a less soluble nickel–manganese alloy, M.G. Barker, D.J. Siddons and F. Barbier 233–237 (1996) 1436
Deuteron beam interaction with lithium jet in a neutron source test facility, A. Hassanein 233–237 (1996) 1547
Vanadium–lithium in-pile loop for comprehensive tests of vanadium alloys and multipurpose coatings, I.E. Lyublinski, V.A. Evtikhin, V.B. Ivanov, V.A. Kazakov, V.M. Korjavin, V.K. Markovchev, R.R. Melder, Y.L. Revyakin and V.N. Shpolyanskiy 233–237 (1996) 1568

Low Activation and Low Activation Materials *(includes Reduced Activation)*

Status of silicon carbide composites for fusion, L.L. Snead, R.H. Jones, A. Kohyama and P. Fenici 233–237 (1996) 26
Materials for breeding blankets, R.F. Mattas and M.C. Billone 233–237 (1996) 72
Low-activation ferritic and martensitic steels for fusion application, A. Kohyama, A. Hishinuma, D.S. Gelles, R.L. Klueh, W. Dietz and K. Ehrlich 233–237 (1996) 138
Tensile behavior of irradiated manganese-stabilized stainless steels, R.L. Klueh 233–237 (1996) 197
Low temperature embrittlement behaviour of different ferritic-martensitic alloys for fusion applications, M. Rieth and B. Dafferner 233–237 (1996) 229
Fracture toughness of the F-82H steel-effect of loading modes, hydrogen, and temperature, H.-X. Li, R.H. Jones, J.P. Hirth and D.S. Gelles 233–237 (1996) 258
Mechanical properties of low activating martensitic 8–10% CrWVTa steels of type OPTIFER, L. Schäfer, M. Schirra and K. Ehrlich 233–237 (1996) 264
The effect of small additional elements on the precipitation of reduced activation Fe–9Cr–2W steels, T. Shibayama, A. Kimura and H. Kayano 233–237 (1996) 270
Irradiation response on mechanical properties of neutron irradiated F82H, K. Shiba, M. Suzuki and A. Hishinuma 233–237 (1996) 309
Diffusion bonding of reduced activation ferritic steel F82H for demo blanket application, T. Kurasawa, H. Takatsu, S. Sato, T. Kuroda, S. Sugimoto and M. Tamura 233–237 (1996) 313
Irradiation hardening of reduced activation martensitic steels, A. Kimura, T. Morimura, M. Narui and H. Matsui 233–237 (1996) 319
Microstructure and mechanical properties of newly developed low activation martensitic steels, M. Victoria, D. Gavillet, P. Spätig, F. Rezai-Aria and S. Rossmann 233–237 (1996) 326
Impact behavior of reduced-activation steels irradiated to 24 dpa, R.L. Klueh and D.J. Alexander 233–237 (1996) 336
Charpy impact properties of low activation alloys for fusion applications after neutron irradiation, M. Rieth, B. Dafferner and H.D. Röhrig 233–237 (1996) 351
Reference vanadium alloy V–4Cr–4Ti for fusion application, D.L. Smith, H.M. Chung, B.A. Loomis and H.-C. Tsai 233–237 (1996) 356
Prospects and problems using vanadium alloys as a structural material of the first wall and blanket of fusion reactors, S.N. Votinov, M.I. Solonin, Yu.I. Kazennov, V.P. Kondratjev, A.D. Nikulin, V.N. Tebus, E.O. Adamov, S.E. Bougaenko, Yu.S. Strebkov, A.V. Sidorenkov, V.B. Ivanov, V.A. Kazakov, V.A. Evtikhin, I.E. Lyublinski, V.M. Trojanov, A.E. Rusanov, V.M. Chernov and G.A. Birgevoj 233–237 (1996) 370
Influence of flux-spectra differences on transmutation, dimensional changes and fracture of vanadium alloys, F.A. Garner, L.R. Greenwood, B.A. Loomis, S. Ohnuki and N. Sekimura 233–237 (1996) 406
Transmutation-induced embrittlement of vanadium and several vanadium alloys in HFIR, S. Ohnuki, H. Takahashi, F.A. Garner, J.E. Pawel, K. Shiba and A. Hishinuma 233–237 (1996) 411
Electroslag remelt processing of irradiated vanadium alloys, W.J. Carmack, G.R. Smolik and K.A. McCarthy 233–237 (1996) 416
Utilization of vanadium alloys in the DIII-D radiative divertor program, J.P. Smith, W.R. Johnson, R.D. Stambaugh, P.W. Trester, D. Smith and E. Bloom 233–237 (1996) 421
Microstructures of deformed V–Ti–Cr–Si type alloys after neutron irradiation, M. Satou, K. Abe and H. Kayano 233–237 (1996) 426
Tensile behavior of helium charged V–Ti–Cr–Si type alloys, M. Satou, H. Koide, A. Hasegawa, K. Abe, H. Kayano and H. Matsui 233–237 (1996) 447
Tensile fracture characterization of braze joined copper-to-CFC coupon assemblies, P.W. Trester, P.G. Valentine, W.R. Johnson, E. Chin, E.E. Reis and A.P. Colleraine 233–237 (1996) 906

Joining of CMCs for thermonuclear fusion applications, M. Salvo, M. Ferraris, P. Lemoine, M. Appendino Montorsi and M. Merola 233–237 (1996) 949
Tauro: a ceramic composite structural material self-cooled Pb–17Li breeder blanket concept, A.S. Pérez Ramírez, A. Caso, L. Giancarli, N. Le Bars, G. Chaumat, J.F. Salavy and J. Szczepanski 233–237 (1996) 1257
Formation of permeation barriers on ceramic SiC/SiC composites, C. Racault, E. Serra and P. Fenici 233–237 (1996) 1262
Waste management aspect of lithium–vanadium alloy based fusion blankets, E.T. Cheng 233–237 (1996) 1467
Evaluation of transmutation and low induced radioactivity and requirements for candidate structural materials, T. Noda 233–237 (1996) 1475
Low-activation properties of novel Cr-based materials for fusion reactors, M. Zucchetti and M. Merola 233–237 (1996) 1486
Si isotope separation for low activation, T. Noda, H. Suzuki, H. Araki and M. Okada 233–237 (1996) 1496
Recycling and clearance of fusion activated waste, P. Rocco and M. Zucchetti 233–237 (1996) 1500
Activation characteristics of concrete shields containing colemanite, Y. Yarar 233–237 (1996) 1511
Prospect of development and manufacturing of low activation metallic materials for fusion reactor, N.P. Lyakishev, E.V. Dyomina, L.I. Ivanov, V.P. Kolotov, V.I. Kashin, Yu. Platov, N.N. Savvateev and N.A. Vinogradova 233–237 (1996) 1516
Activation analysis and materials choice in the laser fusion reactor KOYO, J.M. Perlado, K. Mima, S. Nakai, E. Alonso, E. Muñoz and J. Sanz 233–237 (1996) 1523
Low temperature irradiation experiments and material testing in Petten, E.V. van Osch, M.G. Horsten, M.I. de Vries, W. van Witzenburg, R. Conrad, G. Sordon and G.P. Tartaglia 233–237 (1996) 1541

Mathematical and Computational Methods

Lifetime evaluation of plasma-facing materials during a tokamak disruption, A. Hassanein and I. Konkashbaev 233–237 (1996) 713
New beryllium materials, G.F. Tikhinskij, P.I. Stoev, I.I. Papirov, A.V. Babun and A.A. Vasil'ev 233–237 (1996) 828
Monte Carlo simulation of cascade-induced mixing in two-phase systems, A.A. Turkin, C. Abromeit and V. Naundorf 233–237 (1996) 979
Evaluation of helium embrittlement by two dimensional elastic–plastic finite element method, H. Shiraishi 233–237 (1996) 985
Computer simulation of the sputtering of polyatomic multilayered materials; consideration of the spatial overlapping of the collision cascades, Yu.V. Trushin, B.J. Ber, V.S. Kharlamov and E.E. Zhurkin 233–237 (1996) 991
Molecular dynamics calculations of point defect diffusion coefficients . in vanadium, A.M. Minashin and V.A. Ryabov 233–237 (1996) 996
Point defect survival and clustering fractions obtained from molecular dynamics simulations of high energy cascades, R.E. Stoller 233–237 (1996) 999
Radiation effects in silicon carbide: High energy cascades and damage accumulation at high temperature, T. Díaz de la Rubia, J.M. Perlado and M. Tobin 233–237 (1996) 1096

Mechanical Properties *(not listed elsewhere)*

Evaluation of copper alloys for fusion reactor divertor and first wall components, S.A. Fabritsiev, S.J. Zinkle and B.N. Singh 233–237 (1996) 127
Properties of HIPed stainless steel powder, Ch. Dellis, G. Le Marois, J.M. Gentzbittel, G. Robert and F. Moret 233–237 (1996) 183
Tensile behavior of irradiated manganese-stabilized stainless steels, R.L. Klueh 233–237 (1996) 197
Implications of radiation-induced reductions in ductility to the design of austenitic stainless steel structures, G.E. Lucas, M. Billone, J.E. Pawel and M.L. Hamilton 233–237 (1996) 207
Reweldability test of irradiated SS316 by the TIG welding method, K. Tsuchiya, H. Kawamura and R. Oyamada 233–237 (1996) 218
Liquid metal embrittlement susceptibility of welded MANET II (DIN 1.4914) in liquid Pb–17Li., T. Sample, P. Fenici and H. Kolbe 233–237 (1996) 244
Mechanical properties of low activating martensitic 8–10% CrWVTa steels of type OPTIFER, L. Schäfer, M. Schirra and K. Ehrlich 233–237 (1996) 264
Thermal and isothermal low cycle fatigue of MANET I and II, C. Petersen, R. Schmitt and D. Garnier 233–237 (1996) 285
Metallurgical aspects of possibility of 9–12% chromium steel application as a structural material for first wall and blanket of fusion reactors, A.G. Ioltukhovsky, V.P. Kondrat'ev, M.V.

Leont'eva-Smirnova, S.N. Votinov, V.K. Shamardin, A.V. Povstyanko and T.M. Bulanova 233–237 (1996) 299
Microstructure and mechanical properties of newly developed low activation martensitic steels, M. Victoria, D. Gavillet, P. Spätig, F. Rezai-Aria and S. Rossmann 233–237 (1996) 326
The effect of size, crack depth and strain rate on fracture toughness–temperature curves of a low activation martensitic stainless steel, K. Edsinger, G.R. Odette, G.E. Lucas and J.W. Sheckherd 233–237 (1996) 342
Fracture behavior of surface cracked panels of HT-9 at low temperatures, M. Enmark, K. Edsinger, G. Lucas and G.R. Odette 233–237 (1996) 347
Comparison of mechanical properties and structure of vanadium alloys relevant to DEMO conditions of the first wall and blanket, N.I. Budilkin, A.B. Alekseev, I.V. Golikov, Yu.I. Kazennov, V.F. Khramtsov, E.G. Mironova and A.V. Tselischev 233–237 (1996) 431
Acoustic tests of elastic and microplastic properties of V–Ti–Cr alloys, V.M. Chernov, A.V. Rezvoushkin and B.K. Kardashev 233–237 (1996) 456
Mechanical properties of oxygen-injected vanadium alloy for application as structural component material for international thermonuclear experimental reactor, O.A. Medvedev, A.I. Ryazanov, A.N. Lyubimov, Y.V. Tichonov and W. van Witzenburg 233–237 (1996) 460
Effect of oxygen and oxidation on tensile properties of V–5Cr–5Ti alloy, K. Natesan and W.K. Soppet 233–237 (1996) 482
Fatigue and crack growth behavior of V–Cr–Ti alloys, B.G. Gieseke, C.O. Stevens and M.L. Grossbeck 233–237 (1996) 488
Fracture toughness and micromechanics in a V–4Cr–4Ti alloy, G.R. Odette, G.E. Lucas, E. Donahue and J.W. Sheckherd 233–237 (1996) 502
The effect of neutron spectrum on the mechanical and physical properties of pure copper and copper alloys, S.A. Fabritsiev, A.S. Pokrovsky, S.J. Zinkle, A.F. Rowcliffe, D.J. Edwards, F.A. Garner, V.A. Sandakov, B.N. Singh and V.R. Barabash 233–237 (1996) 526
GlidCop® DSC properties in the temperature range of 20–350°C, R.R. Solomon, J.D. Troxell and A.V. Nadkarni 233–237 (1996) 542
Influence of heat-treatment on tensile behavior of neutron irradiated molybdenum, A. Hasegawa, K. Abe, M. Satou, K. Ueda and C. Namba 233–237 (1996) 565
Radiation embrittlement of low-alloyed Mo alloys, V. Chakin and V. Kazakov 233–237 (1996) 570
Formation of the σ-phase in Cr–Fe alloys under irradiation, V. Chakin, V. Kazakov, Yu. Goncharenko and Z. Ostrovsky 233–237 (1996) 573
Metallographic analysis and strength investigation of different Be–Cu joints in the temperature range RT–350°C, A.A. Gervash, R.N. Giniatouline, I.V. Mazul, A.A. Ganenko, L.S. Gitarskij, V.S. Sizenev and D.A. Davydov 233–237 (1996) 626
Research and development of radiation resistant beryllium grades for nuclear fusion applications, I.B. Kupriyanov, V.A. Gorokhov, G.N. Nikolaev and V.N. Burmistrov 233–237 (1996) 886
Braze joints of dispersion strengthened copper, S. Chen, T. Bao and B.A. Chin 233–237 (1996) 902
Mechanical properties of Cu–Cr–Zr alloy and SS316 joints fabricated by friction welding method, K. Tsuchiya and H. Kawamura 233–237 (1996) 913
HIP'ing of copper alloys to stainless steel, G. Le Marois, Ch. Dellis, J.M. Gentzbittel and F. Moret 233–237 (1996) 927
Comparison of mechanical properties of metals irradiated with fission and fusion neutrons, A. Okada, K. Hamada, I. Ishida, E. Hirota, M. Kiritani and T. Yoshile 233–237 (1996) 1016
Application of micro-indentation to irradiated alumina and vanadium/alumina joints, A. Hasegawa, Y. Kawamura, M. Satou and K. Abe 233–237 (1996) 1279
A miniaturized test method for the mechanical characterization of structural materials for fusion reactors, P. Gondi, A. Donato, R. Montanari and A. Sili 233–237 (1996) 1557
ITER material properties handbook, J.W. Davis and P.D. Smith 233–237 (1996) 1593
Material properties database for plasma facing components for fusion reactors, R.A. Langley and J. Botero 233–237 (1996) 1597

Metals, Alloys and Compounds *(not listed elsewhere)*

High heat load test on tungsten and tungsten containing alloys, M. Fujitsuka, I. Mutoh, T. Tanabe and T. Shikama 233–237 (1996) 638
Radiation-enhanced diffusion due to interstitials and dynamic crowdions, W. Schüle 233–237 (1996) 964

Comparison of mechanical properties of metals irradiated with fission and fusion neutrons, A. Okada, K. Hamada, I. Ishida, E. Hirota, M. Kiritani and T. Yoshile 233–237 (1996) 1016
On determination of irradiation-induced permeation of hydrogen through metals by the mass-spectrometry method, N.G. Primakov, V.A. Rudenko and V.V. Kazarnikov 233–237 (1996) 1133
Low-activation properties of novel Cr-based materials for fusion reactors, M. Zucchetti and M. Merola 233–237 (1996) 1486

Microstructure and Texture *(excludes by Irradiation)*
Small-angle neutron scattering microstructural investigation of MANET steel, G. Albertini, F. Carsughi, R. Coppola, F. Fiori, F. Rustichelli and M. Stefanon 233–237 (1996) 253
Comparison of mechanical properties and structure of vanadium alloys relevant to DEMO conditions of the first wall and blanket, N.I. Budilkin, A.B. Alekseev, I.V. Golikov, Yu.I. Kazennov, V.F. Khramtsov, E.G. Mironova and A.V. Tselischev 233–237 (1996) 431
HIP'ing of copper alloys to stainless steel, G. Le Marois, Ch. Dellis, J.M. Gentzbittel and F. Moret 233–237 (1996) 927
Microstructure and density changes of Li_2O during irradiation in BEATRIX-II, Phase I and II, T. Takahashi, K. Noda, O.D. Slagle and F.D. Hobbs 233–237 (1996) 1457

Moderator and Reflector Materials
Point defect survival and clustering fractions obtained from molecular dynamics simulations of high energy cascades, R.E. Stoller 233–237 (1996) 999

Molybdenum, Molybdenum Alloys and Compounds
Influence of heat-treatment on tensile behavior of neutron irradiated molybdenum, A. Hasegawa, K. Abe, M. Satou, K. Ueda and C. Namba 233–237 (1996) 565
Radiation embrittlement of low-alloyed Mo alloys, V. Chakin and V. Kazakov 233–237 (1996) 570
Retention and desorption of implanted deuterium of high-Z plasma facing materials, R. Sakamoto, T. Muroga and N. Yoshida 233–237 (1996) 776
Low cycle fatigue behaviour of TZM molybdenum alloy in divertor water coolant, M.-F. Maday 233–237 (1996) 1397

Neutron Irradiation
Materials development and testing aspects of IFMIF in the conceptual design stage, T. Kondo, T.E. Shannon and K. Ehrlich 233–237 (1996) 82
Status of vanadium alloys for fusion reactors, H. Matsui, K. Fukumoto, D.L. Smith, H.M. Chung, W. van Witzenburg and S.N. Votinov 233–237 (1996) 92
Evaluation of copper alloys for fusion reactor divertor and first wall components, S.A. Fabritsiev, S.J. Zinkle and B.N. Singh 233–237 (1996) 127
Irradiation creep in austenitic and ferritic steels irradiated in a tailored neutron spectrum to induce fusion reactor levels of helium, M.L. Grossbeck, L.T. Gibson and S. Jitsukawa 233–237 (1996) 148
The impact of transmutant helium on weldability of austenitic steel, S.A. Fabritsiev, A.S. Pokrovsky and V.A. Brovko 233–237 (1996) 173
Mechanical properties of austenitic stainless steels irradiated at 323 K in the Japan Materials Testing Reactor, Y. Matsui, M. Niimi, T. Hoshiya, F. Sakurai, S. Jitsukawa, T. Tsukada, M. Ohmi, H. Sakai, R. Oyamada and T. Onchi 233–237 (1996) 188
Effects of low temperature neutron irradiation on deformation behavior of austenitic stainless steels, J.E. Pawel, A.F. Rowcliffe, D.J. Alexander, M.L. Grossbeck and K. Shiba 233–237 (1996) 202
Reweldability test of irradiated SS316 by the TIG welding method, K. Tsuchiya, H. Kawamura and R. Oyamada 233–237 (1996) 218
Thermocyclic recovery and damage accumulation of irradiated austenitic structural materials, L.A. Belyaeva and V.V. Rybin 233–237 (1996) 224
Irradiation creep and void swelling of two LMR heats of HT9 at ~ 400°C and 165 dpa, M.B. Toloczko and F.A. Garner 233–237 (1996) 289
Microstructural examination of commercial ferritic alloys at 200 dpa, D.S. Gelles 233–237 (1996) 293
Metallurgical aspects of possibility of 9–12% chromium steel application as a structural material for first wall and blanket of fusion reactors, A.G. Ioltukhovsky, V.P. Kondrat'ev, M.V. Leont'eva-Smirnova, S.N. Votinov, V.K. Shamardin, A.V. Povstyanko and T.M. Bulanova 233–237 (1996) 299
Charpy impact properties of low activation alloys for fusion applications after neutron irradiation, M. Rieth, B. Dafferner and H.D. Röhrig 233–237 (1996) 351
Radiation damage features V–2.5Zr–0.35C alloy welds, V. Kazakov, V. Chakin and Z. Ostrovsky 233–237 (1996) 364

Irradiation creep of V–Ti–Cr alloy in BR-10 reactor core instrumented experiments, V.M. Troyanov, M.G. Bulkanov, A.S. Kruglov, E.A. Krjuchkov, M.P. Nikulin, J.M. Pevchykh, A.E. Rusanov, A.A. Smirnoff and S.N. Votinov 233–237 (1996) 381
Influence of boron-generated helium on the swelling of neutron irradiated V, V–5Cr and V–5Fe, N. Sekimura, T. Iwai and F.A. Garner 233–237 (1996) 400
Influence of flux-spectra differences on transmutation, dimensional changes and fracture of vanadium alloys, F.A. Garner, L.R. Greenwood, B.A. Loomis, S. Ohnuki and N. Sekimura 233–237 (1996) 406
Transmutation-induced embrittlement of vanadium and several vanadium alloys in HFIR, S. Ohnuki, H. Takahashi, F.A. Garner, J.E. Pawel, K. Shiba and A. Hishinuma 233–237 (1996) 411
Microstructures of deformed V–Ti–Cr–Si type alloys after neutron irradiation, M. Satou, K. Abe and H. Kayano 233–237 (1996) 426
Tensile behavior of helium charged V–Ti–Cr–Si type alloys, M. Satou, H. Koide, A. Hasegawa, K. Abe, H. Kayano and H. Matsui 233–237 (1996) 447
Neutron activation of lithium coolant in the V–5Ti–5Cr alloy circuit, Yu.G. Bobrov and V.V. Iroshnikov 233–237 (1996) 507
Low-temperature radiation embrittlement of copper alloys, S.A. Fabritsiev, A.S. Pokrovsky, S.J. Zinkle and D.J. Edwards 233–237 (1996) 513
High temperature stability of dispersion strengthened copper alloys irradiated with fast neutrons, D.J. Edwards, F.A. Garner, M.L. Hamilton and J.D. Troxell 233–237 (1996) 519
The effect of neutron spectrum on the mechanical and physical properties of pure copper and copper alloys, S.A. Fabritsiev, A.S. Pokrovsky, S.J. Zinkle, A.F. Rowcliffe, D.J. Edwards, F.A. Garner, V.A. Sandakov, B.N. Singh and V.R. Barabash 233–237 (1996) 526
Radiation-induced creep of copper, aluminium and their alloys, E.S. Aitkhozhin and E.V. Chumakov 233–237 (1996) 537
Influence of heat-treatment on tensile behavior of neutron irradiated molybdenum, A. Hasegawa, K. Abe, M. Satou, K. Ueda and C. Namba 233–237 (1996) 565
Radiation embrittlement of low-alloyed Mo alloys, V. Chakin and V. Kazakov 233–237 (1996) 570
Formation of the σ-phase in Cr–Fe alloys under irradiation, V. Chakin, V. Kazakov, Yu. Goncharenko and Z. Ostrovsky 233–237 (1996) 573
Influence of reactor irradiation on mechanically stressed NbTi at 10 K, L.S. Topchishvili 233–237 (1996) 596
Research and development of radiation resistant beryllium grades for nuclear fusion applications, I.B. Kupriyanov, V.A. Gorokhov, G.N. Nikolaev and V.N. Burmistrov 233–237 (1996) 886
Swelling, strengthening and embrittlement of beryllium under neutron irradiation to a fluence of 1.72×10^{21} n/cm^2 ($E \geq 0.85$ MeV) at a temperature of 330–350°C. The role of main structure factors, G.A. Sernyaev, A.S. Pokrovskiy, R.M. Bagautdinov, S.A. Fabritsiev, I.V. Mazul and V.R. Barabash 233–237 (1996) 891
Metal–ceramic functionally gradient material for insulation pipe joint in fusion environment, S. Nishio, M. Nakahira, T. Abe, H. Kawamura, S. Sagawa, M. Kawamura and S. Yamazaki 233–237 (1996) 922
Comparison of elastic and non-elastic displacement damage under light ion simulation irradiation, E. Daum, J. Bertsch, A. Möslang and K. Ehrlich 233–237 (1996) 959
Comparison of mechanical properties of metals irradiated with fission and fusion neutrons, A. Okada, K. Hamada, I. Ishida, E. Hirota, M. Kiritani and T. Yoshile 233–237 (1996) 1016
Radiation defect formation and evolution in C0.03Cr20Ni16Mn6 steel under low-temperature neutron irradiation and their effect on physical and mechanical properties of the steel, A.V. Kozlov and V.V. Kirsanov 233–237 (1996) 1062
Radiation annealing of defects under the effect of γ-radiation, V.A. Nikolaenko and V.I. Karpukhin 233–237 (1996) 1067
Primary knock-on atom energy dependence of cascade damage formation and interaction, N. Sekimura 233–237 (1996) 1080
Radiation effects in silicon carbide: High energy cascades and damage accumulation at high temperature, T. Díaz de la Rubia, J.M. Perlado and M. Tobin 233–237 (1996) 1096
Hydrogen isotope permeability through austenitic Cr–Ni steels under neutron irradiation, B.G. Polosukhin, E.M. Sulimov, A.P. Zyrianov and A.V. Kozlov 233–237 (1996) 1174
Imitation of influence of plasma and neutron fluxes on graphite made plasma-facing components of plasma diagnostics in mm and sub-mm

wavelength range, V.L. Berezhnyj, V.V. Chebotarev, I.P. Fomin, I.E. Garkusha, V.L. Ocheretenko, R.O. Pavlichenko, A.I. Skibenko, D.E. Solyakov, V.I. Tereshin, V.S. Voitsenya, A.N. Topkov, O.K. Chugunov, Yu.V. Skosyrev and D.V. Orlinskij 233–237 (1996) 1233
Influence of reactor irradiation on the physico-mechanical properties of electro-ceramics of some commercial grades, V.S. Sandakov, Yu.A. Stukert, V.A. Kazakov, V.A. Belyakov and P.A. Fefelov 233–237 (1996) 1253
Effect of neutron irradiation on passive oxidation of silicon carbide, T. Yano, M. Suzuki, H. Miyazaki and T. Iseki 233–237 (1996) 1275
Electrical resistivity of ceramic insulators under irradiation using 14 MeV neutrons, K. Noda, T. Nakazawa, Y. Oyama, D. Yamaki and Y. Ikeda 233–237 (1996) 1289
Optical and dielectric properties of neutron irradiated $MgAl_2O_4$ spinels, A. Ibarra, R. Vila and F.A. Garner 233–237 (1996) 1336
Low-temperature tritium releasing ceramics as potential materials for the ITER breeding blanket, N. Roux, J. Avon, A. Floreancig, J. Mougin, B. Rasneur and S. Ravel 233–237 (1996) 1431
EXOTIC-7: irradiation of ceramic breeder materials to high lithium burnup, J.G. van der Laan, H. Kwast, M. Stijkel, R. Conrad, R. May, S. Casadio, N. Roux, H. Werle and R.A. Verrall 233–237 (1996) 1446
Microstructure and density changes of Li_2O during irradiation in BEATRIX-II, Phase I and II, T. Takahashi, K. Noda, O.D. Slagle and F.D. Hobbs 233–237 (1996) 1457
Effect of neutron spectrum on transmutant accumulation in ITER structural materials, A.V. Karasiov and S.A. Fabritsiev 233–237 (1996) 1481
Effect of neutron spectra on the transmutation of first wall materials, T. Noda and M. Fujita 233–237 (1996) 1491
Recycling and clearance of fusion activated waste, P. Rocco and M. Zucchetti 233–237 (1996) 1500
The impact of materials composition and irradiation modelling on the activation of ITER in-vessel components, G. Cambi, D.G. Cepraga, P. Rocco and M. Zucchetti 233–237 (1996) 1505
Activation characteristics of concrete shields containing colemanite, Y. Yarar 233–237 (1996) 1511
Hydrogen generation arising from the $^{59}Ni(n, p)$ reaction and its impact on fission–fusion correlations, L.R. Greenwood and F.A. Garner 233–237 (1996) 1530
Low temperature irradiation experiments and material testing in Petten, E.V. van Osch, M.G. Horsten, M.I. de Vries, W. van Witzenburg, R. Conrad, G. Sordon and G.P. Tartaglia 233–237 (1996) 1541
Deuteron beam interaction with lithium jet in a neutron source test facility, A. Hassanein 233–237 (1996) 1547
Prospect for study of radiation damage at RADEX-15, radiation experiment facility, based on the beam stop of Moscow Meson Factory, E.A. Koptelov, S.G. Lebedev, O.N. Smirnova, N.M. Sobolevsky, Y.Y. Stavissky, I.V. Al'tovsky, V.V. Orlov and S.N. Votinov 233–237 (1996) 1552
Complex research facility to study radiation effect on the interaction of hydrogen-bearing media with candidate materials under irradiation, B.G. Polosukhin, E.M. Sulimov, A.P. Zyrianov, L.I. Menkin, V.F. Lisovoy and S.Yu. Mitrofanov 233–237 (1996) 1573
Neutron irradiation characteristics in international fusion materials irradiation facility, Y. Oyama, K. Noda, K. Kosako and N. Yamano 233–237 (1996) 1577
Development of miniaturized specimens for the study of neutron irradiation/plasma exposure synergistic effects on candidate fusion reactor materials, E.A. Krasikov, O.O. Zabusov, Ja.I. Shtrombakh, M.E. Korshunov, R.N. Kuz'min and V.M. Kapitanov 233–237 (1996) 1590

Nickel, Nickel Alloys and Compounds

Thermocyclic recovery and damage accumulation of irradiated austenitic structural materials, L.A. Belyaeva and V.V. Rybin 233–237 (1996) 224
XHM-1 alloy as a promising structural material for water-cooled fusion reactor components, M.I. Solonin, A.B. Alekseev, Yu.I. Kazennov, V.F. Khramtsov, V.P. Kondrat'ev, T.A. Krasina, V.N. Rechitsky, V.N. Stepankov and S.N. Votinov 233–237 (1996) 586
Effects of residual strain on deformation processes of neutron-irradiated Ti–Ni and Ti–Pd shape memory alloys, T. Hoshiya, H. Sekino, Y. Matsui, F. Sakurai and K. Enami 233–237 (1996) 599
Influence of alloying elements in Ni and Fe on ion-implanted helium behavior, B.A. Kalin, I.I. Chernov, A.N. Kalashnikov and V.V. Timofeyev 233–237 (1996) 1142

Hydrogen penetration through structural materials under ion bombardment, A.G. Zaluzhnyi, V.P. Kopytin, O.M. Storozhuk and M.V. Tcherednichenko-Alchevskyi 233–237 (1996) 1148
Comparison of electron and ion irradiation effects on order–disorder transition in Ni_4Mo, S. Banerjee and M. Sundararaman 233–237 (1996) 1223
The removal of nickel dissolved in Pb–17Li by the formation of a less soluble nickel–manganese alloy, M.G. Barker, D.J. Siddons and F. Barbier 233–237 (1996) 1436

Niobium, Niobium Alloys and Compounds

Superconductors for the ITER model coils, A. Shikov 233–237 (1996) 120
Influence of reactor irradiation on mechanically stressed NbTi at 10 K, L.S. Topchishvili 233–237 (1996) 596
Interactions of low energy hydrogen ions with niobium: effects of non-metallic overlayers on reemission, retention and permeation, A.I. Livshits, M.E. Notkin, A.A. Samartsev and M.N. Solovyov 233–237 (1996) 1113
Deuterium permeation through Nb during low energy ion irradiation at controlled surface conditions, V. Bandourko, M. Yamawaki, K. Yamaguchi, V. Kurnaev, D. Levchuk and A. Pisarev 233–237 (1996) 1184

Optical Microscopy

Comparison of mechanical properties and structure of vanadium alloys relevant to DEMO conditions of the first wall and blanket, N.I. Budilkin, A.B. Alekseev, I.V. Golikov, Yu.I. Kazennov, V.F. Khramtsov, E.G. Mironova and A.V. Tselischev 233–237 (1996) 431
Imitation of effects of a fusion reactor environment on optical properties of metallic mirrors, V.S. Voitsenya, A.F. Bardamid, Yu.N. Borisenko, B.V. Grigorenko, V.I. Gritsyna, V.T. Gritsyna, V.G. Konovalov, D.V. Orlinskij, L.V. Poperenko, V.V. Ruzhitskij, V.F. Rybalko, A.N. Shapoval, N.V. Vinnichenko and K.I. Yakimov 233–237 (1996) 1239
Radiation-resistant photoconductivity of doped silicon under 17 MeV proton bombardment, N. Kishimoto, H. Amekura, K. Kono and T. Saito 233–237 (1996) 1244
Effect of neutron irradiation on passive oxidation of silicon carbide, T. Yano, M. Suzuki, H. Miyazaki and T. Iseki 233–237 (1996) 1275
Effect of electron and ion beam irradiation on power reflectivity of C/C first wall materials, M. Nagatsu, N. Takada, M. Akiba, K. Nakamura and M. Shimada 233–237 (1996) 1284
Accumulation of stable optical centres in silica glasses under pulse beam irradiation, V.T. Gritsyna, T.A. Bazilevskaya, V.S. Voitsenya, D.V. Orlinski and Yu.A. Tarabrin 233–237 (1996) 1310
Luminescence characterization of radiation damage of α-Al_2O_3 under 1 MeV/amu ion irradiation, V.A. Skuratov, V.A. Altynov and S.M. Abu AlAzm 233–237 (1996) 1321
Summary of oxidation driven mobilization data and their use in fusion safety assessments, K.A. McCarthy, G.R. Smolik, D.L. Hagrman and D.A. Petti 233–237 (1996) 1607

Permeation

Hydrogen gas driven permeation through vanadium alloy VCr6Ti5, O.G. Romanenko, I.L. Tazhibaeva, V.P. Shestakov, A.Kh. Klepikov, Y.V. Chikhray, A.V. Golossanov and B.N. Kolbasov 233–237 (1996) 376
Synergistic effects of surface erosion on tritium inventory and permeation in metallic plasma facing armours, G. Federici, D.F. Holland and R. Matera 233–237 (1996) 741
Hydrogen permeation rate reduction by post-oxidation of aluminide coatings on DIN 1.4914 martensitic steel (MANET), A. Perujo, E. Serra, H. Kolbe and T. Sample 233–237 (1996) 1102
Interactions of low energy hydrogen ions with niobium: effects of non-metallic overlayers on reemission, retention and permeation, A.I. Livshits, M.E. Notkin, A.A. Samartsev and M.N. Solovyov 233–237 (1996) 1113
Hydrogen penetration through structural materials under ion bombardment, A.G. Zaluzhnyi, V.P. Kopytin, O.M. Storozhuk and M.V. Tcherednichenko-Alchevskyi 233–237 (1996) 1148
Hydrogen isotope permeability through austenitic Cr–Ni steels under neutron irradiation, B.G. Polosukhin, E.M. Sulimov, A.P. Zyrianov and A.V. Kozlov 233–237 (1996) 1174
Deuterium permeation through Nb during low energy ion irradiation at controlled surface conditions, V. Bandourko, M. Yamawaki, K. Yamaguchi, V. Kurnaev, D. Levchuk and A. Pisarev 233–237 (1996) 1184
Study of hydrogen isotope permeation through some construction materials, A.A. Yukhimchuk and V.K. Gaevoy 233–237 (1996) 1193

Molecular hydrogen interaction with unirradiated graphite, E. Denisov, T. Kompaniets, A. Kurdyumov and S. Mazayev 233–237 (1996) 1218
Formation of permeation barriers on ceramic SiC/SiC composites, C. Racault, E. Serra and P. Fenici 233–237 (1996) 1262
LIBRETTO-3: Modelling tritium extraction/permeation and evaluation of permeation barriers under irradiation, L.A. Sedano, R. Conrad, M.A. Fütterer, R. May, R. Viola and X. Dies 233–237 (1996) 1411
Effect of purge gas oxidizing potential on tritium release from Li-ceramics and on its permeation through 316L SS clads under irradiation (TRINE experiment), C. Alvani, J. Avon, S. Casadio, M.A. Fütterer, M.R. Mancini, C.A. Nannetti, S. Ravel, N. Roux, L. Sedano, V. Violante, A. Terlain, M. Tourasse, S. Tosti and M. Zanotti 233–237 (1996) 1441
Complex research facility to study radiation effect on the interaction of hydrogen-bearing media with candidate materials under irradiation, B.G. Polosukhin, E.M. Sulimov, A.P. Zyrianov, L.I. Menkin, V.F. Lisovoy and S.Yu. Mitrofanov 233–237 (1996) 1573

Phase Equilibria *(includes Constitution, Phase Stability, Phase Instability)*
Radiation damage features V–2.5Zr–0.35C alloy welds, V. Kazakov, V. Chakin and Z. Ostrovsky 233–237 (1996) 364
Influence of flux-spectra differences on transmutation, dimensional changes and fracture of vanadium alloys, F.A. Garner, L.R. Greenwood, B.A. Loomis, S. Ohnuki and N. Sekimura 233–237 (1996) 406
Effects of residual strain on deformation processes of neutron-irradiated Ti–Ni and Ti–Pd shape memory alloys, T. Hoshiya, H. Sekino, Y. Matsui, F. Sakurai and K. Enami 233–237 (1996) 599
Comparison of electron and ion irradiation effects on order–disorder transition in Ni_4Mo, S. Banerjee and M. Sundararaman 233–237 (1996) 1223

Phase Transformation *(includes Evaporation, Sublimation)*
On a possibility of explosive material erosion under conditions of ITER disruption event, A.V. Burdakov, M.N. Chagin, V.V. Filippov, V.S. Koidan, K.I. Mekler, P.I. Melnikov, V.V. Postupaev, A.F. Rovenskikh, M.A. Shcheglov, K.V. Tsigutkin and H. Wuerz 233–237 (1996) 697
Lifetime of Be-, CFC- and W-armoured ITER divertor plates, I. Šmid, H.D. Pacher, G. Vieider, U. Mszanowski, Y. Igitkhanov, G. Janeschitz, J. Schlosser and L. Plöchl 233–237 (1996) 701
Lifetime evaluation of plasma-facing materials during a tokamak disruption, A. Hassanein and I. Konkashbaev 233–237 (1996) 713
Erosion and gas impurity emission of B_4C converted CFC by high heat load, K. Tokunaga, M. Kugimiya, Y. Miyamoto, N. Yoshida, T. Ando, K. Masaki and M. Saidoh 233–237 (1996) 747
Comparison of electron and ion irradiation effects on order–disorder transition in Ni_4Mo, S. Banerjee and M. Sundararaman 233–237 (1996) 1223

Physical Properties *(not listed elsewhere)*
Plasma shield formation and divertor plate erosion for ITER tokamak plasma disruptions, H. Würz, I. Landman, B. Bazylev, F. Kappler, G. Piazza and S. Pestchanyi 233–237 (1996) 798
Radiation effects in silicon carbide: High energy cascades and damage accumulation at high temperature, T. Díaz de la Rubia, J.M. Perlado and M. Tobin 233–237 (1996) 1096
Luminescence studies on electron and structural states in dielectrics under irradiation, O.A. Plaksin, V.A. Stepanov, P.A. Stepanov, V.M. Chernov and V.A. Skuratov 233–237 (1996) 1355
ITER material properties handbook, J.W. Davis and P.D. Smith 233–237 (1996) 1593

Plasma–Materials Interaction
Design requirements for plasma facing materials in ITER, R. Matera, G. Federici and The ITER Joint Central Team 233–237 (1996) 17
Investigation of vanadium alloys in CTR plasma disruption-simulation experiments, V.L. Yakushin, B.A. Kalin, N.V. Kraskovskaya, S.N. Votinov and V.I. Vasiliev 233–237 (1996) 390
Use of tungsten coating on iter plasma facing components, J.W. Davis, K.T. Slattery, D.E. Driemeyer and M.A. Ulrickson 233–237 (1996) 604
Preliminary characterization of interlayer for Be–Cu functionally gradient materials, N. Sakamoto and H. Kawamura 233–237 (1996) 609
Composition of the plasma facing material Tokamakium, R. Behrisch, M. Mayer and C. García-Rosales 233–237 (1996) 673
Lifetime evaluation of plasma-facing materials during a tokamak disrup-

tion, A. Hassanein and I. Konkashbaev 233–237 (1996) 713
A basic study on erosion–redeposition processes in the boundary plasma region, S. Matsuyama, K. Yamaguchi, S. Tanaka and M. Yamawaki 233–237 (1996) 724
Characteristics of transient plasma layers produced by irradiation of graphite targets by high power quasi-stationary plasma streams under the disruption simulation conditions, V.V. Chebotarev, I.E. Garkusha, V.V. Garkusha, V.A. Makhlaj, N.I. Mitina, D.G. Solyakov, V.I. Tereshin, S.A. Trubchaninov, A.V. Tsarenko and H. Wuerz 233–237 (1996) 736
Erosion and gas impurity emission of B_4C converted CFC by high heat load, K. Tokunaga, M. Kugimiya, Y. Miyamoto, N. Yoshida, T. Ando, K. Masaki and M. Saidoh 233–237 (1996) 747
Features of dynamics and structure of the shielding layer at the interaction of plasma flow with target, V.G. Belan, V.F. Levashov, V.S. Maynashev, A.D. Muzichenko and V.L. Podkovirov 233–237 (1996) 763
Study of structure and dynamics of shielding layer for inclined incidence of plasma stream at MK-200 facility, N.I. Arkhipov, V.P. Bakhtin, S.M. Kurkin, V.M. Safronov, D.A. Toporkov, S.G. Vasenin, H. Wuerz and A.M. Zhitlukhin 233–237 (1996) 767
The performance of thick B_4C coatings on graphite divertor tiles in the DIII-D tokamak, O.I. Buzhinskij, V.A. Barsuk, I.V. Opimach, V.G. Otrozhenko, A.I. Trazhenkov, W.P. West and N. Brooks 233–237 (1996) 787
Erosion and deposition of metals and carbon in the DIII–D divertor, W.R. Wampler, R. Bastasz, D. Buchenauer, D. Whyte, C.P.C. Wong, N.H. Brooks and W.P. West 233–237 (1996) 791
Plasma shield formation and divertor plate erosion for ITER tokamak plasma disruptions, H. Würz, I. Landman, B. Bazylev, F. Kappler, G. Piazza and S. Pestchanyi 233–237 (1996) 798
Thermal shock tests of β-sic pellets prepared from laser synthesized nanoscale sic powders, A. Donato, E. Borsella, S. Botti, S. Martelli, C.A. Nannetti, M.R. Mancini and I. Morjan 233–237 (1996) 814
Plasma-driven accumulation of tritium in beryllium, A.A. Pisarev and M.L. Grachova 233–237 (1996) 1137
Deuterium permeation through Nb during low energy ion irradiation at controlled surface conditions, V. Bandourko, M. Yamawaki, K. Yamaguchi, V. Kurnaev, D. Levchuk and A. Pisarev 233–237 (1996) 1184
Bulk retention of deuterium in graphites exposed to deuterium plasma at high temperature, I.I. Arkhipov, A.E. Gorodetsky, A.P. Zakharov, B.I. Khripunov, V.V. Shapkin, V.B. Petrov, V.I. Pistunovich, M.A. Negodaev and A.V. Bagulya 233–237 (1996) 1202
Imitation of influence of plasma and neutron fluxes on graphite made plasma-facing components of plasma diagnostics in mm and sub-mm wavelength range, V.L. Berezhnyj, V.V. Chebotarev, I.P. Fomin, I.E. Garkusha, V.L. Ocheretenko, R.O. Pavlichenko, A.I. Skibenko, D.E. Solyakov, V.I. Tereshin, V.S. Voitsenya, A.N. Topkov, O.K. Chugunov, Yu.V. Skosyrev and D.V. Orlinskij 233–237 (1996) 1233
Imitation of effects of a fusion reactor environment on optical properties of metallic mirrors, V.S. Voitsenya, A.F. Bardamid, Yu.N. Borisenko, B.V. Grigorenko, V.I. Gritsyna, V.T. Gritsyna, V.G. Konovalov, D.V. Orlinskij, L.V. Poperenko, V.V. Ruzhitskij, V.F. Rybalko, A.N. Shapoval, N.V. Vinnichenko and K.I. Yakimov 233–237 (1996) 1239
Effect of electron and ion beam irradiation on power reflectivity of C/C first wall materials, M. Nagatsu, N. Takada, M. Akiba, K. Nakamura and M. Shimada 233–237 (1996) 1284
New electron beam facility for irradiated plasma facing materials testing in hot cell, S. Shimakawa, N. Sakamoto, K. Satoh, M. Akiba and H. Kawamura 233–237 (1996) 1582
Development of miniaturized specimens for the study of neutron irradiation/plasma exposure synergistic effects on candidate fusion reactor materials, E.A. Krasikov, O.O. Zabusov, Ja.I. Shtrombakh, M.E. Korshunov, R.N. Kuz'min and V.M. Kapitanov 233–237 (1996) 1590

Plasma Properties *(includes Plasma Disruption)*

ITER EDA project status, V.A. Chuyanov 233–237 (1996) 4
Investigation of vanadium alloys in CTR plasma disruption-simulation experiments, V.L. Yakushin, B.A. Kalin, N.V. Kraskovskaya, S.N. Votinov and V.I. Vasiliev 233–237 (1996) 390
On a possibility of explosive material erosion under conditions of ITER

disruption event, A.V. Burdakov, M.N. Chagin, V.V. Filippov, V.S. Koidan, K.I. Mekler, P.I. Melnikov, V.V. Postupaev, A.F. Rovenskikh, M.A. Shcheglov, K.V. Tsigutkin and H. Wuerz 233–237 (1996) 697
Lifetime evaluation of plasma-facing materials during a tokamak disruption, A. Hassanein and I. Konkashbaev 233–237 (1996) 713
A basic study on erosion–redeposition processes in the boundary plasma region, S. Matsuyama, K. Yamaguchi, S. Tanaka and M. Yamawaki 233–237 (1996) 724
The melting of tungsten during plasma disruptions, G. Tsotridis 233–237 (1996) 758
Plasma shield formation and divertor plate erosion for ITER tokamak plasma disruptions, H. Würz, I. Landman, B. Bazylev, F. Kappler, G. Piazza and S. Pestchanyi 233–237 (1996) 798
Imitation of influence of plasma and neutron fluxes on graphite made plasma-facing components of plasma diagnostics in mm and sub-mm wavelength range, V.L. Berezhnyj, V.V. Chebotarev, I.P. Fomin, I.E. Garkusha, V.L. Ocheretenko, R.O. Pavlichenko, A.I. Skibenko, D.E. Solyakov, V.I. Tereshin, V.S. Voitsenya, A.N. Topkov, O.K. Chugunov, Yu.V. Skosyrev and D.V. Orlinskij 233–237 (1996) 1233

Powder Processes and Products

Properties of HIPed stainless steel powder, Ch. Dellis, G. Le Marois, J.M. Gentzbittel, G. Robert and F. Moret 233–237 (1996) 183

Precipitates and Precipitation

Small-angle neutron scattering microstructural investigation of MANET steel, G. Albertini, F. Carsughi, R. Coppola, F. Fiori, F. Rustichelli and M. Stefanon 233–237 (1996) 253
Monte Carlo simulation of cascade-induced mixing in two-phase systems, A.A. Turkin, C. Abromeit and V. Naundorf 233–237 (1996) 979
Analysis of growth rates of voids in the matrix and at precipitates in irradiated alloys, V.A. Pechenkin and G.A. Epov 233–237 (1996) 1009
The removal of nickel dissolved in Pb–17Li by the formation of a less soluble nickel–manganese alloy, M.G. Barker, D.J. Siddons and F. Barbier 233–237 (1996) 1436

Pressure Vessels

Study of hydrogen isotope permeation through some construction materials, A.A. Yukhimchuk and V.K. Gaevoy 233–237 (1996) 1193

Processing

Superconductors for the ITER model coils, A. Shikov 233–237 (1996) 120
Si isotope separation for low activation, T. Noda, H. Suzuki, H. Araki and M. Okada 233–237 (1996) 1496

Radiation Effects: Atomic Defects

Potential and limitations of ceramics in terms of structural and electrical integrity in fusion environments, C. Kinoshita and S.J. Zinkle 233–237 (1996) 100
Acoustic tests of elastic and microplastic properties of V–Ti–Cr alloys, V.M. Chernov, A.V. Rezvoushkin and B.K. Kardashev 233–237 (1996) 456
Theoretical assessment of irradiation swelling in beryllium, V.I. Dubinko and V.R. Barabash 233–237 (1996) 832
Thermal desorption of deuterium implanted into beryllium, A.V. Markin, V.N. Chernikov, S.Yu. Rybakov and A.P. Zakharov 233–237 (1996) 865
Comparison of elastic and non-elastic displacement damage under light ion simulation irradiation, E. Daum, J. Bertsch, A. Möslang and K. Ehrlich 233–237 (1996) 959
Radiation-enhanced diffusion due to interstitials and dynamic crowdions, W. Schüle 233–237 (1996) 964
On the recovery stages in fcc materials, W. Schüle 233–237 (1996) 969
Displacement rate dependence of irradiation creep as predicted by the production bias model, C.H. Woo and F.A. Garner 233–237 (1996) 974
Computer simulation of the sputtering of polyatomic multilayered materials; consideration of the spatial overlapping of the collision cascades, Yu.V. Trushin, B.J. Ber, V.S. Kharlamov and E.E. Zhurkin 233–237 (1996) 991
Interaction between the deformation and the irradiation defect clusters in austenitic steels, L. Boulanger, F. Soisson and Y. Serruys 233–237 (1996) 1004
Rate theory modeling of defect evolution under cascade damage conditions: the influence of vacancy-type cascade remnants on defect evolution, Y. Katoh, T. Muroga, A. Kohyama, R.E. Stoller and C. Namba 233–237 (1996) 1022
Characterization of cascade-induced defect production by microstructural analysis based on rate theory modeling, Y. Katoh and T. Muroga 233–237 (1996) 1029
Fluctuations of point-defect fluxes to sinks under cascade damage irradiation, A.A. Semenov and C.H. Woo 233–237 (1996) 1045
Primary knock-on atom energy dependence of cascade damage formation and interaction, N. Sekimura 233–237 (1996) 1080

Radiation effects in silicon carbide: High energy cascades and damage accumulation at high temperature, T. Díaz de la Rubia, J.M. Perlado and M. Tobin 233–237 (1996) 1096
Accumulation of stable optical centres in silica glasses under pulse beam irradiation, V.T. Gritsyna, T.A. Bazilevskaya, V.S. Voitsenya, D.V. Orlinski and Yu.A. Tarabrin 233–237 (1996) 1310
Prospect for study of radiation damage at RADEX-15, radiation experiment facility, based on the beam stop of Moscow Meson Factory, E.A. Koptelov, S.G. Lebedev, O.N. Smirnova, N.M. Sobolevsky, Y.Y. Stavissky, I.V. Al'tovsky, V.V. Orlov and S.N. Votinov 233–237 (1996) 1552

Radiation Effects: Extended Defects, Microstructures

Status of vanadium alloys for fusion reactors, H. Matsui, K. Fukumoto, D.L. Smith, H.M. Chung, W. van Witzenburg and S.N. Votinov 233–237 (1996) 92
Potential and limitations of ceramics in terms of structural and electrical integrity in fusion environments, C. Kinoshita and S.J. Zinkle 233–237 (1996) 100
Microstructural development due to long-term aging and ion irradiation behavior in weld metals of austenitic stainless steel, K. Nakata, S. Ikeda, S. Hamada and A. Hishinuma 233–237 (1996) 192
The effect of small additional elements on the precipitation of reduced activation Fe–9Cr–2W steels, T. Shibayama, A. Kimura and H. Kayano 233–237 (1996) 270
Microstructural examination of commercial ferritic alloys at 200 dpa, D.S. Gelles 233–237 (1996) 293
Radiation damage features V–2.5Zr–0.35C alloy welds, V. Kazakov, V. Chakin and Z. Ostrovsky 233–237 (1996) 364
Microstructures of deformed V–Ti–Cr–Si type alloys after neutron irradiation, M. Satou, K. Abe and H. Kayano 233–237 (1996) 426
Acoustic tests of elastic and microplastic properties of V–Ti–Cr alloys, V.M. Chernov, A.V. Rezvoushkin and B.K. Kardashev 233–237 (1996) 456
Recoil energy spectrum effect in vanadium by electron and light- and heavy-ion irradiation, M. Iseki, Y. Kizuka, S. Mori, K. Kohmura and M. Kiritani 233–237 (1996) 492
Radiation damage and deuterium trapping in deuterium ion injected beryllium, N. Yoshida, S. Mizusawa, R. Sakamoto and T. Muroga 233–237 (1996) 874
Interaction between the deformation and the irradiation defect clusters in austenitic steels, L. Boulanger, F. Soisson and Y. Serruys 233–237 (1996) 1004
Rate theory modeling of defect evolution under cascade damage conditions: the influence of vacancy-type cascade remnants on defect evolution, Y. Katoh, T. Muroga, A. Kohyama, R.E. Stoller and C. Namba 233–237 (1996) 1022
Characterization of cascade-induced defect production by microstructural analysis based on rate theory modeling, Y. Katoh and T. Muroga 233–237 (1996) 1029
Dislocation evolution in a model and a candidate ferritic alloy during steady and varying temperature electron irradiations, T. Muroga, Y. Nonaka and N. Yoshida 233–237 (1996) 1035
Fluctuations of point-defect fluxes to sinks under cascade damage irradiation, A.A. Semenov and C.H. Woo 233–237 (1996) 1045
Nucleation and growth process of defect clusters in copper during helium ion irradiation, K. Yasuda, C. Kinoshita, M. Kutsuwada and T. Hirai 233–237 (1996) 1051
Microstructural evolution in Fe–Cr–Ni alloy irradiated with Ni ion under varying temperature, Q. Xu, H. Watanabe and N. Yoshida 233–237 (1996) 1057
Radiation defect formation and evolution in C0.03Cr20Ni16Mn6 steel under low-temperature neutron irradiation and their effect on physical and mechanical properties of the steel, A.V. Kozlov and V.V. Kirsanov 233–237 (1996) 1062
Hydrogen adsorption on and solubility in graphites, S.L. Kanashenko, A.E. Gorodetsky, V.N. Chernikov, A.V. Markin, A.P. Zakharov, B.L. Doyle and W.R. Wampler 233–237 (1996) 1207
Comparison of electron and ion irradiation effects on order–disorder transition in Ni_4Mo, S. Banerjee and M. Sundararaman 233–237 (1996) 1223
Effect of minor elements on irradiation assisted stress corrosion cracking of model austenitic stainless steels, Y. Miwa, T. Tsukada, S. Jitsukawa, S. Kita, S. Hamada, Y. Matsui and M. Shindo 233–237 (1996) 1393
Development of triple fission technique for simulating fusion neutron irradiation, H. Matsui, K. Nakai, A. Kimura, T. Shikama, M. Narui and H. Kayano 233–237 (1996) 1561

Radiation Effects: Mechanical Properties

Design requirements for plasma facing materials in ITER, R. Matera, G.

Federici and The ITER Joint Central Team 233–237 (1996) 17
Status of silicon carbide composites for fusion, L.L. Snead, R.H. Jones, A. Kohyama and P. Fenici 233–237 (1996) 26
Austenitic stainless steels, status of the properties database and design rule development, A.-A. Tavassoli and F. Touboul 233–237 (1996) 51
Status of vanadium alloys for fusion reactors, H. Matsui, K. Fukumoto, D.L. Smith, H.M. Chung, W. van Witzenburg and S.N. Votinov 233–237 (1996) 92
Low-activation ferritic and martensitic steels for fusion application, A. Kohyama, A. Hishinuma, D.S. Gelles, R.L. Klueh, W. Dietz and K. Ehrlich 233–237 (1996) 138
Irradiation creep in austenitic and ferritic steels irradiated in a tailored neutron spectrum to induce fusion reactor levels of helium, M.L. Grossbeck, L.T. Gibson and S. Jitsukawa 233–237 (1996) 148
Comparison of elastic–plastic fracture toughness of irradiated and cold-worked JPCA using miniaturized DCT specimens, S. Jitsukawa, K. Shiba, A. Hishinuma, D.J. Alexander and J.E. Pawel 233–237 (1996) 152
Effects of low temperature neutron irradiation on deformation behavior of austenitic stainless steels, J.E. Pawel, A.F. Rowcliffe, D.J. Alexander, M.L. Grossbeck and K. Shiba 233–237 (1996) 202
Implications of radiation-induced reductions in ductility to the design of austenitic stainless steel structures, G.E. Lucas, M. Billone, J.E. Pawel and M.L. Hamilton 233–237 (1996) 207
Thermocyclic recovery and damage accumulation of irradiated austenitic structural materials, L.A. Belyaeva and V.V. Rybin 233–237 (1996) 224
Microstructure, irradiation hardening and embrittlement of 13Cr2MoNbVB ferritic–martensitic steel after neutron irradiation at low temperatures, V.S. Khabarov, A.M. Dvoriashin and S.I. Porollo 233–237 (1996) 236
Structural transition in Fe–Cr alloys under high dose ion irradiation, V.S. Khmelevskaya, V.G. Malynkin and S.P. Solov'ev 233–237 (1996) 240
The effect of small additional elements on the precipitation of reduced activation Fe–9Cr–2W steels, T. Shibayama, A. Kimura and H. Kayano 233–237 (1996) 270
In-situ and post-irradiation fatigue properties of the ferritic–martensitic steel Manet at $T = 250$°C, J. Bertsch, R. Lindau and A. Möslang 233–237 (1996) 276
Elastic modules and thermal conductivity of neutron irradiated type 13Cr–2Mo–Nb–V–B ferritic–martensitic steel, M.I. Zakharova, N.A. Artemov and D.V. Petrov 233–237 (1996) 280
Irradiation response on mechanical properties of neutron irradiated F82H, K. Shiba, M. Suzuki and A. Hishinuma 233–237 (1996) 309
Irradiation hardening of reduced activation martensitic steels, A. Kimura, T. Morimura, M. Narui and H. Matsui 233–237 (1996) 319
Charpy impact properties of low activation alloys for fusion applications after neutron irradiation, M. Rieth, B. Dafferner and H.D. Röhrig 233–237 (1996) 351
Radiation damage features V–2.5Zr–0.35C alloy welds, V. Kazakov, V. Chakin and Z. Ostrovsky 233–237 (1996) 364
Tensile behavior of helium charged V–Ti–Cr–Si type alloys, M. Satou, H. Koide, A. Hasegawa, K. Abe, H. Kayano and H. Matsui 233–237 (1996) 447
High temperature stability of dispersion strengthened copper alloys irradiated with fast neutrons, D.J. Edwards, F.A. Garner, M.L. Hamilton and J.D. Troxell 233–237 (1996) 519
Structural aspects of materials hardening, A.V. Naberenkov and S.A. Fabritsiev 233–237 (1996) 534
Radiation-induced creep of copper, aluminium and their alloys, E.S. Aitkhozhin and E.V. Chumakov 233–237 (1996) 537
Promising Cu–Ni–Cr–Si alloy for first wall ITER applications, A. Ivanov, V. Abramov and M. Rodin 233–237 (1996) 553
Development of Mo alloys with improved resistance to embrittlement by recrystallization and irradiation, H. Kurishita, Y. Kitsunai, T. Shibayama, H. Kayano and Y. Hiraoka 233–237 (1996) 557
Effects of residual strain on deformation processes of neutron-irradiated Ti–Ni and Ti–Pd shape memory alloys, T. Hoshiya, H. Sekino, Y. Matsui, F. Sakurai and K. Enami 233–237 (1996) 599
Neutron irradiated beryllium: tensile strength and swelling, F. Moons, L. Sannen, A. Rahn and J. Van De Velde 233–237 (1996) 823
Swelling, strengthening and embrittlement of beryllium under neutron irradiation to a fluence of 1.72×10^{21} n/cm^2 ($E \geq 0.85$ MeV) at a temperature of 330–350°C. The role of

main structure factors, G.A. Sernyaev, A.S. Pokrovskiy, R.M. Bagautdinov, S.A. Fabritsiev, I.V. Mazul and V.R. Barabash 233–237 (1996) 891
Metal–ceramic functionally gradient material for insulation pipe joint in fusion environment, S. Nishio, M. Nakahira, T. Abe, H. Kawamura, S. Sagawa, M. Kawamura and S. Yamazaki 233–237 (1996) 922
Radiation defect formation and evolution in C0.03Cr20Ni16Mn6 steel under low-temperature neutron irradiation and their effect on physical and mechanical properties of the steel, A.V. Kozlov and V.V. Kirsanov 233–237 (1996) 1062
Changes of mechanical properties of structural materials under radiation hydrogen saturation, A.P. Komissarov, G.G. Bondarenko and K.A. Kostin 233–237 (1996) 1154
Influence of reactor irradiation on the physico-mechanical properties of electro-ceramics of some commercial grades, V.S. Sandakov, Yu.A. Stukert, V.A. Kazakov, V.A. Belyakov and P.A. Fefelov 233–237 (1996) 1253
Application of micro-indentation to irradiated alumina and vanadium/alumina joints, A. Hasegawa, Y. Kawamura, M. Satou and K. Abe 233–237 (1996) 1279
History, progress, achievement and future prospect of research activities on fusion materials by Japanese university researchers, S. Ishino 233–237 (1996) 1535
Low temperature irradiation experiments and material testing in Petten, E.V. van Osch, M.G. Horsten, M.I. de Vries, W. van Witzenburg, R. Conrad, G. Sordon and G.P. Tartaglia 233–237 (1996) 1541
Development of triple fission technique for simulating fusion neutron irradiation, H. Matsui, K. Nakai, A. Kimura, T. Shikama, M. Narui and H. Kayano 233–237 (1996) 1561
Development of miniaturized specimens for the study of neutron irradiation/plasma exposure synergistic effects on candidate fusion reactor materials, E.A. Krasikov, O.O. Zabusov, Ja.I. Shtrombakh, M.E. Korshunov, R.N. Kuz'min and V.M. Kapitanov 233–237 (1996) 1590

Radiation Effects: Physical Properties

Status of silicon carbide composites for fusion, L.L. Snead, R.H. Jones, A. Kohyama and P. Fenici 233–237 (1996) 26
Potential and limitations of ceramics in terms of structural and electrical integrity in fusion environments, C. Kinoshita and S.J. Zinkle 233–237 (1996) 100
Structural transition in Fe–Cr alloys under high dose ion irradiation, V.S. Khmelevskaya, V.G. Malynkin and S.P. Solov'ev 233–237 (1996) 240
Elastic modules and thermal conductivity of neutron irradiated type 13Cr–2Mo–Nb–V–B ferritic–martensitic steel, M.I. Zakharova, N.A. Artemov and D.V. Petrov 233–237 (1996) 280
Influence of reactor irradiation on mechanically stressed NbTi at 10 K, L.S. Topchishvili 233–237 (1996) 596
Effects of residual strain on deformation processes of neutron-irradiated Ti–Ni and Ti–Pd shape memory alloys, T. Hoshiya, H. Sekino, Y. Matsui, F. Sakurai and K. Enami 233–237 (1996) 599
Research on plasma-facing component materials, J. Yu, Y. Chen, Y. Wang, W. Zhang, S. Xu and T. Noda 233–237 (1996) 771
Gas-induced swelling of beryllium implanted with deuterium ions, V.N. Chernikov, V.Kh. Alimov, A.V. Markin, A.E. Gorodetsky, S.L. Kanashenko, A.P. Zakharov and I.B. Kupriyanov 233–237 (1996) 860
Radiation effects in silicon carbide: High energy cascades and damage accumulation at high temperature, T. Díaz de la Rubia, J.M. Perlado and M. Tobin 233–237 (1996) 1096
Hydrogen migration in stainless steel and alloys stimulated by ionizing radiation, I.P. Chernov, A.P. Mamontov, Y.I. Tjurin and Y.P. Cherdantsev 233–237 (1996) 1118
Hydrogen behavior in carbon-based materials and its neutron irradiation effect, H. Atsumi, M. Iseki and T. Shikama 233–237 (1996) 1128
Radiation-resistant photoconductivity of doped silicon under 17 MeV proton bombardment, N. Kishimoto, H. Amekura, K. Kono and T. Saito 233–237 (1996) 1244
Metal–insulator transition in $Si_{0.7}Ge_{0.3}$ disordered by fast neutron radiation, A.V. Zhidkov 233–237 (1996) 1249
Influence of reactor irradiation on the physico-mechanical properties of electro-ceramics of some commercial grades, V.S. Sandakov, Yu.A. Stukert, V.A. Kazakov, V.A. Belyakov and P.A. Fefelov 233–237 (1996) 1253
Effect of neutron irradiation on passive oxidation of silicon carbide, T. Yano, M. Suzuki, H. Miyazaki and T. Iseki 233–237 (1996) 1275
Electrical resistivity of ceramic insulators under irradiation using 14 MeV

neutrons, K. Noda, T. Nakazawa, Y. Oyama, D. Yamaki and Y. Ikeda 233–237 (1996) 1289
Electrical conductivity of the ceramic AIN under irradiation, R. Lindau and A. Möslang 233–237 (1996) 1294
Investigations on radiation-induced processes in dielectric materials, V.M. Chernov, V.A. Belyakov, A.M. Bryuzgin, Y.Gr. Cherednichenko, J.I. Ievleva, G.L. Khorasanov, O.A. Plaksin, V.A. Stepanov, A.V. Vizgalov, V.A. Zherebtsov and A.V. Zrodnikov 233–237 (1996) 1304
Destruction and discharge phenomena in irradiated glasses, A.I. Akishin and L.I. Tseplyayev 233–237 (1996) 1318
Optical and dielectric properties of neutron irradiated $MgAl_2O_4$ spinels, A. Ibarra, R. Vila and F.A. Garner 233–237 (1996) 1336
Dielectric properties during electron irradiation of alternative materials for gyrotron windows, R. Vila, A. Ibarra and E.R. Hodgson 233–237 (1996) 1340
Energetic particle induced luminescence of Al_2O_3, T. Tanabe, M. Fujiwara and K. Miyazaki 233–237 (1996) 1344
Luminescence studies on electron and structural states in dielectrics under irradiation, O.A. Plaksin, V.A. Stepanov, P.A. Stepanov, V.M. Chernov and V.A. Skuratov 233–237 (1996) 1355
History, progress, achievement and future prospect of research activities on fusion materials by Japanese university researchers, S. Ishino 233–237 (1996) 1535
Prospect for study of radiation damage at RADEX-15, radiation experiment facility, based on the beam stop of Moscow Meson Factory, E.A. Koptelov, S.G. Lebedev, O.N. Smirnova, N.M. Sobolevsky, Y.Y. Stavissky, I.V. Al'tovsky, V.V. Orlov and S.N. Votinov 233–237 (1996) 1552

Radiation Sources
Materials development and testing aspects of IFMIF in the conceptual design stage, T. Kondo, T.E. Shannon and K. Ehrlich 233–237 (1996) 82

Radiolysis
The effect of water radiolysis on the stress corrosion behavior of UNS S31600 stainless steel at 50 and 90°C, W.E. Wyllie II, D. Steiner and D.J. Duquette 233–237 (1996) 1372

Recrystallization, Recovery and Grain Growth
Recovery and recrystallization of vanadium alloys, A.N. Gubbi and A.F. Rowcliffe 233–237 (1996) 497
Development of Mo alloys with improved resistance to embrittlement by recrystallization and irradiation, H. Kurishita, Y. Kitsunai, T. Shibayama, H. Kayano and Y. Hiraoka 233–237 (1996) 557

Redeposition
Fatigue and crack growth behavior of V–Cr–Ti alloys, B.G. Gieseke, C.O. Stevens and M.L. Grossbeck 233–237 (1996) 488
The performance of thick B_4C coatings on graphite divertor tiles in the DIII-D tokamak, O.I. Buzhinskij, V.A. Barsuk, I.V. Opimach, V.G. Otrozhenko, A.I. Trazhenkov, W.P. West and N. Brooks 233–237 (1996) 787
Effect of neutron irradiation on passive oxidation of silicon carbide, T. Yano, M. Suzuki, H. Miyazaki and T. Iseki 233–237 (1996) 1275

Refractory Metals, Alloys and Compounds *(not listed elsewhere)*
Development of Mo alloys with improved resistance to embrittlement by recrystallization and irradiation, H. Kurishita, Y. Kitsunai, T. Shibayama, H. Kayano and Y. Hiraoka 233–237 (1996) 557
Imitation of effects of a fusion reactor environment on optical properties of metallic mirrors, V.S. Voitsenya, A.F. Bardamid, Yu.N. Borisenko, B.V. Grigorenko, V.I. Gritsyna, V.T. Gritsyna, V.G. Konovalov, D.V. Orlinskij, L.V. Poperenko, V.V. Ruzhitskij, V.F. Rybalko, A.N. Shapoval, N.V. Vinnichenko and K.I. Yakimov 233–237 (1996) 1239
Compatibility of refractory metals and beryllium with molten Pb–17Li, H. Feuerstein, H. Gräbner, J. Oschinski and S. Horn 233–237 (1996) 1383
Low cycle fatigue behaviour of TZM molybdenum alloy in divertor water coolant, M.-F. Maday 233–237 (1996) 1397

Reprocessing
Electroslag remelt processing of irradiated vanadium alloys, W.J. Carmack, G.R. Smolik and K.A. McCarthy 233–237 (1996) 416

Safety of Nuclear Reactors
World power energetics. Fusion reactors. ITER project, E.P. Velikhov 233–237 (1996) 1
An overview of safety and environmental considerations in the selection of materials for fusion facilities, D.A. Petti, K.A. McCarthy, W. Gulden, S.J. Piet, Y. Seki and B. Kolbasov 233–237 (1996) 37

Stability of the Be–steam reaction and its impact on safety, F. Andritsos and D.A. Sarigiannis 233–237 (1996) 852
Plasma-driven accumulation of tritium in beryllium, A.A. Pisarev and M.L. Grachova 233–237 (1996) 1137
Tauro: a ceramic composite structural material self-cooled Pb–17Li breeder blanket concept, A.S. Pérez Ramírez, A. Caso, L. Giancarli, N. Le Bars, G. Chaumat, J.F. Salavy and J. Szczepanski 233–237 (1996) 1257
Evaluation of transmutation and low induced radioactivity and requirements for candidate structural materials, T. Noda 233–237 (1996) 1475
Summary of oxidation driven mobilization data and their use in fusion safety assessments, K.A. McCarthy, G.R. Smolik, D.L. Hagrman and D.A. Petti 233–237 (1996) 1607

Segregation

Auger spectroscopy study of the stress enhanced impurity segregation in a Cr–Mo–V steel, A.M. Ilyin and V.N. Golovanov 233–237 (1996) 233
Analysis of growth rates of voids in the matrix and at precipitates in irradiated alloys, V.A. Pechenkin and G.A. Epov 233–237 (1996) 1009
The dependence of void swelling bias factor on iron concentration in V–Fe alloys, Yu.V. Konobeev, V.A. Pechenkin and S.I. Rudnev 233–237 (1996) 1070

Silicon and Silicon Compounds

Thermal shock tests of β-sic pellets prepared from laser synthesized nanoscale sic powders, A. Donato, E. Borsella, S. Botti, S. Martelli, C.A. Nannetti, M.R. Mancini and I. Morjan 233–237 (1996) 814
Radiation effects in silicon carbide: High energy cascades and damage accumulation at high temperature, T. Díaz de la Rubia, J.M. Perlado and M. Tobin 233–237 (1996) 1096
Radiation-resistant photoconductivity of doped silicon under 17 MeV proton bombardment, N. Kishimoto, H. Amekura, K. Kono and T. Saito 233–237 (1996) 1244
Metal–insulator transition in $Si_{0.7}Ge_{0.3}$ disordered by fast neutron radiation, A.V. Zhidkov 233–237 (1996) 1249
Stability of SiC/SiC composites in environments containing O_2 and H_2, G.D. Springer, C.F. Windisch, Jr. and R.H. Jones 233–237 (1996) 1271
Effect of neutron irradiation on passive oxidation of silicon carbide, T. Yano, M. Suzuki, H. Miyazaki and T. Iseki 233–237 (1996) 1275
Accumulation of stable optical centres in silica glasses under pulse beam irradiation, V.T. Gritsyna, T.A. Bazilevskaya, V.S. Voitsenya, D.V. Orlinski and Yu.A. Tarabrin 233–237 (1996) 1310
Dielectric properties during electron irradiation of alternative materials for gyrotron windows, R. Vila, A. Ibarra and E.R. Hodgson 233–237 (1996) 1340
Evaluation of transmutation and low induced radioactivity and requirements for candidate structural materials, T. Noda 233–237 (1996) 1475
Effect of neutron spectra on the transmutation of first wall materials, T. Noda and M. Fujita 233–237 (1996) 1491
Si isotope separation for low activation, T. Noda, H. Suzuki, H. Araki and M. Okada 233–237 (1996) 1496

Steels, Austenitic

Structural materials for ITER in-vessel component design, G. Kalinin, W. Gauster, R. Matera, A.-A.F. Tavassoli, A. Rowcliffe, S. Fabritsiev and H. Kawamura 233–237 (1996) 9
Austenitic stainless steels, status of the properties database and design rule development, A.-A. Tavassoli and F. Touboul 233–237 (1996) 51
Results of the IAEA benchmark on lifetime predictions of first wall components, E. Diegele, M. Beghini, L. Bertini, T. Horie, R. Jakeman, A. Klischenko, R. Matera, M. Merola, D. Munz, M. Seki, S. Suzuki and G. Vieider 233–237 (1996) 62
Irradiation creep in austenitic and ferritic steels irradiated in a tailored neutron spectrum to induce fusion reactor levels of helium, M.L. Grossbeck, L.T. Gibson and S. Jitsukawa 233–237 (1996) 148
Comparison of elastic–plastic fracture toughness of irradiated and cold-worked JPCA using miniaturized DCT specimens, S. Jitsukawa, K. Shiba, A. Hishinuma, D.J. Alexander and J.E. Pawel 233–237 (1996) 152
Thermal fatigue behaviour for a 316 L type steel, A. Fissolo, B. Marini, G. Nais and P. Wident 233–237 (1996) 156
Irradiation creep-fatigue interaction of type 316L stainless steel, R. Scholz and R. Mueller 233–237 (1996) 169
The impact of transmutant helium on weldability of austenitic steel, S.A.

Fabritsiev, A.S. Pokrovsky and V.A. Brovko 233–237 (1996) 173
Properties of HIPed stainless steel powder, Ch. Dellis, G. Le Marois, J.M. Gentzbittel, G. Robert and F. Moret 233–237 (1996) 183
Mechanical properties of austenitic stainless steels irradiated at 323 K in the Japan Materials Testing Reactor, Y. Matsui, M. Niimi, T. Hoshiya, F. Sakurai, S. Jitsukawa, T. Tsukada, M. Ohmi, H. Sakai, R. Oyamada and T. Onchi 233–237 (1996) 188
Microstructural development due to long-term aging and ion irradiation behavior in weld metals of austenitic stainless steel, K. Nakata, S. Ikeda, S. Hamada and A. Hishinuma 233–237 (1996) 192
Tensile behavior of irradiated manganese-stabilized stainless steels, R.L. Klueh 233–237 (1996) 197
Effects of low temperature neutron irradiation on deformation behavior of austenitic stainless steels, J.E. Pawel, A.F. Rowcliffe, D.J. Alexander, M.L. Grossbeck and K. Shiba 233–237 (1996) 202
Implications of radiation-induced reductions in ductility to the design of austenitic stainless steel structures, G.E. Lucas, M. Billone, J.E. Pawel and M.L. Hamilton 233–237 (1996) 207
Reweldability test of irradiated SS316 by the TIG welding method, K. Tsuchiya, H. Kawamura and R. Oyamada 233–237 (1996) 218
Thermocyclic recovery and damage accumulation of irradiated austenitic structural materials, L.A. Belyaeva and V.V. Rybin 233–237 (1996) 224
Neutron activation of lithium coolant in the V–5Ti–5Cr alloy circuit, Yu.G. Bobrov and V.V. Iroshnikov 233–237 (1996) 507
XHM-1 alloy as a promising structural material for water-cooled fusion reactor components, M.I. Solonin, A.B. Alekseev, Yu.I. Kazennov, V.F. Khramtsov, V.P. Kondrat'ev, T.A. Krasina, V.N. Rechitsky, V.N. Stepankov and S.N. Votinov 233–237 (1996) 586
Progressive bending deformations of first wall structures under cyclic thermomechanical loading, J. Wolters, G. Breitbach, M. Rödig and H. Nickel 233–237 (1996) 612
Mechanical properties of Cu–Cr–Zr alloy and SS316 joints fabricated by friction welding method, K. Tsuchiya and H. Kawamura 233–237 (1996) 913
HIP'ing of copper alloys to stainless steel, G. Le Marois, Ch. Dellis, J.M. Gentzbittel and F. Moret 233–237 (1996) 927
Interaction between the deformation and the irradiation defect clusters in austenitic steels, L. Boulanger, F. Soisson and Y. Serruys 233–237 (1996) 1004
Analysis of growth rates of voids in the matrix and at precipitates in irradiated alloys, V.A. Pechenkin and G.A. Epov 233–237 (1996) 1009
Microstructural evolution in Fe–Cr–Ni alloy irradiated with Ni ion under varying temperature, Q. Xu, H. Watanabe and N. Yoshida 233–237 (1996) 1057
Changes of mechanical properties of structural materials under radiation hydrogen saturation, A.P. Komissarov, G.G. Bondarenko and K.A. Kostin 233–237 (1996) 1154
Hydrogen isotope permeability through austenitic Cr–Ni steels under neutron irradiation, B.G. Polosukhin, E.M. Sulimov, A.P. Zyrianov and A.V. Kozlov 233–237 (1996) 1174
Study of hydrogen isotope permeation through some construction materials, A.A. Yukhimchuk and V.K. Gaevoy 233–237 (1996) 1193
Evaluation of stainless steels for their resistance to intergranular corrosion, A.B. Korostelev, V.Ya. Abramov and V.N. Belous 233–237 (1996) 1361
An interaction of austenitic Cr–Ni steel cladding with Li–Pb eutectic after In-reactor tests at temperatures 550 and 670 K, V.E. Kalachikov, A.V. Kozlov, L.P. Sinelnikov, A.P. Zyrianov, V.Ya. Abramov, G.M. Kalinin and A.V. Sidorenkov 233–237 (1996) 1364
Corrosion resistance of austenitic steels and alloys in high temperature water, A.B. Alekseev, S.A. Averin, M.N. Geferova, V.P. Kondrat'ev and V.S. Shikhalev 233–237 (1996) 1367
The effect of water radiolysis on the stress corrosion behavior of UNS S31600 stainless steel at 50 and 90°C, W.E. Wyllie II, D. Steiner and D.J. Duquette 233–237 (1996) 1372
Stress corrosion cracking of AISI 316LN stainless steel in ITER primary water conditions, P. Lorenzetto, M. Hélie and A. Molander 233–237 (1996) 1387
Effect of minor elements on irradiation assisted stress corrosion cracking of model austenitic stainless steels, Y. Miwa, T. Tsukada, S. Jitsukawa, S. Kita, S. Hamada, Y. Matsui and M. Shindo 233–237 (1996) 1393
The impact of materials composition and irradiation modelling on the activation of ITER in-vessel components,

G. Cambi, D.G. Cepraga, P. Rocco and M. Zucchetti 233–237 (1996) 1505
Hydrogen generation arising from the ^{59}Ni(n, p) reaction and its impact on fission–fusion correlations, L.R. Greenwood and F.A. Garner 233–237 (1996) 1530
Low temperature irradiation experiments and material testing in Petten, E.V. van Osch, M.G. Horsten, M.I. de Vries, W. van Witzenburg, R. Conrad, G. Sordon and G.P. Tartaglia 233–237 (1996) 1541

Steels, Ferritic

Low-activation ferritic and martensitic steels for fusion application, A. Kohyama, A. Hishinuma, D.S. Gelles, R.L. Klueh, W. Dietz and K. Ehrlich 233–237 (1996) 138
Irradiation creep in austenitic and ferritic steels irradiated in a tailored neutron spectrum to induce fusion reactor levels of helium, M.L. Grossbeck, L.T. Gibson and S. Jitsukawa 233–237 (1996) 148
Low temperature embrittlement behaviour of different ferritic-martensitic alloys for fusion applications, M. Rieth and B. Dafferner 233–237 (1996) 229
Auger spectroscopy study of the stress enhanced impurity segregation in a Cr–Mo–V steel, A.M. Ilyin and V.N. Golovanov 233–237 (1996) 233
Microstructure, irradiation hardening and embrittlement of 13Cr2MoNbVB ferritic–martensitic steel after neutron irradiation at low temperatures, V.S. Khabarov, A.M. Dvoriashin and S.I. Porollo 233–237 (1996) 236
Structural transition in Fe–Cr alloys under high dose ion irradiation, V.S. Khmelevskaya, V.G. Malynkin and S.P. Solov'ev 233–237 (1996) 240
Liquid metal embrittlement susceptibility of welded MANET II (DIN 1.4914) in liquid Pb–17Li., T. Sample, P. Fenici and H. Kolbe 233–237 (1996) 244
Mechanical properties of low activating martensitic 8–10% CrWVTa steels of type OPTIFER, L. Schäfer, M. Schirra and K. Ehrlich 233–237 (1996) 264
The effect of small additional elements on the precipitation of reduced activation Fe–9Cr–2W steels, T. Shibayama, A. Kimura and H. Kayano 233–237 (1996) 270
In-situ and post-irradiation fatigue properties of the ferritic–martensitic steel Manet at $T = 250$°C, J. Bertsch, R. Lindau and A. Möslang 233–237 (1996) 276
Elastic modules and thermal conductivity of neutron irradiated type 13Cr–2Mo–Nb–V–B ferritic–martensitic steel, M.I. Zakharova, N.A. Artemov and D.V. Petrov 233–237 (1996) 280
Thermal and isothermal low cycle fatigue of MANET I and II, C. Petersen, R. Schmitt and D. Garnier 233–237 (1996) 285
Irradiation creep and void swelling of two LMR heats of HT9 at ~ 400°C and 165 dpa, M.B. Toloczko and F.A. Garner 233–237 (1996) 289
Microstructural examination of commercial ferritic alloys at 200 dpa, D.S. Gelles 233–237 (1996) 293
Metallurgical aspects of possibility of 9–12% chromium steel application as a structural material for first wall and blanket of fusion reactors, A.G. Ioltukhovsky, V.P. Kondrat'ev, M.V. Leont'eva-Smirnova, S.N. Votinov, V.K. Shamardin, A.V. Povstyanko and T.M. Bulanova 233–237 (1996) 299
In-pile irradiation effected changes in high chromium steel weld joints, Yu.I. Kazennov, E.A. Krylov, A.V. Minaev, R.Hh. Gibadullin and V.V. Brovko 233–237 (1996) 305
Irradiation response on mechanical properties of neutron irradiated F82H, K. Shiba, M. Suzuki and A. Hishinuma 233–237 (1996) 309
Diffusion bonding of reduced activation ferritic steel F82H for demo blanket application, T. Kurasawa, H. Takatsu, S. Sato, T. Kuroda, S. Sugimoto and M. Tamura 233–237 (1996) 313
Irradiation hardening of reduced activation martensitic steels, A. Kimura, T. Morimura, M. Narui and H. Matsui 233–237 (1996) 319
Microstructure and mechanical properties of newly developed low activation martensitic steels, M. Victoria, D. Gavillet, P. Spätig, F. Rezai-Aria and S. Rossmann 233–237 (1996) 326
Fatigue performance and cyclic softening of F82H, a ferritic-martensitic steel, J.F. Stubbins and D.S. Gelles 233–237 (1996) 331
Impact behavior of reduced-activation steels irradiated to 24 dpa, R.L. Klueh and D.J. Alexander 233–237 (1996) 336
The effect of size, crack depth and strain rate on fracture toughness–temperature curves of a low activation martensitic stainless steel, K. Edsinger, G.R. Odette, G.E. Lucas and J.W. Sheckherd 233–237 (1996) 342
Fracture behavior of surface cracked panels of HT-9 at low temperatures,

M. Enmark, K. Edsinger, G. Lucas and G.R. Odette 233–237 (1996) 347
Dislocation evolution in a model and a candidate ferritic alloy during steady and varying temperature electron irradiations, T. Muroga, Y. Nonaka and N. Yoshida 233–237 (1996) 1035
Hydrogen permeation rate reduction by post-oxidation of aluminide coatings on DIN 1.4914 martensitic steel (MANET), A. Perujo, E. Serra, H. Kolbe and T. Sample 233–237 (1996) 1102
Reversible and irreversible hydrogen trapping in metals: New computer-based code THYDA, R. Valentini, A. Solina, L. Tonelli, S. Lanza, G. Benamati and A. Donato 233–237 (1996) 1123
Prospect of development and manufacturing of low activation metallic materials for fusion reactor, N.P. Lyakishev, E.V. Dyomina, L.I. Ivanov, V.P. Kolotov, V.I. Kashin, Yu. Platov, N.N. Savvateev and N.A. Vinogradova 233–237 (1996) 1516
A miniaturized test method for the mechanical characterization of structural materials for fusion reactors, P. Gondi, A. Donato, R. Montanari and A. Sili 233–237 (1996) 1557
Development of triple fission technique for simulating fusion neutron irradiation, H. Matsui, K. Nakai, A. Kimura, T. Shikama, M. Narui and H. Kayano 233–237 (1996) 1561

Structural Materials

ITER EDA project status, V.A. Chuyanov 233–237 (1996) 4
Structural materials for ITER in-vessel component design, G. Kalinin, W. Gauster, R. Matera, A.-A.F. Tavassoli, A. Rowcliffe, S. Fabritsiev and H. Kawamura 233–237 (1996) 9
Austenitic stainless steels, status of the properties database and design rule development, A.-A. Tavassoli and F. Touboul 233–237 (1996) 51
Materials for breeding blankets, R.F. Mattas and M.C. Billone 233–237 (1996) 72
Properties of HIPed stainless steel powder, Ch. Dellis, G. Le Marois, J.M. Gentzbittel, G. Robert and F. Moret 233–237 (1996) 183
Effects of thermal treatments on the ductile to brittle transition of MANET steel, P. Gondi, R. Montanari, A. Sili and M.E. Tata 233–237 (1996) 248
Small-angle neutron scattering microstructural investigation of MANET steel, G. Albertini, F. Carsughi, R. Coppola, F. Fiori, F. Rustichelli and M. Stefanon 233–237 (1996) 253
Thermal and isothermal low cycle fatigue of MANET I and II, C. Petersen, R. Schmitt and D. Garnier 233–237 (1996) 285
The effect of size, crack depth and strain rate on fracture toughness–temperature curves of a low activation martensitic stainless steel, K. Edsinger, G.R. Odette, G.E. Lucas and J.W. Sheckherd 233–237 (1996) 342
Comparison of mechanical properties and structure of vanadium alloys relevant to DEMO conditions of the first wall and blanket, N.I. Budilkin, A.B. Alekseev, I.V. Golikov, Yu.I. Kazennov, V.F. Khramtsov, E.G. Mironova and A.V. Tselischev 233–237 (1996) 431
Mechanical properties of oxygen-injected vanadium alloy for application as structural component material for international thermonuclear experimental reactor, O.A. Medvedev, A.I. Ryazanov, A.N. Lyubimov, Y.V. Tichonov and W. van Witzenburg 233–237 (1996) 460
Fracture toughness and micromechanics in a V–4Cr–4Ti alloy, G.R. Odette, G.E. Lucas, E. Donahue and J.W. Sheckherd 233–237 (1996) 502
HIP'ing of copper alloys to stainless steel, G. Le Marois, Ch. Dellis, J.M. Gentzbittel and F. Moret 233–237 (1996) 927
Evaluation of helium embrittlement by two dimensional elastic–plastic finite element method, H. Shiraishi 233–237 (1996) 985
Hydrogen permeation rate reduction by post-oxidation of aluminide coatings on DIN 1.4914 martensitic steel (MANET), A. Perujo, E. Serra, H. Kolbe and T. Sample 233–237 (1996) 1102
Tauro: a ceramic composite structural material self-cooled Pb–17Li breeder blanket concept, A.S. Pérez Ramírez, A. Caso, L. Giancarli, N. Le Bars, G. Chaumat, J.F. Salavy and J. Szczepanski 233–237 (1996) 1257
Stability of SiC/SiC composites in environments containing O_2 and H_2, G.D. Springer, C.F. Windisch, Jr. and R.H. Jones 233–237 (1996) 1271
Effect of neutron spectra on the transmutation of first wall materials, T. Noda and M. Fujita 233–237 (1996) 1491
History, progress, achievement and future prospect of research activities on fusion materials by Japanese university researchers, S. Ishino 233–237 (1996) 1535
Low temperature irradiation experiments and material testing in Petten,

E.V. van Osch, M.G. Horsten, M.I. de Vries, W. van Witzenburg, R. Conrad, G. Sordon and G.P. Tartaglia 233–237 (1996) 1541
ITER material properties handbook, J.W. Davis and P.D. Smith 233–237 (1996) 1593

Superconductors

Superconductors for the ITER model coils, A. Shikov 233–237 (1996) 120
Influence of reactor irradiation on mechanically stressed NbTi at 10 K, L.S. Topchishvili 233–237 (1996) 596

Surface Effects

Structural transition in Fe–Cr alloys under high dose ion irradiation, V.S. Khmelevskaya, V.G. Malynkin and S.P. Solov'ev 233–237 (1996) 240
Investigation of vanadium alloys in CTR plasma disruption-simulation experiments, V.L. Yakushin, B.A. Kalin, N.V. Kraskovskaya, S.N. Votinov and V.I. Vasiliev 233–237 (1996) 390
Investigation of the beryllium ion–surface interaction, M.I. Guseva, A.Yu. Birukov, V.M. Gureev, L.S. Daneljan, S.N. Korshunov, Y.V. Martynenko, P.S. Moskovkin, Yu.A. Sokolov, V.G. Stoljarova, V.S. Kulikauskas and V.V. Zatekin 233–237 (1996) 682
On sputtering of W–Cu composition by polyenergetic flux of hydrogen particles, G.G. Bondarenko and Ya.Ya. Udris 233–237 (1996) 688
Sputtering of Be, V and Cu under irradiation by double-component polyenergetic beam of He^+ and Ar^+, B.A. Kalin, V.P. Gladkov, N.V. Volkov and S.E. Sabo 233–237 (1996) 692
On a possibility of explosive material erosion under conditions of ITER disruption event, A.V. Burdakov, M.N. Chagin, V.V. Filippov, V.S. Koidan, K.I. Mekler, P.I. Melnikov, V.V. Postupaev, A.F. Rovenskikh, M.A. Shcheglov, K.V. Tsigutkin and H. Wuerz 233–237 (1996) 697
Potential of nanocrystalline low-Z materials for plasma facing, structural applications in fusion reactors, R. Vaßen, A. Kaiser and D. Stöver 233–237 (1996) 708
Characteristics of transient plasma layers produced by irradiation of graphite targets by high power quasi-stationary plasma streams under the disruption simulation conditions, V.V. Chebotarev, I.E. Garkusha, V.V. Garkusha, V.A. Makhlaj, N.I. Mitina, D.G. Solyakov, V.I. Tereshin, S.A. Trubchaninov, A.V. Tsarenko and H. Wuerz 233–237 (1996) 736
Synergistic effects of surface erosion on tritium inventory and permeation in metallic plasma facing armours, G. Federici, D.F. Holland and R. Matera 233–237 (1996) 741
Feature of candidate PFC materials erosion, L.B. Begrambekov 233–237 (1996) 754
The melting of tungsten during plasma disruptions, G. Tsotridis 233–237 (1996) 758
Features of dynamics and structure of the shielding layer at the interaction of plasma flow with target, V.G. Belan, V.F. Levashov, V.S. Maynashev, A.D. Muzichenko and V.L. Podkovirov 233–237 (1996) 763
Study of structure and dynamics of shielding layer for inclined incidence of plasma stream at MK-200 facility, N.I. Arkhipov, V.P. Bakhtin, S.M. Kurkin, V.M. Safronov, D.A. Toporkov, S.G. Vasenin, H. Wuerz and A.M. Zhitlukhin 233–237 (1996) 767
Erosion and deposition of metals and carbon in the DIII–D divertor, W.R. Wampler, R. Bastasz, D. Buchenauer, D. Whyte, C.P.C. Wong, N.H. Brooks and W.P. West 233–237 (1996) 791
Plasma shield formation and divertor plate erosion for ITER tokamak plasma disruptions, H. Würz, I. Landman, B. Bazylev, F. Kappler, G. Piazza and S. Pestchanyi 233–237 (1996) 798
Investigation of the candidate divertor materials erosion at the powerful electron beam, V. Engelko, A. Andreev, T. Burtseva, O. Komarov, V. Kovalev, B. Ljublin and H. Wuerz 233–237 (1996) 818
Interactions of low energy hydrogen ions with niobium: effects of non-metallic overlayers on reemission, retention and permeation, A.I. Livshits, M.E. Notkin, A.A. Samartsev and M.N. Solovyov 233–237 (1996) 1113
Reversible and irreversible hydrogen trapping in metals: New computer-based code THYDA, R. Valentini, A. Solina, L. Tonelli, S. Lanza, G. Benamati and A. Donato 233–237 (1996) 1123
Gas release processes for high concentrations of helium bubbles in metals, J.H. Evans and A. van Veen 233–237 (1996) 1179
Deuterium permeation through Nb during low energy ion irradiation at controlled surface conditions, V. Bandourko, M. Yamawaki, K. Yamaguchi, V. Kurnaev, D. Levchuk and A. Pisarev 233–237 (1996) 1184
Ceramic $SiC/B_4C/TiC/C$ composites as plasma facing components for fu-

sion reactors, A. Yehia, R. Vaßen, R. Duwe and D. Stöver 233–237 (1996) 1266
Surface and volume electrical degradation in Wesgo AL995, A. Moroño and E.R. Hodgson 233–237 (1996) 1299
Fabrication and performance of AlN insulator coatings for application in fusion reactor blankets, K. Natesan 233–237 (1996) 1403
Trial fabrication and preliminary characterization of $MgO \cdot Al_2O_3$ coating, M. Nakamichi, H. Kawamura, K. Miyajima, Y. Harada and R. Oyamada 233–237 (1996) 1427

Swelling

Change in the properties of Fe–Cr–Ni and Fe–Cr–Mn austenitic steels under mixed and fast neutron irradiation, V.K. Shamardin, T.M. Bulanova, V.N. Golovanov, V.S. Neustroyev, A.V. Povstyanko and Z.E. Ostrovsky 233–237 (1996) 162
Irradiation creep and void swelling of two LMR heats of HT9 at ~ 400°C and 165 dpa, M.B. Toloczko and F.A. Garner 233–237 (1996) 289
Microstructural examination of commercial ferritic alloys at 200 dpa, D.S. Gelles 233–237 (1996) 293
Influence of boron-generated helium on the swelling of neutron irradiated V, V–5Cr and V–5Fe, N. Sekimura, T. Iwai and F.A. Garner 233–237 (1996) 400
Transmutation-induced embrittlement of vanadium and several vanadium alloys in HFIR, S. Ohnuki, H. Takahashi, F.A. Garner, J.E. Pawel, K. Shiba and A. Hishinuma 233–237 (1996) 411
Neutron irradiated beryllium: tensile strength and swelling, F. Moons, L. Sannen, A. Rahn and J. Van De Velde 233–237 (1996) 823
Theoretical assessment of irradiation swelling in beryllium, V.I. Dubinko and V.R. Barabash 233–237 (1996) 832
Gas-induced swelling of beryllium implanted with deuterium ions, V.N. Chernikov, V.Kh. Alimov, A.V. Markin, A.E. Gorodetsky, S.L. Kanashenko, A.P. Zakharov and I.B. Kupriyanov 233–237 (1996) 860
Post-irradiation studies of beryllium reflector of fission reactor. Examination of gas release, swelling and structure of beryllium under annealing, D.V. Andreev, V.N. Bespalov, A.Ju. Birjukov, B.A. Gurovich and P.A. Platonov 233–237 (1996) 880
Research and development of radiation resistant beryllium grades for nuclear fusion applications, I.B. Kupriyanov, V.A. Gorokhov, G.N. Nikolaev and V.N. Burmistrov 233–237 (1996) 886
Swelling, strengthening and embrittlement of beryllium under neutron irradiation to a fluence of 1.72×10^{21} n/cm^2 ($E \geq 0.85$ MeV) at a temperature of 330–350°C. The role of main structure factors, G.A. Sernyaev, A.S. Pokrovskiy, R.M. Bagautdinov, S.A. Fabritsiev, I.V. Mazul and V.R. Barabash 233–237 (1996) 891
Analysis of growth rates of voids in the matrix and at precipitates in irradiated alloys, V.A. Pechenkin and G.A. Epov 233–237 (1996) 1009
Rate theory modeling of defect evolution under cascade damage conditions: the influence of vacancy-type cascade remnants on defect evolution, Y. Katoh, T. Muroga, A. Kohyama, R.E. Stoller and C. Namba 233–237 (1996) 1022
Characterization of cascade-induced defect production by microstructural analysis based on rate theory modeling, Y. Katoh and T. Muroga 233–237 (1996) 1029
The dependence of void swelling bias factor on iron concentration in V–Fe alloys, Yu.V. Konobeev, V.A. Pechenkin and S.I. Rudnev 233–237 (1996) 1070
Microstructural evolution adjacent to grain boundaries under cascade damage conditions and helium production, H. Trinkaus, B.N. Singh and M. Victoria 233–237 (1996) 1089
Gas release processes for high concentrations of helium bubbles in metals, J.H. Evans and A. van Veen 233–237 (1996) 1179
Fracturing of borides under neutron irradiation, E.U. Grinik, V.V. Ogorodnikov and A.G. Krainy 233–237 (1996) 1349
Microstructure and density changes of Li_2O during irradiation in BEATRIX-II, Phase I and II, T. Takahashi, K. Noda, O.D. Slagle and F.D. Hobbs 233–237 (1996) 1457

Theory and Modelling

Theoretical assessment of irradiation swelling in beryllium, V.I. Dubinko and V.R. Barabash 233–237 (1996) 832
On the recovery stages in fcc materials, W. Schüle 233–237 (1996) 969
Displacement rate dependence of irradiation creep as predicted by the production bias model, C.H. Woo and F.A. Garner 233–237 (1996) 974
Monte Carlo simulation of cascade-induced mixing in two-phase systems, A.A. Turkin, C. Abromeit and V. Naundorf 233–237 (1996) 979

Rate theory modeling of defect evolution under cascade damage conditions: the influence of vacancy-type cascade remnants on defect evolution, Y. Katoh, T. Muroga, A. Kohyama, R.E. Stoller and C. Namba 233–237 (1996) 1022
Characterization of cascade-induced defect production by microstructural analysis based on rate theory modeling, Y. Katoh and T. Muroga 233–237 (1996) 1029
Fluctuations of point-defect fluxes to sinks under cascade damage irradiation, A.A. Semenov and C.H. Woo 233–237 (1996) 1045
Model for the final stage of creep failure due to high temperature helium embrittlement, A. Ryazanov, R.E. Voskoboinikov and H. Trinkaus 233–237 (1996) 1085
Microstructural evolution adjacent to grain boundaries under cascade damage conditions and helium production, H. Trinkaus, B.N. Singh and M. Victoria 233–237 (1996) 1089
On determination of irradiation-induced permeation of hydrogen through metals by the mass-spectrometry method, N.G. Primakov, V.A. Rudenko and V.V. Kazarnikov 233–237 (1996) 1133
Deuteron beam interaction with lithium jet in a neutron source test facility, A. Hassanein 233–237 (1996) 1547
Prospect for study of radiation damage at RADEX-15, radiation experiment facility, based on the beam stop of Moscow Meson Factory, E.A. Koptelov, S.G. Lebedev, O.N. Smirnova, N.M. Sobolevsky, Y.Y. Stavissky, I.V. Al'tovsky, V.V. Orlov and S.N. Votinov 233–237 (1996) 1552

Thermal Reactors

Hydrogen release from reactor-irradiated beryllium, A.Kh. Klepikov, I.L. Tazhibaeva, V.P. Shestakov, O.G. Romanenko, Y.V. Chikhray, E.A. Kenzhin, Yu.S. Cherepnin and L.N. Tikhomirov 233–237 (1996) 837

Thermal Shock

High heat load test on tungsten and tungsten containing alloys, M. Fujitsuka, I. Mutoh, T. Tanabe and T. Shikama 233–237 (1996) 638
High heat flux testing of CFC composites for the tokamak physics experiment, P.G. Valentine, R.E. Nygren, R.W. Burns, P.D. Rocket, A.P. Colleraine, R.J. Lederich and J.T. Bradley III 233–237 (1996) 660
Potential of nanocrystalline low-Z materials for plasma facing, structural applications in fusion reactors, R. Vaßen, A. Kaiser and D. Stöver 233–237 (1996) 708
Erosion of newly developed CFCs and Be under disruption heat loads, K. Nakamura, M. Akiba, M. Araki, M. Dairaku, K. Sato, S. Suzuki, K. Yokoyama, J. Linke, R. Duwe, H. Bolt and M. Roedig 233–237 (1996) 730
New composite composed of boron carbide and carbon fiber with high thermal conductivity for first wall, R. Jimbou, M. Saidoh, K. Nakamura, M. Akiba, S. Suzuki, Y. Gotoh, Y. Suzuki, A. Chiba, T. Yamaki, M. Nakagawa, K. Morita and B. Tsuchiya 233–237 (1996) 781
Thermal shock tests of β-sic pellets prepared from laser synthesized nanoscale sic powders, A. Donato, E. Borsella, S. Botti, S. Martelli, C.A. Nannetti, M.R. Mancini and I. Morjan 233–237 (1996) 814
Ceramic $SiC/B_4C/TiC/C$ composites as plasma facing components for fusion reactors, A. Yehia, R. Vaßen, R. Duwe and D. Stöver 233–237 (1996) 1266
Trial fabrication and preliminary characterization of $MgO \cdot Al_2O_3$ coating, M. Nakamichi, H. Kawamura, K. Miyajima, Y. Harada and R. Oyamada 233–237 (1996) 1427
New electron beam facility for irradiated plasma facing materials testing in hot cell, S. Shimakawa, N. Sakamoto, K. Satoh, M. Akiba and H. Kawamura 233–237 (1996) 1582

Thermodynamic Properties

Use of tungsten coating on iter plasma facing components, J.W. Davis, K.T. Slattery, D.E. Driemeyer and M.A. Ulrickson 233–237 (1996) 604
Stability of SiC/SiC composites in environments containing O_2 and H_2, G.D. Springer, C.F. Windisch, Jr. and R.H. Jones 233–237 (1996) 1271

Thermomechanical Treatment

GlidCop® DSC properties in the temperature range of 20–350°C, R.R. Solomon, J.D. Troxell and A.V. Nadkarni 233–237 (1996) 542
Influence of reactor irradiation on mechanically stressed NbTi at 10 K, L.S. Topchishvili 233–237 (1996) 596
Experimental evaluation of the interface heat conductance between roughened beryllium and stainless steel surfaces, R.D. Abelson and M.A. Abdou 233–237 (1996) 847

Thermophysical Properties
Elastic modules and thermal conductivity of neutron irradiated type 13Cr–2Mo–Nb–V–B ferritic–martensitic steel, M.I. Zakharova, N.A. Artemov and D.V. Petrov 233–237 (1996) 280
Preliminary characterization of interlayer for Be–Cu functionally gradient materials, N. Sakamoto and H. Kawamura 233–237 (1996) 609
Manufacturing and testing of a Be/OFHC–Cu divertor module, M. Araki, D.L. Youchison, M. Akiba, R.D. Watson, K. Sato and S. Suzuki 233–237 (1996) 632
Plasma facing component design for steady state tokamak SST-1, S. Jacob, S.S. Khirwadkar, P. Sinha, H.A. Pathak, D. Chenna Reddy and SST Team 233–237 (1996) 655
Potential of nanocrystalline low-Z materials for plasma facing, structural applications in fusion reactors, R. Vaßen, A. Kaiser and D. Stöver 233–237 (1996) 708
Low-temperature tritium releasing ceramics as potential materials for the ITER breeding blanket, N. Roux, J. Avon, A. Floreancig, J. Mougin, B. Rasneur and S. Ravel 233–237 (1996) 1431
Material properties database for plasma facing components for fusion reactors, R.A. Langley and J. Botero 233–237 (1996) 1597

Titanium, Titanium Alloys and Compounds
The trapping of hydrogen ions in vanadium and titanium, V.L. Arbuzov, V.B. Vykhodets and G.A. Raspopova 233–237 (1996) 442
Use of titanium in the tokamak physics experiment (TPX), J.W. Davis, G.W. Wille and P. Heitzenroeder 233–237 (1996) 592
Radiogenic helium thermodesorption from titanium tritide, A.I. Vedeneev, V.N. Lobanov and S.V. Starovoitova 233–237 (1996) 1189

Tritium and Tritides
Synergistic effects of surface erosion on tritium inventory and permeation in metallic plasma facing armours, G. Federici, D.F. Holland and R. Matera 233–237 (1996) 741
Plasma-driven accumulation of tritium in beryllium, A.A. Pisarev and M.L. Grachova 233–237 (1996) 1137
Effect of tritium and helium-3 on the lifetime properties of Pd–Ag alloys in ITER tritium purification technology, V. Tebus, L. Rivkis, G. Arutunova, Y. Golykov, E. Dmytrevskay, V. Fylin and L. Panteleev 233–237 (1996) 1163
Radiogenic helium thermodesorption from titanium tritide, A.I. Vedeneev, V.N. Lobanov and S.V. Starovoitova 233–237 (1996) 1189
LIBRETTO-3: Modelling tritium extraction/permeation and evaluation of permeation barriers under irradiation, L.A. Sedano, R. Conrad, M.A. Fütterer, R. May, R. Viola and X. Dies 233–237 (1996) 1411
Low-temperature tritium releasing ceramics as potential materials for the ITER breeding blanket, N. Roux, J. Avon, A. Floreancig, J. Mougin, B. Rasneur and S. Ravel 233–237 (1996) 1431
Effect of purge gas oxidizing potential on tritium release from Li-ceramics and on its permeation through 316L SS clads under irradiation (TRINE experiment), C. Alvani, J. Avon, S. Casadio, M.A. Fütterer, M.R. Mancini, C.A. Nannetti, S. Ravel, N. Roux, L. Sedano, V. Violante, A. Terlain, M. Tourasse, S. Tosti and M. Zanotti 233–237 (1996) 1441
EXOTIC-7: irradiation of ceramic breeder materials to high lithium burnup, J.G. van der Laan, H. Kwast, M. Stijkel, R. Conrad, R. May, S. Casadio, N. Roux, H. Werle and R.A. Verrall 233–237 (1996) 1446

Tungsten, Tungsten Alloys and Compounds
Use of tungsten coating on iter plasma facing components, J.W. Davis, K.T. Slattery, D.E. Driemeyer and M.A. Ulrickson 233–237 (1996) 604
High heat load test on tungsten and tungsten containing alloys, M. Fujitsuka, I. Mutoh, T. Tanabe and T. Shikama 233–237 (1996) 638
Development of a liquid-metal fusion reactor divertor with a capillary-pore system, L.G. Golubchikov, V.A. Evtikhin, I.E. Lyublinski, V.I. Pistunovich, I.N. Potapov and A.N. Chumanov 233–237 (1996) 667
On sputtering of W–Cu composition by polyenergetic flux of hydrogen particles, G.G. Bondarenko and Ya.Ya. Udris 233–237 (1996) 688
On a possibility of explosive material erosion under conditions of ITER disruption event, A.V. Burdakov, M.N. Chagin, V.V. Filippov, V.S. Koidan, K.I. Mekler, P.I. Melnikov, V.V. Postupaev, A.F. Rovenskikh, M.A. Shcheglov, K.V. Tsigutkin and H. Wuerz 233–237 (1996) 697
Lifetime of Be-, CFC- and W-armoured ITER divertor plates, I. Šmid, H.D. Pacher, G. Vieider, U. Mszanowski, Y. Igitkhanov, G. Janeschitz, J. Schlosser and L. Plöchl 233–237 (1996) 701

Selection, development and characterisation of plasma facing materials for ITER, V. Barabash, M. Akiba, I. Mazul, M. Ulrickson and G. Vieider 233–237 (1996) 718
Synergistic effects of surface erosion on tritium inventory and permeation in metallic plasma facing armours, G. Federici, D.F. Holland and R. Matera 233–237 (1996) 741
The melting of tungsten during plasma disruptions, G. Tsotridis 233–237 (1996) 758
Retention and desorption of implanted deuterium of high-Z plasma facing materials, R. Sakamoto, T. Muroga and N. Yoshida 233–237 (1996) 776
Re-emission and thermal desorption of deuterium from plasma sprayed tungsten coatings for application in ASDEX-upgrade, C. García-Rosales, P. Franzen, H. Plank, J. Roth and E. Gauthier 233–237 (1996) 803

Uranium, Uranium Alloys and Compounds

Manufacture of semifinished items of alloys V–4Ti–4Cr and V–10Ti–5Cr for use as a structural material in fusion applications, M.M. Potapenko, V.A. Drobishev, V.Y. Filkin, I.N. Gubkin, V.V. Myasnikov, A.D. Nikulin, E.N. Shingarev, G.P. Vedernikov, S.N. Votinov, V.S. Zurabov and A.B. Zolotarev 233–237 (1996) 438

Vanadium, Vanadium Alloys and Compounds

Status of vanadium alloys for fusion reactors, H. Matsui, K. Fukumoto, D.L. Smith, H.M. Chung, W. van Witzenburg and S.N. Votinov 233–237 (1996) 92
Reference vanadium alloy V–4Cr–4Ti for fusion application, D.L. Smith, H.M. Chung, B.A. Loomis and H.-C. Tsai 233–237 (1996) 356
Radiation damage features V–2.5Zr–0.35C alloy welds, V. Kazakov, V. Chakin and Z. Ostrovsky 233–237 (1996) 364
Prospects and problems using vanadium alloys as a structural material of the first wall and blanket of fusion reactors, S.N. Votinov, M.I. Solonin, Yu.I. Kazennov, V.P. Kondratjev, A.D. Nikulin, V.N. Tebus, E.O. Adamov, S.E. Bougaenko, Yu.S. Strebkov, A.V. Sidorenkov, V.B. Ivanov, V.A. Kazakov, V.A. Evtikhin, I.E. Lyublinski, V.M. Trojanov, A.E. Rusanov, V.M. Chernov and G.A. Birgevoj 233–237 (1996) 370
Hydrogen gas driven permeation through vanadium alloy VCr6Ti5, O.G. Romanenko, I.L. Tazhibaeva, V.P. Shestakov, A.Kh. Klepikov, Y.V. Chikhray, A.V. Golossanov and B.N. Kolbasov 233–237 (1996) 376
Irradiation creep of V–Ti–Cr alloy in BR-10 reactor core instrumented experiments, V.M. Troyanov, M.G. Bulkanov, A.S. Kruglov, E.A. Krjuchkov, M.P. Nikulin, J.M. Pevchykh, A.E. Rusanov, A.A. Smirnoff and S.N. Votinov 233–237 (1996) 381
Nucleation and growth of helium-vacancy clusters in vanadium and vanadium alloys: V–5Ti, V–3Ti–1Si, V–5Ti–5Cr, A.V. Fedorov, A. van Veen and A.I. Ryazanov 233–237 (1996) 385
Investigation of vanadium alloys in CTR plasma disruption-simulation experiments, V.L. Yakushin, B.A. Kalin, N.V. Kraskovskaya, S.N. Votinov and V.I. Vasiliev 233–237 (1996) 390
V–Ga-based alloys as candidate materials for fusion reactor application, L.I. Ivanov, Yu.M. Platov, A.I. Dediurin, I.V. Borovitskaia, V.M. Lazorenko, N.N. Savvateev, V.V. Sidorova, M.I. Zakharova and N.A. Artemov 233–237 (1996) 395
Influence of boron-generated helium on the swelling of neutron irradiated V, V–5Cr and V–5Fe, N. Sekimura, T. Iwai and F.A. Garner 233–237 (1996) 400
Influence of flux-spectra differences on transmutation, dimensional changes and fracture of vanadium alloys, F.A. Garner, L.R. Greenwood, B.A. Loomis, S. Ohnuki and N. Sekimura 233–237 (1996) 406
Transmutation-induced embrittlement of vanadium and several vanadium alloys in HFIR, S. Ohnuki, H. Takahashi, F.A. Garner, J.E. Pawel, K. Shiba and A. Hishinuma 233–237 (1996) 411
Electroslag remelt processing of irradiated vanadium alloys, W.J. Carmack, G.R. Smolik and K.A. McCarthy 233–237 (1996) 416
Utilization of vanadium alloys in the DIII-D radiative divertor program, J.P. Smith, W.R. Johnson, R.D. Stambaugh, P.W. Trester, D. Smith and E. Bloom 233–237 (1996) 421
Microstructures of deformed V–Ti–Cr–Si type alloys after neutron irradiation, M. Satou, K. Abe and H. Kayano 233–237 (1996) 426
Comparison of mechanical properties and structure of vanadium alloys relevant to DEMO conditions of the first wall and blanket, N.I. Budilkin, A.B. Alekseev, I.V. Golikov, Yu.I. Kazennov, V.F. Khramtsov, E.G. Mironova and A.V. Tselischev 233–237 (1996) 431
Manufacture of semifinished items of alloys V–4Ti–4Cr and V–10Ti–5Cr

for use as a structural material in fusion applications, M.M. Potapenko, V.A. Drobishev, V.Y. Filkin, I.N. Gubkin, V.V. Myasnikov, A.D. Nikulin, E.N. Shingarev, G.P. Vedernikov, S.N. Votinov, V.S. Zurabov and A.B. Zolotarev 233–237 (1996) 438

The trapping of hydrogen ions in vanadium and titanium, V.L. Arbuzov, V.B. Vykhodets and G.A. Raspopova 233–237 (1996) 442

Tensile behavior of helium charged V–Ti–Cr–Si type alloys, M. Satou, H. Koide, A. Hasegawa, K. Abe, H. Kayano and H. Matsui 233–237 (1996) 447

The vanadium alloys technological and corrosion studies in construction and operation of liquid metal facilities for fusion reactor, A.V. Vertkov, V.A. Evtikhin and I.E. Lyublinski 233–237 (1996) 452

Acoustic tests of elastic and microplastic properties of V–Ti–Cr alloys, V.M. Chernov, A.V. Rezvoushkin and B.K. Kardashev 233–237 (1996) 456

Mechanical properties of oxygen-injected vanadium alloy for application as structural component material for international thermonuclear experimental reactor, O.A. Medvedev, A.I. Ryazanov, A.N. Lyubimov, Y.V. Tichonov and W. van Witzenburg 233–237 (1996) 460

Properties of vanadium-base alloys irradiated in the Dynamic Helium Charging Experiment, H.M. Chung, B.A. Loomis and D.L. Smith 233–237 (1996) 466

CaO insulator coatings and self-healing of defects on V–Cr–Ti alloys in liquid lithium system, J.-H. Park and T.F. Kassner 233–237 (1996) 476

Effect of oxygen and oxidation on tensile properties of V–5Cr–5Ti alloy, K. Natesan and W.K. Soppet 233–237 (1996) 482

Fatigue and crack growth behavior of V–Cr–Ti alloys, B.G. Gieseke, C.O. Stevens and M.L. Grossbeck 233–237 (1996) 488

Recoil energy spectrum effect in vanadium by electron and light- and heavy-ion irradiation, M. Iseki, Y. Kizuka, S. Mori, K. Kohmura and M. Kiritani 233–237 (1996) 492

Recovery and recrystallization of vanadium alloys, A.N. Gubbi and A.F. Rowcliffe 233–237 (1996) 497

Fracture toughness and micromechanics in a V–4Cr–4Ti alloy, G.R. Odette, G.E. Lucas, E. Donahue and J.W. Sheckherd 233–237 (1996) 502

Neutron activation of lithium coolant in the V–5Ti–5Cr alloy circuit, Yu.G. Bobrov and V.V. Iroshnikov 233–237 (1996) 507

Hydrogen transport and embrittlement for palladium coated vanadium–chromium–titanium alloys, R.E. Buxbaum, R. Subramanian, J.H. Park and D.L. Smith 233–237 (1996) 510

Development of a liquid-metal fusion reactor divertor with a capillary-pore system, L.G. Golubchikov, V.A. Evtikhin, I.E. Lyublinski, V.I. Pistunovich, I.N. Potapov and A.N. Chumanov 233–237 (1996) 667

Sputtering of Be, V and Cu under irradiation by double-component polyenergetic beam of He^+ and Ar^+, B.A. Kalin, V.P. Gladkov, N.V. Volkov and S.E. Sabo 233–237 (1996) 692

Molecular dynamics calculations of point defect diffusion coefficients . in vanadium, A.M. Minashin and V.A. Ryabov 233–237 (1996) 996

The dependence of void swelling bias factor on iron concentration in V–Fe alloys, Yu.V. Konobeev, V.A. Pechenkin and S.I. Rudnev 233–237 (1996) 1070

Changes of mechanical properties of structural materials under radiation hydrogen saturation, A.P. Komissarov, G.G. Bondarenko and K.A. Kostin 233–237 (1996) 1154

Hydrogen isotopes mobility and trapping in V–Cr–Ti alloys, N. Budylkin, L. Voloschin, E. Mironova, N. Riazantseva and V. Tebus 233–237 (1996) 1160

Application of micro-indentation to irradiated alumina and vanadium/alumina joints, A. Hasegawa, Y. Kawamura, M. Satou and K. Abe 233–237 (1996) 1279

Waste management aspect of lithium–vanadium alloy based fusion blankets, E.T. Cheng 233–237 (1996) 1467

Evaluation of transmutation and low induced radioactivity and requirements for candidate structural materials, T. Noda 233–237 (1996) 1475

Effect of neutron spectra on the transmutation of first wall materials, T. Noda and M. Fujita 233–237 (1996) 1491

Prospect of development and manufacturing of low activation metallic materials for fusion reactor, N.P. Lyakishev, E.V. Dyomina, L.I. Ivanov, V.P. Kolotov, V.I. Kashin, Yu. Platov, N.N. Savvateev and N.A. Vinogradova 233–237 (1996) 1516

Low temperature irradiation experiments and material testing in Petten, E.V. van Osch, M.G. Horsten, M.I. de Vries, W. van Witzenburg, R. Conrad, G. Sordon and G.P. Tartaglia 233–237 (1996) 1541

Vanadium–lithium in-pile loop for comprehensive tests of vanadium alloys and multipurpose coatings, I.E. Lyublinski, V.A. Evtikhin, V.B. Ivanov, V.A. Kazakov, V.M. Korjavin, V.K. Markovchev, R.R. Melder, Y.L. Revyakin and V.N. Shpolyanskiy 233–237 (1996) 1568

Vitrification

Formation of the σ-phase in Cr–Fe alloys under irradiation, V. Chakin, V. Kazakov, Yu. Goncharenko and Z. Ostrovsky 233–237 (1996) 573

Wastes

Hydrogen isotopes mobility and trapping in V–Cr–Ti alloys, N. Budylkin, L. Voloschin, E. Mironova, N. Riazantseva and V. Tebus 233–237 (1996) 1160

Waste management aspect of lithium–vanadium alloy based fusion blankets, E.T. Cheng 233–237 (1996) 1467

Low-activation properties of novel Cr-based materials for fusion reactors, M. Zucchetti and M. Merola 233–237 (1996) 1486

Recycling and clearance of fusion activated waste, P. Rocco and M. Zucchetti 233–237 (1996) 1500

Activation characteristics of concrete shields containing colemanite, Y. Yarar 233–237 (1996) 1511

Activation analysis and materials choice in the laser fusion reactor KOYO, J.M. Perlado, K. Mima, S. Nakai, E. Alonso, E. Muñoz and J. Sanz 233–237 (1996) 1523